
RIL 6, 1953

STEEL

THE WEEKLY MAGAZINE OF METALWORKING



YEARLY LOSS TO INDUSTRY

$6 BILLION+


Effective corrosion protection of facilities and products can be translated into dollars — p. 102

✓ MORE COMPONENTS FASTER BY JULY
Stocks, Deliveries Improve, p. 59


✓ STAINLESS WELDS POSE PROBLEMS
Ways To Improve Performance, p. 138


CONTENTS — PAGE 5

Machinability of Tubing



requiring . . .







Much can be said about the comparative machinability of these three types of seamless mechanical tubing. What is best for one user is not always best for another user. For example —B&W is supplying mechanical tubing to three different manufacturers who are producing the same piece of equipment — one from Hot-Finished tubing, the second from Cold-Drawn tubing, and the third from Roto-Rocked tubing. The real criterion for machinability rests with the user and how he is equipped to produce the part.

In determining the type to be used in a specific application attention should also be given to the differences in surface finish, tolerances, and original cost which exist between hot-finished and cold-finished tubing and how these factors affect final production costs.


Mr. Tubes—your nearby B&W Tubing Representative — is a good man to consult when you want to match tubing types to your plant facilities and specific jobs . . . to keep production up and costs down. You'll find B&W Bulletin TB-340, "A Guide to the Use of Seamless Mechanical Tubing", helpful, too. Write for it.

THE BABCOCK & WILCOX COMPANY
TUBULAR PRODUCTS DIVISION
Beaver Falls, Pa.—Seamless Tubing; Welded Stainless Steel Tubing
Alliance, Ohio—Welded Carbon Steel Tubing

B&W SEAMLESS and WELDED TUBES

TA-171

Not to be confused






with Flying Saucers


Here are some Bethlehem forgings with three things in common: they are very large, very flat, and very round. From that point on, if you consider their uses, they are not even distant cousins.

That whopper on the truck weighs 48 tons. It is one of eleven discs for a big compressor to be installed in a wind tunnel. The slotted forging standing in the freight car is a chipper disc used in wood-pulping; weight, 35 tons. Somewhat dwarfed by comparison are the two forged tube sheets, above, which tip the beam at a mere 12 tons apiece.

You might think from this that we're especially partial to circular pieces. Actually, we like to get our teeth into almost every kind of forging, regardless of shape or size. At times there are orders that call for some pretty ingenious ways and means, and these our shops are equipped to handle as capably as the simpler types.

The forgings you need may not be round like the ones shown here. But whatever your designs, they can be made at Bethlehem and made the way you want them. Whenever we can be of service, call or write us.





BETHLEHEM STEEL

BETHLEHEM STEEL COMPANY
BETHLEHEM, PA.


On the Pacific Coast Bethlehem products are sold by Bethlehem Pacific Coast Steel Corporation
Export Distributor: Bethlehem Steel Export Corporation

Bethlehem FORGINGS

America's Largest Selling Brand of LP-Gas...


PHILGAS*

For Industries



Why do so many leading manufacturers rely on Philgas? Because this high-quality butane-propane fuel burns clean, there are no harmful contaminants to injure finished products. Fewer operational worries, too, with automatic Philgas systems maintaining constant temperature, atmosphere and pressure (high or low, as desired).

For Utilities



What advantages does Philgas offer utilities? Again . . . Philgas can be depended upon as a superior, reliable product . . . clean-burning and uniform in thermal values and gravity. Many progressive utilities find it profitable to augment natural or manufactured gas with Philgas. Automatic operation cuts down overhead.

*Philgas is the Phillips Petroleum Company trademark for its high quality propane-butane LP-Gas or bottled gas.

Phillips 66 Philgas

THE ALL-PURPOSE FUEL

PHILLIPS PETROLEUM COMPA

Sales Department · Bartlesville, Oklahoma

Offices located in Amarillo, Tex., Atlanta, Ga., Chicago, Ill., Denver, Des Moines, Ia., Pontiac, Mich., Indianapolis, Ind., Kansas City, Milwaukee, Wis., Minneapolis, Minn., New York, N. Y., Omaha, N Raleigh, N. C., St. Louis, Mo., Tulsa, Okla., Wichita, Kans.


Electro-Magnetic Clutch and Brake


—another NEW on Cincinnati Shapers

Now, with one convenient control the new electro-magnetic clutch and brake start and stop Cincinnati Shapers with a finger touch. It is the simplest, fastest control on any shaper.

Important advantages:

1. Ram is positioned quickly, accurately by instant action of clutch and brake.
2. Starting and stopping by just a light touch.
3. The single control lever is at the most convenient operator position.
4. Clutch and brake operate without grab . . . are powerful and smooth in action.
5. No adjustment of clutch or brake is required.





This clutch and brake are standard on all new Cincinnati Shapers. They are Warner units which have been thoroughly proven on machine tools.

Write for complete Cincinnati Shaper Catalog N-5


THE CINCINNATI SHAPER CO.

CINCINNATI 25, OHIO U.S.A.


SHAPERS · SHEARS · BRAKES

Combine Operations

FOR PRECISION



Close-up view shows relatively simple tooling.




Ex-Cell-O Three-Way Precision Boring Machine.

COMBINING OPERATIONS CUTS COSTS, BOOSTS OUTPUT, PROMOTES ACCURACY

Once a part is properly located and clamped it's good practice to do as much machining on it as possible before it's moved. In this way the various operations can be held in accurate relationship to one another, production is increased, and handling time is minimized.

In machining this cast-iron refrigeration crankcase, five roughing and eighteen finishin operations are held in accurate relationship one another, with extremely close tolerances the crankshaft and cylinder bores! Net produ tion for the roughing operation is 33 parts p hour; for finishing, 36 parts per hour.

Ask your local Ex-Cell-O representative abo all the other advantages of Ex-Cell-O W Machines, or write today for Bulletin 3163.



Sectional view with heavy lines to show operatio Single and double triangles indicate, respective single operation and rough-and-finish operatio

XLO
EX-CELL-O for PRECISION

EX-CELL-O

CORPORATIO

DETROIT 32, MICHIGAN

MANUFACTURERS OF PRECISION MACHINE TOOLS • CUTTING TOOLS • RAILROAD PINS AND BUSHI
DRILL JIG BUSHINGS • AIRCRAFT AND MISCELLANEOUS PRODUCTION PARTS • DAIRY EQUIPM

This Week in Metalworking

STEEL

Vol. 132 No. 14 Apr. 6, 1953

✓NEWS ✓PRODUCTION-ENGINEERING ✓MARKETS

Metalworking Outlook 51

As the Editor Views the News 55
Editor-in-Chief E. L. Shaner gives his thought-provoking views on matters of interest to the metalworking industry

Windows of Washington 66

Mirrors of Motordom 73

The Business Trend 77
Follow the course of business activity in charts and on the industrial production index

Men of Industry 81

Production-Engineering News at a Glance 101

How You Can Fight Corrosion 102
Industry spends billions every year to keep facilities from rusting away. Here are the latest tools

New Products and Equipment 113

Extrusion Experience Yields New Design 137
Compact design means reduced floor space, greater rigidity. Quick die changes are another plus

Welding Stainless Steels Has Its Problems 138
Plate warping and carbide precipitation are among the biggest bugaboos. Understanding the properties helps

Hydraulic Roll Lathe Saves Time in Rough Machining 142
Operator is relieved of heavy manual work. Consistency and uniformity of cutting operation is achieved

Progress in Steelmaking 146
Don't Write Off the Blast Furnace—Final portion of four-part treatise by Charles Agnew


The Market Outlook 163
Metal Prices and Composites begin on Page 164

The Metal Market 166

Behind the Scenes 6
Letters to the Editors 10
Subcontract Summary 65
Checklist on Controls 65
Obituaries 84
Metalworking Notes 87
Calendar of Meetings 110
Helpful Literature 117

Editorial, Business Staffs 16. Advertising Index 197. Editorial Index available semiannually. STEEL also is indexed by Engineering Index Inc., 29 West 39th St., New York 18.

olished every Monday by the Penton Publishing Company, Penton Building, Cleveland 13, Ohio. scription in the United States and possessions, Canada, Mexico, Cuba, Central and South erica, one year $10; two years $15; all other countries, one year $20. Single copies (current es) 50 cents. Metalworking Yearbook issue $2.00. Entered as second class matter at the toffice in Cleveland, under the Act of March 3, 1879. Copyright 1953 by Penton Publishing Co.



This Sturdy Precision

Tool Grinder

STYLE 44-A, is the newest in a complete line made by Ex-Cell-O for sharpening carbides, high speed steels, and cast alloys. All are double end models, equipped for face grinding on cup type wheels; for efficient and economical conditioning of single-point tools.

BULLETIN 46262, pictured below, shows and describes models for large plants or small shops; also gives important data on tool grinding. Ask Ex-Cell-O to send you a free copy. Write for it today.



For Better Work and Longer Life—

TOOL GRINDERS


BY

EX-CELL-O

CORPORATION

Detroit 32, Michigan

STEEL PLATE WORK



TURBINE CASINGS
and other heavy steel plate work are fabricated at Puseyjones of Hot-Rolled, High-Strength, Low-Alloy Steel.

Every facility for large scale metal fabricating: — Heavy plate shop equipment — Rolls — Shears — Bending furnaces. Stress relieving furnace 33'x18'x16' up to 2100°F. Machine shop for facing, turning, and boring. 50 ton capacity gray iron foundry. Deep-water transportation on one side, the Pennsylvania RR on the other. Talk to our development engineers.

Metals Fabrication Division
THE PUSEY AND JONES CORP.
506 Front St., Wilmington, Del.
Established 1848

PUSEYJONES

Behind the Scenes . . .

Meet Art Zimmerman . . .

He's a long length of editor and when he wraps his 6 ft. one inch frame around a typewriter, he looks like the town bully beating the bejasus out of a noisy victim.



Art Zimmerman has been a member of the biggest and best editorial staff in metalworking for only one and one half years. He gives definite promise of becoming a real heavyweight now that he's had time to flex his editorial muscles.

You may remember his excellent articles on *Packaging* and his more recent effort on *Electronics* in which he collaborated with Assistant Editor Tom Hruby.

At first "howdy do", Art seems a bit intense and yet you'll find him capable of occasional breezy blasts that are entirely refreshing. You get the feel of his light side in the brisk manner in which he edits the Letters to the Editor pages of STEEL.

As a regular assignment, he turns out the foreign news each week. And, in addition to handling special features, he's final reader on all news section pages for typographical errors.

Here's a man with a mission . . . in fact, it's almost an obsession . . . and that's to break 120 on the local eighteen. He's one of those long-off-the-tee-far-to-the-right kind of golfers but, despite stratosphere scores and gentle jibes of Assistant Editors Bob Jaynes and Bill Wolfe with whom he plays most often, he claims that the game relaxes him.

Since when did golf relax anyone?

Ghosts

Associate editor Sam Baker over in New York says that Geraldine, the night editor-cleaning woman must be traveling over east on night assignments or has a big city cousin who works in the Lincoln building. Last Monday morning Sam found a piece of copy paper stuck in his typewriter. On it was this bit of gibberish:

The Game

One day two schools were thinking about a game.

The game was to be between Junk Yard and Canteen. The game was to be on Sat. Aft. at three o'clock sharp. Then the big game was njhgfvcxdfg jkkkkjhgfdssbmnvc asfdjuyyexftsts.

Everyone in the New York offi swears they had nothing to do wi it. After thinking it over, we've d cided to make a job for Cousin C maline as Eastern Sports Editor, from now on you'll be kept right to snuff on what all the smart mon boys are doing down east that is.

We Love Salesmen!

"We Love Salesmen!" is the title a booklet recently issued by t Standard Pressed Steel Co., Jenk town, Pa. Vest-pocket in size a done with humorous cartoons in t colors, it is given to all salesm calling on the purchasing departm of this company. Among other thi (map on how-to-get-there, where park, what door to enter), it li generally what this company bu to produce its socket screws, lo nuts, steel shop equipment, et cete

Welcome to Penton

Welcome folders to be found the reception rooms of plants a general offices are common-pl nowadays and a mighty good pul relations gesture they are. If y are interested in your firm's go will rating, it is worth your check to see if you have such a prin folder or booklet. They need not fancy and it's not important that t be produced in tremendous volu (although distribution to your o employees is in order). Yes, we h a welcome folder at Pentons, and v be glad to send you a sample if just say the word.

Dead Heat


It was a photo finish betw Murray C. Thaw of the Littel St Co., Inc., Fallston, Pa. and Laure McKinney of James McKinney & S Inc., Albany, N. Y. with the cor answers to our puzzler of March 3.

Both responses were postmar on the date of the issue and arri in the morning mail on March 24.

The answers, as if you didn't kn were as follows: Sam paid $240 the cow and $40 for the calf. He them for $360 and made $60 pr on the cow and $20 profit on calf.

Shrdlu

(Metalworking Outlook—Page 51)



raw dolomite vs. dead burned dolomite

RAW dolomite is without peer for routine "drying" of open hearth bottoms and is useful for banking doors and making up banks over the line. However, for bank and bottom maintenance, most operators have concluded that despite its low price raw dolomite is not a low cost refractory.

The difference in price between dead burned dolomite and raw dolomite is essentially a reflection of the difference in the amount of work performed on the two products by the supplier. The increase in refractory value exceeds the increase in price because of characteristics imparted to dead burned dolomite during processing.

To obtain the oxides of calcium and magnesium, the desired refractory constituents, dolomite must be calcined to drive off carbon dioxide amounting to about 50% of its weight. In the case of dead burned dolomite fuel for calcination is provided by the manufacturer, whereas with raw dolomite it is supplied by the steelmaker. The average lime kiln uses about 10,000,000 BTUs to produce a ton of calcined product. Thus in making a 200-ton heat, an open hearth using 100 pounds of raw dolomite per ton of steel, consumes enough fuel in calcination to refine 15 tons of steel!

Merely to get the same number of pounds of refractory oxides contained in a ton of dead burned dolomite requires handling about 2 tons of raw dolomite, with a like reduction in furnace capacity. However, substitution of raw dolomite on a 2 to 1 basis fails to recognize the vastly superior efficiency of dead burned dolomite as a maintenance refractory. The coalescing agent incorporated in dead burned dolomite during manufacture causes the refractory to *set fast and stay fast* at operating temperatures. Concurrently each grain is "shrunk" to about 47% of its original volume and sized to insure a well consolidated repair of maximum density and refractory oxide content.

In contrast raw dolomite calcines to high porosity and low density in the open hearth and in the absence of an integral bond sets erratically under the fluxing effect of slag soaked up from bank and bottom.

These are some of the factors that have dictated the steady 25-year swing to dead burned dolomite. During this period Basic Refractories' capacity for producing its dead burned dolomite products, Magnefer and Syndolag, has been expanded repeatedly to meet steelmakers' needs.

GRANULAR BASIC REFRACTORIES

Basic Refractories Incorporated


845 HANNA BUILDING, CLEVELAND 15, OHIO

Exclusive Agents in Canada: REFRACTORIES ENGINEERING AND SUPPLIES, LTD., *Hamilton and Montreal*



DETREX

for guaranteed degreasing performance



When you give the go-signal to Detrex, a skilled, well-coordinated tean goes into high gear on your degreasing needs. One of our trained field staff surveys your operations, makes on-the-spot tests and demonstrations and takes into consideration every factor that plays a part in overall de greasing efficiency. With this information, Detrex chemists and technician from our laboratories join efforts with our equipment engineers to determine the type of degreasing operation best suited for your needs. Then, fina recommendations are submitted to you along with actual performance date for the operation. *The results are guaranteed!*

Detrex guarantees results because only Detrex has complete control of the process from start to finish. Detrex is the world's leading manufacturer o degreasers—industry's largest direct supplier of trichlorethylene degreasing solvent. Detrex is the *only* company that produces both.

But Detrex service does not stop with delivery on your order. The Detrex Field Service Engineer visits your degreasing operation regularly to make sure it continues at maximum efficiency and economy. He will point out ways to conserve solvent and increase production. Detrex assists in the training of operators and supervisors. In effect, they become skilled advisors on your staff without fee. There is absolutely no charge for the service . . . it comes automatically to Detrex customers.

Give the go-signal to Detrex on your degreasing operations. It will save you money, assure results.

for free survey

At no obligation to you, the Detrex field man in your area will come in and survey your present or proposed operations. There is no cost for the service. The result will prove to you the money-saving advantages of Detrex service. Just fill out and mail the coupon below . . . our field man will call you for the most convenient time to come in.

DETREX CORPORATION,
Dept. 101, Box 501, Detroit 32, Michigan

Please have the Detrex man in our area make an appointment to survey our operations to point up ways of cutting cleaning costs.

NAME .....

COMPANY .....

ADDRESS .....

CITY..... ZONE..... STATE.....

DETREX CORPORATION

DEGREASERS • DEGREASING SOLVENTS • WASHERS
ALKALI & EMULSION CLEANERS • DRYCLEANING
EQUIPMENT • PHOSPHATE COATING PROCESSES

industry's most comprehensive metal cleaning service




chemicals



With large, modern trichlorethylene producing plants in Ashtabula, Ohio and Tacoma, Washington, Detrex is industry's largest direct supplier of degreasing solvent. Through a network of field stocks, Detrex distributes this solvent to industry in the most convenient and economical manner. Deliveries are made to customers upon orders direct to the nearest stock point. By the drum, by tank car, Detrex meets your solvent requirements with premium-grade Perm-A-Clor at regular prices. Detrex also provides perchlorethylene and other solvents when required for cleaning or other operations.

equipment

Detrex built the first modern solvent degreasing machine over twenty years ago. Today, Detrex is industry's leading manufacturer of degreasing machinery. Our engineering department in Detroit is staffed with men thoroughly familiar with degreasers . . . our plant is equipped for modern production of every type from the smallest hand-operated unit to the largest conveyorized type. If your part can be degreased, Detrex builds the equipment.



field service



Detrex maintains a nationwide staff of trained specialists for customer service. Their skills and their time are at the disposal of Detrex customers without charge. They make regular visits to customer plants to inspect degreasing operations and point up ways to improve quality and conserve solvent. They will train your operators and supervisors and offer suggestions for more efficient work-handling procedures. On new applications, they will work with your engineers and production men to determine most efficient cleaning procedures. The results of their efforts are substantial savings per year for Detrex customers everywhere.


research




Research is the keystone of Detrex product development. In fact it was Detrex research that developed the means to stabilize chlorinated solvents and thus made modern solvent degreasing practical. Today, extensive Detrex laboratory facilities are manned by competent specialists. The revolutionary new ultrasonic process of metal cleaning, "Soniclean" is just one example of Detrex continuing research. Detrex research objectives are two-fold; 1) to develop new and better chemicals and processes in pace with the changing needs of industry and, 2) to constantly search for ways to make present Detrex products serve you more efficiently and economically.

71% to 86% Savings by redesigning with NELWELD*


FORMER METHOD · NELWELD METHOD · RESULT



75% SAVING with NELWELD



86% SAVING with NELWELD



71% SAVING with NELWELD



These substantial savings in fabrication costs were obtained when an electrical equipment manufacturer took advantage of the NELWELD method of fastening to redesign component parts. If you are now drilling/tapping or hand welding, chances are you too can . . .

Cut fastening costs, gain important corollary benefits—with NELWELD

In addition to slashing direct fastening costs, NELWELD pays off with such important corollary advantages as: reduction in costly material handling . . . saving in steel by eliminating bosses, flanges, brackets . . . a saving in manhours required to assemble . . . increased production.

If you're ready to cut your costs, start by writing for the booklet, "How to Design for NELWELD."

*Trademark

Fasten it Better . . . at Less Cost, with NELWELD T. M. REG.

NELSON STUD WELDING

DIVISION OF GREGORY INDUSTRIES, INC., LORAIN, OHIO

LETTERS TO THE EDITORS

A Timely Editorial Still

We have received 10 copies of "N Is The Time" (Jan. 5, p. 111). But copies will not be enough for our u May we have your permission to ha this article reproduced?

H. A. Mi
U. S. Steel Supply Divis
U. S. Steel Co
Chic

• *Permission granted.—ED.*

Electronics Simplified

I find your article "Industrial El tronics" (Mar. 16, p. 96) very intere ing indeed and I think you have do a very neat job on a very complica subject. You have my congratulatio

D. C. Ly
vice presi
Brush Electronics
Clevel

I read carefully through your artic on electronics in STEEL. I found story to be most informative and c tainly helpful to me. While I cann check on the accuracy of all your da the statistics on industrial research development were reported correctly.

Kenneth S. Colan
Research & Development Boa
Washin

I read your article "Industrial E tronics" with interest. I would like know more about the theory of tran tors and also can you supply me wi the name and address of a manu turer?

L. F. Gera
Engineering Depart nt
Connecticut Telephone & Electric Co.
Meriden, Co.

• *Write to Mr. R. K. Honaman, dir tor of publications, Bell Laborato es Inc., 463 West Street, New York 1 Since Bell Laboratories did much of he pioneering work on the transistor nd have granted some 34 operating lice es for work on the transistor, they will be able to supply you with the inform on you desire.—ED.*

Two Sides of Doing Business



I appreciated very much your editorial "Now Is the Time" (Jan. 5, p. 11 , I can only say "Amen" to all that our editors have written. But, it seems t me that the trouble is a little more sic even than what they have portraye

Here is why I think so: For the ast twenty years, business has been di culed, its aims have been misconst ed, its policies have been laughed at, nd, what is more important, its publi re lations policies have been almost en

Continued on following page



tool steel is our special pride!

Just as mother was known for a special dish, so Crucible stands for the finest in tool steel. For a half-century we have enjoyed this reputation. Naturally, we are proud of it.

We are keeping our research and development in step with industry's everchanging needs for tool steel. We are offering you the benefits of our metallurgical service to solve unusual problems. And we are maintaining full stocks in conveniently-located warehouses so you can get prompt delivery of tool steel.

SEND TODAY for the unique Crucible Tool Steel Selector—a twist of the dial gives the tool steel for your application.

Rex® High Speed Steels
Peerless Hot Work Steels
Halcomb 218
Chro-Mow®
nderson Carbon Tool Steels
Ketos®
Airkool Die Steel
Airdi® 150
u-Die V Die Casting Steel
CSM 2 Mold Steel
La Belle® Silicon #2
Atha Pneu

SPECIFY YOUR TOOL STEELS BY THESE BRAND NAMES

Crucible Steel Company of America
Dept. S, Chrysler Building, New York 17, N. Y.
Name_____
Company_____ Title_____
Address_____ City_____ State____



9" diameter, 3-colors

CRUCIBLE first name in special purpose steels

53 years of Fine steelmaking

TOOL STEELS

CRUCIBLE STEEL COMPANY OF AMERICA • TOOL STEEL SALES • SYRACUSE, N. Y.

This NEW METHOD DRIES AIR

PRECISELY as you want it

- to control your product's quality
- to prevent condensation on your product or material
- to prevent changes due to moist air in contact with your product
- to protect your material from dampness
- to protect your processing of moisture-sensitive material
- to DRY your material or product
- to pack or store your product safe from moisture damage
- to get exact moisture control for the precise atmosphere condition you need
- to provide precise atmospheric conditions for testing
- to increase your air conditioning capacity
- to DRY large quantities of fresh air from outdoors

The Niagara's Controlled Humidity Method using HYGROL moisture-absorbent liquid is

Best and most effective because . . . it removes moisture as a separate function from cooling or heating and so gives a precise result constantly and always. Niagara machines using liquid contact means of drying air have given over 20 years of service.

Most reliable because . . . the absorbent is continuously reconcentrated automatically. No moisture-sensitive instruments are required to control your conditions.


Most flexible because . . . you can obtain any condition at will and hold it as long as you wish in either continuous production, testing or storage.

Easiest to take care of because . . . the apparatus is simple, parts are accessible, controls are trustworthy.

Most compact, taking less space for installation.

Inexpensive to operate because . . . no re-heat is needed to obtain the relative humidity you wish in normal temperature ranges and frequently no refrigeration is used to remove moisture.

The cleanest because . . . no solids, salts or solutions of solids are used and there are no corrosive or reactive substances.



Niagara Controlled Humidity Air Conditioning

This method removes moisture from air by contact with a liquid in a small spray chamber. The liquid spray contact temperature and the absorbent concentration, factors that are easily and positively controlled, determine exactly the amount of moisture remaining in the leaving air. Heating or cooling is done as a separate function.

For complete information write

NIAGARA BLOWER COMPANY

Dept. S, Lexington Ave., New York 17, N. Y.

District Engineers in Principal Cities of United States and Canada

LETTERS

Concluded from preceding page

existent. The result is that in the m of the public, businessmen generally h a tail and two horns on their he How to overcome this attitude is prime problem we are facing and seems to me that one way of doing would be to point out in the pub print how much business is doing. instance, the matter of taxes.

The other evening I was read some figures about General Motors Co The article said, in a very casual w that General Motors paid more than billion in taxes. We might explain h each company pays certain amounts local, state and federal taxes; we mi point out how much it costs a giv company to make payroll deductions federal income taxes and for bonds, a for all the other things that are ducted.

It seems to me that something this would start some of our peo thinking. It might even result in a b ter understanding by the general pub of businessmen's problems.

E. J. MacKe
advertising mana
Simplex Wire & Cable
Cambridge, M

An Old Friend Returns



Beginning with your next issue STEEL, please renew my old subscripti Up until the first of the year, I been a regular subscriber to STEEL 15 or 18 years. I now find that I n the reports, analyses of things to cc (which have proven very accurate) other news of the steel industry so mu I ask that you renew my subscript

A. E. Do
P.O. Box
Goldsboro, N

Galvanizing Compound Sough

We should be grateful if you cc put us in touch with the makers of new cold galvanizing compound m tioned in your article "Protects and Steel" (July 21, 1952, p. 128).

J. H. H
Department of Geological Su
Dodoma, Tangan
A

• *That firm is Galvanite Corp., 40 V 29th Street, New York.—ED.*

Symbol of Leadership

We want to thank you for y "Specifications Handbook" on fer and nonferrous materials, and we lieve it is the most complete handb that we have seen.


This type of service, I am sure appreciated by all industries in gen and indicates your leadership in field.

J. D. Putterb
purchasing
Waco Aircraf
Tro

Count on

WEIRTON

HIGH-CARBON STRIP
COLD-ROLLED SPRING STEEL



for uniform high-speed blanking and cold forming

Whether your problem is cold forming or blanking, you can depend on Weirton cold-rolled spring steel for best results. It has proved itself in a multitude of applications by consistently meeting the requirements of a variety of products where high fatigue-resistance is a principal factor.

Where superior forming qualities are of prime necessity, Weirton supplies spheroidized-annealed cold-rolled spring steel. The controlled grain structure provides exceptional ductility—assuring you of simple, economical fabrication.

Weirton also supplies cold-rolled spring steel that is temper rolled to produce controlled ranges of hardness and tensile strength. The desired ranges are designed to meet your specific requirements—assuring you of clean, economical blanking.

Close manufacturing control has resulted in these highly desirable qualities—unique in Weirton high carbon strip:


Accurate response to heat treatment.
Uniformity of gauge and width.
Uniform chemical and physical properties.
Exact consistency of grain structure.
Controlled decarburization limits.

Weirton high carbon strip is available with the desired chemical analysis and for specific heat treating and hardness ranges, in widths up to seven inches.



SPHEROIDIZED
Annealed, soft and ductile —ideal for cold forming operations.

PEARLITIC
Temper-rolled in controlled hardness and strength for blanking.




WEIRTON STEEL COMPANY

WEIRTON STEEL COMPANY
WEIRTON, WEST VIRGINIA

NATIONAL STEEL CORPORATION

SAME THREAD— 45.5% of Former Cost!





Eye bolts, for use in the assembly of switchgears, are now threaded on 1" Double LANDMACO Leadscrew Threading Machines in the Philadelphia plant of a large Eastern manufacturer. Records show that costs by previous methods averaged 120% higher.

Three sizes of eye bolts are threaded from high tensile bronze and copper castings—3/8", 1/2", and 5/8". 16, 13 and 11 pitch National Coarse threads respectively are cut for lengths varying from 15/16" to 1 5/8" at cutting speeds of 302 and 217 RPM's.

Lower tool cost has been an important factor in the overall cost reduction from threading these parts with LANDIS Equipment. Approximately 25,000 pieces are produced between each regrinding of the chasers. This combined with the fact that LANDIS Chasers are reground and used for most of their original length has brought tool co down to a minimum.

This is one of many examples where LAND Threading Equipment has significantly reduc operating costs—others show increased productio better quality, lower maintenance, etc. Furth information on LANDMACO Leadscrew Machin and all LANDIS Threading Equipment will be fu nished promptly on request. Please give specific tions when writing.

THE LANDIS Machine CO. 50TH ANNIVERSARY 50 WAYNESBOR PENNSYLVANI



Extra Tonnage every hour... WITH PERMANENTE 165!

Reports from leading steel producers using Permanente 165 ramming mix for open hearth bottoms show that:

Many furnaces are "tripling"... original tap holes are lasting up to 80 heats without repiping . . . production records are being broken, with extra tonnage every hour.

Chances are that the proved superiority of a Permanente 165 bottom, based on records of scores of furnaces, can boost *your* open hearth production well above current rates.

Such performance is possible because patented Permanente 165 is a high MgO *periclase* ramming material derived from sea water magnesia of highest purity.

Pre-shrunk and accurately sized periclase grains assure a bottom of great volume stability—another of Permanente 165's more than *20 quality advantages.*

SEND FOR LITERATURE giving *all* the important advantages of Permanente 165 and the companion material, Permanente 84. Upon request, your Kaiser refractory engineer will promptly offer you research, design and installation service to help you obtain more steel tonnage per year, at lower bottom cost per ton. Call or write principal sales offices: *Chemical Division,* Kaiser Aluminum & Chemical Sales, Inc., 1924 Broadway, Oakland 12, California. First National Tower, Akron 8, Ohio.



Kaiser Chemicals

Pioneers in Modern Basic Refractories

Basic Refractory Brick and Ramming Materials • Dolomite • Magnesia • Magnesite • Alumina • Periclase



EFFICIENT CUTTING...
LONG BLADE LIFE...
plus at least
15% LOWER INITIAL COST
with
VICTOR "Moly"® High Speed Power Blades

Do your toughest metal cutting jobs efficiently, economically and *right* with VICTOR "Moly" High Speed Power Blades.

To begin with, you'll reduce your initial blade cost by 15%. From then on, you'll find additional savings in better cutting and longer blade life. Quality steel, carefully heat treated, fabricated on special machinery, has made VICTOR Blades industry's preferred blades for over half a century. And your Industrial Distributor will give you free copies of the VICTOR Metal Cutting Booklet which tells you what blade to use for every job. Ask him for it.

FAST SERVICE
for you from your
INDUSTRIAL DISTRIBUTOR

VICTOR "Moly" High Speed Power Blades are sold only through recognized distributors—the men you know and have confidence in, the men who have stocks on hand to give you fast service when and where you want it. You're wise to buy whatever you can from your recognized distributor.

1823

VICTOR

SAW WORKS, INC. • MIDDLETOWN, N.Y., U.S.A.

Makers of Hand and Power Hack Saw Blades, Frames and Metal Cutting Band Saw Blades

STEEL

The Weekly Magazine of Metalworking

Editor-in-Chief, EARL L. SHANER *Editor,* IRWIN H. SUCH
Managing Editor, WALTER J. CAMPBELL
Assistant Managing Editors, VANCE BELL, JOHN S. MORGAN

News and Markets

WM. M. ROONEY.....*Market Editor*
FRANK R. BRIGGS.....*Associate Editor*
ARTHUR W. ZIMMERMAN..*Assistant Editor*
JOHN KELSEY.....*Assistant Editor*
ROBERT O. JAYNES.....*Assistant Editor*
ROBERT M. LOVE.....*Assistant Editor*
H. VANYORX CALDWELL JR..*Assistant Editor*
DAVID S. PARRETT.....*Assistant Editor*
MARY T. BORGERHOFF.....*Assistant Editor*

Engineering and Production

EDWIN L. KARPICK.....*Engineering Editor*
ALLEN G. GRAY.....*Technical Editor*
J. D. KNOX.....*Steel Plant Editor*
ROBERT F. HUBER....*Machine Tool Editor*
WM. R. WOLFE.....*Assistant Editor*
THOMAS F. HRUBY.....*Assistant Editor*
DOLORES K. MAILLE.....*Assistant Editor*
NANCY SHAFFER.....*Editorial Asst.*
ELIZABETH RIPLEY.....*Editorial Asst.*

Resident Editors

New York 17 ..... 60 East 42nd St.
B. K. PRICE, L. E. BROWNE
SAMUEL W. BAKER
Murray Hill 2-2581

Chicago 11 ..... 520 North Michigan Ave.
E. F. ROSS
Whitehall 4-1234

Pittsburgh 19 ..... 2837 Koppers Bldg.
ROBERT E. HALL
Atlantic 1-3211

Detroit 2 ..... 6560 Cass Ave.
FLOYD G. LAWRENCE
Trinity 5-3024

Washington 4 ..... 1123 National Press Bldg.
E. C. KREUTZBERG
Executive 6849

London, 2 Caxton St., Westminster S.W. 1
VINCENT DELPORT
European Editor

Editorial Correspondents

Birmingham ..... R. W. KINCEY
Birmingham 3-1121

Buffalo ..... L. G. FELDMANN
Cleveland 5353

St. Louis ..... MAC L. HUTCHENS
Republic 7752

Youngstown ..... GEORGE R. REISS
7-1471

Los Angeles ..... NORMAN LYNN
Hudson 2-4373

San Francisco ..... EDWIN HAVERTY
Yukon 6-5151

Seattle ..... R. C. HILL
Melrose 1895

Dallas ..... C. K. CATES
Riverside 4355

Toronto ..... F. S. TOBIN
Empire 4-9655

Birmingham, Eng. ..... J. A. HORTON

Paris, France ..... LEON JAUDOIN-PROM

Liege, Belgium ..... M. JACQUES FOULON

Dusseldorf, Germany... DR. HERBERT GROSS

BUSINESS STAFF

Business Manager ..... J. W. ZUBER
Promotion Manager ..... S. F. MARINO
Circulation Manager ..... G. R. EBERSOLE
Research Manager ..... N. R. LADABOUCHE
Market Statistics ..... G. J. AUNER

Advertising Manager ..... C. H. BAILEY
Production Manager ..... A. V. ANDERSON
Classified Advertising Mgr. ..... DORIS ROBBINS
Mail & List Service ..... AMY LOMBARDO
Reprints ..... C. B. NILES

Advertising Representatives

New York 17 ..... 60 East 42nd St.
E. W. KREUTZBERG, K. A. ZOLLNER
Murray Hill 2-2581

Farmington, Conn. ..... 12 Farmstead Lane
CALVIN FISHER, JR.
Farmington 7-1756

Pittsburgh 19 ..... 2837 Koppers Bldg.
S. H. JASPER, J. C. SULLIVAN
Atlantic 1-3211

Cleveland 13 ..... Penton Building
D. C. KIEFER, H. G. ROWLAND
Main 1-8260

Cincinnati 30 ..... 5568 Beechmont Ave.
E. L. FRANKE—Parkway 3640

Detroit 27 ..... 14583 Longacre Rd
C. A. TALLINGER JR.—Vermont 8-7207

Chicago 11 ..... 520 North Michigan Ave
L. C. PELOTT, W. L. POLAND
JOHN W. VAUGHAN
Whitehall 4-1234

Los Angeles 48 6262 Commodore Sloat Dr
F. J. FULLER—Webster 1-6865

Griffin, Georgia ..... 331 South 12th St.
FRED J. ALLEN—Griffin 7854

Circulation Representatives

H. R. DUNNE, C. A. PRICE

Published Every Monday by
THE PENTON PUBLISHING CO., Penton Bldg., Cleveland 13, Ohio

President and Treasurer.....G. O. HAYS
Chairman.....E. L. SHANER
Vice Pres., Director of Advertising.. R. C. JAENKE
Vice Pres. and Secretary.....F. G. STEINEBACH
Asst. Secy. and Asst. Treas. .....J. P. LIPKA

Also Publisher of FOUNDRY, MACHINE DESIGN, NEW EQUIPMENT DIGEST

Member of Controlled Circulation Audit, Inc., Magazine Publishers Association Inc., Society of Business Magazine Editors, and National Business Publications, Inc.

ANACONDA FORUM
for the Electrical Industry

THE IMPORTANCE OF PRODUCTION METHODS ANALYSIS IN INDUSTRY

by Robert G. Ely, Vice President
The Connecticut Light and Power Company



TOWER production costs, always a major concern of industrial management, have, due to inflationary pressures during the past several years, become the vital element of survival in our competitive markets. Fortunately better production methods, coupled with enlightened depreciation practice that provides for prompt replacement of obsolescent productive equipment, enable our industrial customers to stay in the race. And fortunately, America's engineers are past masters at continually developing better production methods. The pioneering work of Dr. Frank Gilbreth in time and motion study laid the groundwork for a fascinating field of engineering encompassing the fundamentals of continued profitable operation in any industrial activity—that of Production Method Analysis.

FROM RAW MATERIAL TO FINISHED PRODUCT

Production Method Analysis studies the operation from raw material to finished product—the method of handling materials, the sequence of operations and their logical physical relationships, the individual operators and their activities. It also studies bottlenecks of production, such as poor or obsolete equipment, inadequate wiring with its consequent voltage problems and decreased production rates, inadequately trained personnel, or lack of proper tools. In short, Production Method Analysis breaks down apparently complex operations into their simple component parts. From such analyses and the subsequent use of modern, high-speed, automatic machines properly tooled and in proper sequence, along with effective materials handling and efficient personnel who know their jobs, comes the healthy industrial employer who is so vital to the well-being of the community and, incidentally, to the utility serving that community. And therein lies our very real interest in Production Method Analysis.

INDUSTRIAL PAYROLLS VS. UTILITY INCOME

There is no mathematical sleight-of-hand involved in developing the relationship of industrial payrolls to utility income in any community or group of communities. Unable to pull up poles and move to where the grass may look greener, and confined to its franchise territory in its quest for new business, the utility's prosperity directly reflects the general prosperity of its service area. Lower production costs, therefore, become of vital concern to us as well as to our customers. Production Method Analysis as a tool in increasing production rates and reducing unit costs has therefore become part of our vocabulary, part of our thinking, part of our program of doing our utmost to help our manufacturers maintain and improve their competitive positions within their own industries.

ELECTRICAL EQUIPMENT PLAYS A PART, TOO

Our allies in the electrical equipment field have an important part in this program too. This is for the reason that better production methods depend on the availability of a sufficient supply of power in the right place at the right time, ready for application to the job of increasing the effectiveness of manhours through efficient transformation into mechanical or heat energy for the accomplishment of industrial tasks. Generating stations, transmission and distribution systems, adequate plant wiring and well engineered utilization equipment are all necessary parts in the over-all picture of industrial and community growth and health. All who have a part in the supply of these facilities strengthen the backbone of better production methods.

ANACONDA JOINTING KITS prevent the possibility of inadequate materials . . . keep stocks fresh and readily available for fast withdrawals. Illustration shows how complete these kits are—right down to a handy checklist of materials.



ANACONDA CABLE ACCESSORIES

A complete line—engineered by power-cable experts—is available in increased quantities.

At Anaconda, the increase in demand for cable accessories is being met by increased production. The complete line—with many exclusive features—consists of the following:

Potheads (capnut, switchgear, transformer, disconnect and through types), featuring unmatched interchangeability of parts.

Unit Packages of Jointing Materials. These kits contain everything needed to make a joint.

Filling Compounds. Balanced compounds mean greater stability.

Cable Paints and other miscellaneous accessory items.

Bring your cable and cable accessories problems to your Anaconda Representative.

Durasheath

the *all-purpose* ANACONDA Cable for both power and lighting services



Durasheath's* tough neoprene jacket stubbornly resists electrolysis, corrosion, temperature extremes, cutting, abrasion, impact, flame, oil, grease, moisture and most soil acids and alkalies.

Run it overhead, in ducts, or buried underground—or all three in one continuous run.

It's flexible, easy to handle, economical to install; made in single or multi-conductor construction.

Your nearest Anaconda Sales Office or Distributor can show you why it's good business to install this versatile, all-purpose cable. Just ask them.

*Trademark

TEN BASIC RULES FOR INDUSTRIAL WIRIN



BY FRANK AIME, veteran electrical engine of Anaconda Wire & Cable Company.

Successful operation of an industria depends on the quality of its electri tribution system. These rules should setting up a well-planned system for bo and small plants:

1. Design the system within supply lim
2. Locate supply near electrical load cent
3. Know your load requirements.
4. Let requirements of processes, product relative importance of the major chara of distribution systems determine dist system type.
5. Select and arrange feeders and equip that interruptions never occur more process will allow.
6. Select all components from source to reasonable future growth.
7. Don't be limited by National Electr figures for conductors, conduit and pi which are minimum and primarily fo
8. Use load centers when feasible.
9. Select cables with best all-around cha tics for your condition.
10. Aim always for production efficiency and safety.

ANACONDA RESEARCH AT WOR

How a new problem meant a new prod



The problem? Loads outgrown duct space duct sizes of lead-cove cables. Cables had to be hotter and under more se physical difficulties. C *sheaths* were failing before *interiors* cable life was limited.

Anaconda research set out to find answer. Hundreds of sheath alloys v tested. The one finally selected prom far better performance. Called ANACONDA F-3† alloy-lead sheath, it has a high burst strength and a low creep rate . . . resists bending and does not age-harden.




Once again, Anaconda's planned gram of research solved a new prob with a new product. Yes, research like pays off . . . in cable that serves you bet

RESEARCH IS ANACONDA'S BUSINESS, TO


†F-3 Arsenic-Lead Alloy (U. S. Patents 2,300,788, 2,504,600 and 2,570,501) Reg. U. S. Pat. Off.

ANACONDA



C AGING TEST. Here's one method Anaconda Engineers use to learn ead-covered, paper-insulated cables stand up. In this laboratory, cables aded under conditions similar to daily load cycles in the field, but at temperatures and voltages. Result: Anaconda Engineers get the facts . . know what can happen years hence . . . and can give you much more e performance data.

WHY THIS MAN'S JOB MEANS BUILT-IN QUALITY IN THE CABLE YOU BUY



THIS IS ED GITTLESON, Anaconda's Chief Inspector and Manager of Quality Control.


Ed knows that to make a good product and sell it at the lowest possible price, quality must be built in right from the start. That's Ed's job—to see that it's done from raw material to final shipment. Ed has based Anaconda's control program on principles of statistical quality control that assure you not only of *greater* uniformity, but of a *higher level* of quality as well. You can be sure that every Anaconda product more than complies with your requirements.

busduct system is truly flexible without this

W ANACONDA®

werduct Cable

he only nonmetallic-armored bus- cable UL approved for this hard cuts cost of relocating machines.





Even if you have a modern busduct system, it may be flexible only so far as it goes. You may still have to rip out permanent or semi-permanent wiring every time you rearrange important machines. That's costly.

Why not match your busduct system with money-saving ANACONDA Powerduct Cable . . . approved by Underwriters' Laboratories, Inc., for busway branches under section 3646, 1951 National Electric Code?

Powerduct Cable is much cheaper to install than conduit. It handles easily. Grips prevent cable creep. No time is lost. You get circuit capacity at any point for any load at any time. Coil (see illustration) makes local changes easy.

Its tough jacket takes heavy mechanical abuse, is flame-retardant, won't fray. Cold-flow is no problem. Cutting compounds, oil, acid, water, grease won't harm it.

Plan now to add flexible Powerduct Cable to your busduct system. Be sure that you insist on the ANACONDA Trademark—your positive proof of UL approval for this use.

he right cable for the job

SHORTS THAT MAKE SENSE

PRODUCTION TOOL. Good lighting is important in any plant. With it—high quality, profitable production and fulfilled schedules are possible. Without it —spoilage, reduced efficiency, lowered quality control and poor morale may send costs skyrocketing.

ADEQUATE CIRCUITS. A lighting system is no better than the circuits that serve it. Lamp efficiency, for instance, depends on operation at rated voltage. Make sure your circuits are adequate.

PLANNED SYSTEM LAYOUT. Lack of planning never pays off. A well-designed system always costs less than a poor one. Plan for tomorrow and you cut tomorrow's costs *today*.

TOMORROW'S LIGHTING NEEDS. Many plants install lighting circuits in working areas for an ultimate of two times present lighting intensity. Play smart and follow suit. You won't be caught with your lighting down.

CURRENT RATING. No one value of current-carrying capacity (amperes) can be assigned to any one size and design of cable. Installation and method of operation must be considered.

CABLE TERMINATIONS. Moisture, like death and taxes, plays no favorites. In making cable terminations, it pays to keep this in mind—even at low voltages. There tightness against moisture is just as important as for higher ratings. Yet it's here that failures are far more frequent. Probably due to the feeling that here anything will do in the way of terminating the cable.

OVERHEAD VS. UNDERGROUND. For appearance' sake only, overhead distribution systems are often replaced by more expensive underground systems. But it's entirely possible such a change will also result in a lower annual cost. Reason: freedom from damage by trees, wind, sleet, ice, etc. Reliability is improved.



"LIVE" INSULATING OIL

Heat and electrical stress produce deterioration products wh eventually sign the death warrant for insulating oil. Carbon bl keeps such oil "alive." It minimizes and removes deteriorat products and keeps them outside the field of the dielectric. It c tinually purifies and stabilizes the oil . . . keeps it clean.

Only ANACONDA Type CB* Power Cable utilizes this p nomenon. Result: greater stability and longer life. This tested pa cable may be obtained with special carbon black binder which a resiliency, yet possesses adequate strength. A further improvem F-3** Alloy-Lead Sheath, triples sheath life by its high resista to slow-bending fatigue, creep, burst and abrasion.

If you're not using Type CB Power Cable, you aren't get as much service out of your paper cables as you should. We sug you get the full story from your nearest Anaconda Sales Of

* CB—Carbon Black (U. S. Patents 2,102,129, 2,405,853) Reg. U. S. Pat. Off.

** F-3—Arsenic-Lead Alloy (U. S. Patents 2,300,788, 2,375,755, 2,504,600 2,570,501) Reg. U. S. Pat. Off.


FOR FURTHER INFORMATION about any product mentioned in the pages of this advertisement, see your Anaconda Representative . . . or write to *Anaconda Wire & Cable Company, 25 Broadway, New York 4, N. Y.*

ANACONDA®

TODAY'S HEADQUARTERS FOR WIRE AND CABLE

MAKERS OF

building, barn, machine tool, control and communication wire • service and overhead distribution cables, bare and proof including ACSR • portable cords and cables • power and bus-drop cables • mine, bridge, aerial, und duct, network and submarine cables • parkway, airport and street-lighting cables • station, apparatus and ver cables • magnet wire • copper, aluminum and copperweld conductors • wire and cable accessories.



Yours for the asking...

up-to-the-minute technical data on

CAST STAINLESS STEEL VALVES • FITTINGS • CASTINGS

1. STANDARD PRACTICE SP-42 ... Eight page folder listing detailed specifications for 150# corrosion resistant cast flanged valves, flanges and flanged fittings.

2. VALVE COMPARISON CHARTS ... Four page charts comparing design features of leading competitive 2" and ¾" stainless steel gate valves.

3. FLOW DIAGRAMS ... Four page folder describing basic stainless steel valve designs in terms of fluid flow. Uses and limitations of each major type are discussed.

4. MATERIALS SELECTION CHART ... Four page chart designed to assist in the selection of the most economical alloy for a given corrosive problem. More than 350 specific corrosives are included.

5. ALLOY REFERENCE CHART ... Six page pamphlet listing alloy designations, applications, properties and analysis of corrosion and heat resisting alloys.

6. HOW TO GET THE RIGHT VALVE ... Eight page folder giving information needed to enable manufacturer, supply company or sales representative to fit the proper valve for the application. Tells user or buyer how to get what he needs when ordering a valve.

7. CAST STAINLESS STEEL IN THE PAPER INDUSTRY ... Eight page folder describing how stainless steel castings, valves and fittings are used to beat corrosion in the paper industry

8. THREADING STAINLESS STEEL ... Four page folder describing specific high production machining operations on stainless steel valve parts. Speeds, cutting angles, coolants and tooling are discussed.

9. HIGH TEMPERATURE CHARACTERISTICS ... Technical data chart giving high temperature characteristics of heat resistant alloys.

10. PROPERTIES OF CAST STAINLESS ALLOYS ... Technical data chart giving designations, composition, mechanical and physical properties of cast stainless alloys.

11. MOLYBDENUM BEARING STAINLESS CASTINGS ... Four page folder discussing the properties and applications of molybdenum bearing cast stainless alloys.

12. USES FOR CAST MONEL ... Eight page booklet describing properties and applications of cast monel.

13. WHAT TYPE HIGH ALLOY CASTINGS ... Four page folder describing selection of alloy types in keeping with government regulations.

14. QUIKUPL STAINLESS STEEL FITTING ... Technical manual describing design, applications and limitations of revolutionary new type stainless fittings.

15. CATALOG #52 ... Forty-eight page catalog describing complete line of Cooper Alloy stainless steel valves, fittings and accessories. Includes engineering drawings, weights, dimensions, size ranges, plus valuable material and corrosion data.

16. VALVE TOPICS ... Technical periodical published bi-monthly for users of stainless steel valves and fittings.

17. NEWSCAST ... Technical periodical published bi-monthly for users of stainless steel castings.

18. TECHNICAL TOPICS—GENERAL ... Seven concise technical discussions covering corrosion, magnetism, machining, welding and pickling of stainless alloys.

CLIP THIS COUPON

1	7	13
2	8	14
3	9	15
4	10	16
5	11	17
6	12	18

THE **COOPER ALLOY** FOUNDRY CO. • HILLSIDE, NEW JERSEY

LEADING PRODUCERS OF **STAINLESS STEEL** VALVES FITTINGS AND CASTINGS

Check for FREE LITERATURE


Name_____

Position_____

Company_____

Address_____

City_____ Zone_____ State_____



Second No. 24 Hydraulic and finished propeller shafts.

AIRPLANE PROPELLER SHAFTS AT BARGAIN PRICES!

from GISHOLT No. 24 AUTOMATIC LATHES


For speed and precision on these hefty drive gear and propeller shafts, production is divided between a pair of Gisholt No. 24 Hydraulic Automatic Lathes. The first machine gets the 275 lb. steel forging for nine different turning, chamfering, and facing operations on the 16″ gear blank and five-shaft diameters. 12 minutes later, the part moves to the second machine where nine tools perform similar work on the other side of the flange. Time again is 12 minutes.

Together, the two No. 24 Hydraulics remove a total of 75 lbs. of material. One man operates both machines. Another tough job handled to perfection by these high production machines.


The Gisholt No. 24 Hydraulic, like the famed smaller No. 12 combines ease of setup with exceptional speed and accuracy—all with fully automatic operation that means low costs on any job. If you have work up to 24″ diameter, you should have full details on the rugged, powerful, No. 24 Automatic.



First No. 24 making chips on small end of shaft.



Tool arrangement for first operation.



Tool arrangement for second operation.

THE GISHOLT ROUND TABLE

represents the collective experience of specialists in machining, surface-finishing and balancing of round and partly round parts. Your problems are welcomed here.



GISHOLT MACHINE COMPANY Madison 10, Wisconsin

TURRET LATHES • AUTOMATIC LATHES • SUPERFINISHERS • BALANCERS • SPECIAL MACHINES



For the story of FERROCARBO in quality steelmaking, mail the coupon today—or phone or write the FERROCARBO distributor nearest you. You'll learn why steel deoxidized with FERROCARBO is "plus steel."

KERCHNER, MARSHALL & CO.
PITTSBURGH • Cleveland • Buffalo
Philadelphia • Birmingham • Los Angeles

MILLER & COMPANY
CHICAGO • St. Louis • Cincinnati

WILLIAMS & WILSON
TORONTO • Montreal • Windsor

THE CARBORUNDUM COMPANY, Dept. S 84-31
Niagara Falls, New York

Gentlemen:

I would like to have the FERROCARBO story—no obligation on my part.

NAME AND TITLE

COMPANY

STREET AND NUMBER CITY ZONE STATE

FERROCARBO

TRADE MARK

by CARBORUNDUM

84-31

arborundum" and "Ferrocarbo" are trademarks which registered in the U. S. by The Carborundum Company, agara Falls, New York, and in Canada by Canadian arborundum Company, Ltd., Niagara Falls, Ontario.

Advertisement

ELECTROMET Data Sheet

A Digest of the Production, Properties, and Uses of Steels and Other Metals

Published by Electro Metallurgical Company, a Division of Union Carbide and Carbon Corporation, 30 East 42nd Street, New York 17, N. Y. • In Canada: Electro Metallurgical Company of Canada, Limited, Welland, Ontario

How SILICOMANGANESE Saves Furnace Time . . . Produces Better, Cleaner Steel

Silicomanganese is used by the steel industry as a furnace block* and deoxidizer, and also for manganese additions.

The cleanness and quality of steel depend largely on how well it has been deoxidized. Deoxidation also greatly influences the physical properties of steel for rolling and subsequent fabrication. Silicomanganese combines two active deoxidizers in a single alloy and it has proved to be a more effective deoxidizer than silicon or manganese alloys added separately. This combination alloy contains silicon and manganese in the correct proportion (approximately 1 to 3.5) to be most effective in reducing the oxygen content of the bath to a low level. The use of silicomanganese produces cleaner steel, saves furnace time, and gives high alloy recovery for manganese additions.

Gets More Oxygen Out of Bath

When silicomanganese is used for blocking and deoxidation, the combined effect of silicon and manganese lowers the oxygen content to a greater degree than silicon alone. This is due to the fact that the amount of oxygen in equilibrium with a given amount of silicon is lower in iron-silicon-manganese alloys than it is in plain iron-silicon alloys, as shown in Fig. 1.




Fig. 1. Limit of solubility of oxygen in iron-silicon alloys, plain and with 0.50 per cent manganese at 1600°C.

*The initial deoxidation of steel, frequently referred to as the furnace block, stops the carbon-oxygen reaction in the furnace. This arrests the carbon drop immediately and makes it possible to secure close control of analysis. If the oxygen content of the metal is reduced well below the level established by the carbon-oxygen reaction, initial deoxidation is accomplished.

Less Inclusions, Cleaner Steel

In addition to lowering the oxygen content, silicomanganese has a specifically beneficial effect on inclusions. The inclusions in a steel depend in large part on how low the carbon content (or how high the oxygen content) is before blocking. The lower the carbon, the dirtier the final steel, almost regardless of the subsequent deoxidation treatment. Since silicomanganese has a low carbon content, it is not necessary to drive the carbon as low (or make the oxygen as high), as when high-carbon or standard ferromanganese is used, so that the final steel is cleaner and has better working properties. The improved cleanliness resulting from silicomanganese is usually noticeable in higher carbon steels, but is outstanding in steels below 0.25 per cent carbon where inclusions and surface defects are a vital problem and where the time saved by blocking at a higher carbon level is significant.

Fast Solubility In Bath

Because of the high concentration of active elements in silicomanganese, less time is required to effect solution of this alloy than when equivalent amounts of silicon and manganese are used separately in the form of ferrosilicon and ferromanganese.

For example, compare these typical analyses of silicomanganese, standard ferromanganese, and 50 per cent ferrosilicon:

	Silicomanganese, %	Standard Ferromanganese, %	50% Ferrosilicon, %
Manganese	66.5	80	—
Silicon	19	—	50
Carbon	1.5	7	—
Iron, approx.	13	13	50

From this it can be seen that 1,000 lb. of silicomanganese would contain 190 lb. of silicon and 665 lb. of manganese. These amounts of silicon and manganese would require 380 lb. of 50 per cent ferrosilicon and 830 lb. of standard ferromanganese, or a total of 1,210 lb. Obviously it is easier and faster to dissolve 1,000 lb. of the combination alloy silicomanganese than 1,210 lb. of these separate silicon and manganese alloys.

Lower Carbon Content

Silicomanganese contains less carbon than any combination of ferrosilicon and standard ferromanganese. Therefore, the carbon-oxygen reaction in the bath can be stopped earlier when silicomanganese is used for blocking. Heats can be blocked at higher carbon levels and hence lower oxygen contents, and the amount of deoxidizer required is less.



Fig. 2. Charging silicomanganese into an open-hearth furnace.

Saves Furnace Time

Because of the advantages outlined, silicomanganese can save as much as 20 minutes per melt in the production of open-hearth steel. For low-carbon steel, an even greater saving in time can be realized.

For Producing Engineering Steels

Silicomanganese is also used for low additions of manganese, particularly in the production of engineering steels containing 0.10 to 0.50 per cent carbon.

When manganese or other oxidizable additions, such as chromium, must be made to the bath, the use of a block provides a higher alloy recovery. Silicomanganese introduces manganese with the silicon and the usual recovery of this manganese will range from 70 to 85 per cent.

Metallurgical Service Available

Ask to have one of our metallurgists call and explain more fully the advantages of silicomanganese as a furnace block and deoxidizer. He will be glad to help you with the use of ELECTROMET silicomanganese. This alloy contains 65 to 68 per cent manganese and is produced in maximum 1.50, 0.00 and 3.00 per cent carbon grades. All grades are furnished in a lump size of 75 lb. down in. and in a crushed size of 2 in. x down. Write, wire, or phone the nearest ELECTROMET office.

The word "Electromet" is a registered trademark of Union Carbide and Carbon Corporation.

Which Square D Control Center will do *Your* job best?



1. STANDARD
2. BACK-TO-BACK
3. DUST-TIGHT
4. WEATHER-PROOF
5. FILTERED AIR

1 Standard Square D Plug-in Control Centers in Nema I enclosures are designed for the majority of installations.



SQUARE D FOR FLEXIBILITY! Square D's plug-in units can be removed, added, or exchanged at will. Both fusible switch and circuit breaker types available. Standardized sections and units are 100% re-usable after plant conversions or rearrangements.

Write for Bulletin 8938. Address Square D Company, 4041 North Richards Street, Milwaukee 12, Wisconsin.

2 Space an Important Factor? Back-to-back Nema I enclosures provide maximum concentration of control in limited space.



3 for Excessively Dusty Locations—felt-gasketed, dust-tight, Nema V enclosure. A "natural" for foundries, smelting and refining plants.



4 for Outdoor Installations—rubber-gasketed, Nema III enclosure protects equipment from weather. Special rust-proof, vinyl-clad finish.



5 Need Filtered Air Protection? Built-in fan and filter combination pressurizes enclosure for moderately dusty or certain types of corrosive atmospheres.

ASK YOUR ELECTRICAL DISTRIBUTOR FOR SQUARE D PRODUCTS




SQUARE D COMPANY

1903 • **50 YEARS OF DESIGN LEADERSHIP** • 1953

SYSTEMIZED BATTERY CARE

KEEPS TRUCKS ON THE GO!



Nothing will keep your electric industrial trucks in continuous operation like a well-organized system of battery maintenance. And nothing can give you such a system like the Gould Plus-Performance Plan. Here is a complete library of technical information that tells how to select, charge, handle, maintain, and determine the condition of lead-acid batteries, regardless of make. Use it to systemize battery care and you'll cut down-time, maintain production schedules and extend battery service. It's free. Write Gould Battery Information Headquarters.




GOULD *Industrial Batteries*

GOULD-NATIONAL BATTERIES, INC., TRENTON 7, N.J.

Always Use Gould-National Automobile and Truck Batteries

07 PAGES OF PRACTICAL INFORMATION

Send for this free book *today!*



- How to select turret lathe tools
- How to improve setups
- Combined and multiple cuts
- Universal bar and chucking equipment
- Special tools
- Data section
- Repair parts

YOU'LL FIND THIS NEW BOOK a real help in selecting and properly using Warner & Swasey urret lathe tools. It clearly and simply explains ays you can use modern tools to take full advantage f the increased speed and power f today's turret lathes. It's a book you von't want to be without -so send for your copy today!

WARNER & SWASEY Cleveland PRECISION MACHINERY SINCE 1880

S-4-53

WARNER & SWASEY COMPANY
Department 320, Cleveland 3, Ohio

Please send me my free copy of "Turret Lathe Tools" today!

*Name*_____

*Company*_____

*Position*_____

*Address*_____

*City*_____


*Zone*_____ *State*_____

U CAN PRODUCE IT BETTER, FASTER, FOR LESS WITH WARNER & SWASEY MACHINE TOOLS, TEXTILE MACHINERY, CONSTRUCTION MACHINERY


Best Bearing Protection Money Can Buy



Model 65—A general purpose garter spring seal for moderate speeds.



Model 63—A general purpose finger spring seal for normal and high speed service.



Model 53 KLOZURE applied to a shaft to protect the ball bearing.



Model 71-A—A narro rind springless seal needle bearings and oth limited space applicatio



Model 64—A stro double spring seal heavy duty service large shafts.




Model 91-B—A narrow-rind seal with synthetic rubber outer covering for soft metal housings.

DEPENDABLE KLOZURE Oil Seals protect costly bearing installations; they prevent breakdowns and resulting losses in production. That's why many manufacturers of machine tools, gears, speed reducers, and other equipment have standardized on Garlock KLOZURES.

The standard sealing element in the Garlock KLOZURE is made of a synthetic rubber compound that is oil-resistant, non-porous and non-abrasive. Special elements, such as "Teflon" for strong acids and silicone rubber for extreme heat, are available. The metal cases are precision die-stamped.

These superior oil seals are made in a complete range of sizes and in many models; several are illustrated. *Write for KLOZURE Catalog No. 10.*



Branch Offices in Principal Cities

THE GARLOCK PACKING COMPANY, PALMYRA, NEW YORK

In Canada: The Garlock Packing Company of Canada Ltd., Toronto, Ont.

GARLOCK Klozure* Oil Seals

*Registered Trademark

FOR ALL TYPES OF BEARINGS



oval of Siliceous Volcanic Cinders — Redmond, Oregon

Caterpillar Tractor Co. Photo

The Invisible Background of Industrial Progress

In Redmond, Oregon, a siliceous volcanic mountain is being leveled by powerful Diesel bulldozers. The volcanic cinders derived from this opencut mining operation when mixed with asphalt or concrete produce an excellent non-skid surface for modern highways especially in mountainous country.

The use of Diesel powered bulldozers to push this material into piles for mechanical truck loading, depicts American initiative and the trend to utilize industrial machinery to the utmost.

The Bullard Company for over 70 years has progressively created and placed in practically all industries of the world, Machine Tools that have led the way to greater production. Machine Tools which have helped produce these laborsaving machines as well as the numerous industrial, consumer and luxury items that comprise our American standard of living.


Bullard, through constant research and engineering, builds ★ *Modern Machine Tools* that are recognized for their accuracy, ruggedness, dependability, versatility and economy of operation. They are key production units for today's manufacturing plants.

★ *For greater manufacturing economy REFER to next page.*


THE BULLARD COMPANY

BRIDGEPORT 2, CONNECTICUT

BULLARD MACHINE TOOLS FOR GREATER MANUFACTURING ECONOMY



This 18½-ton Mult-Au-Matic was used to test the load carrying capacities of the Bullard 4-Way Bed Horizontal Boring, Milling and Drilling Machine.




The Table and Saddle were moved in all directions under feed and power traverse with this unusual load. All movements were extremely smooth without any tendency toward sticking or overloading the main drive motor.

This is conclusive proof of the load carrying capacity and operating smoothness of the Bullard 4-Way Bed Horizontal Boring, Milling and Drilling Machine.

BULLARD

Complete information on request.

THE BULLARD COMPANY BRIDGEPORT 2, CONNECTICUT



it's **OK**

let'em go with OK hardened ways, gibs, ball races, and Ampco* bronze wear strips

The ultimate success and accurate life of your machine depends to a large extent on the accuracy, and uniform high hardness of its ways, gibs, ball races or wear strips. OK parts are the finest. They are made of special tool steel welded to a backing of soft tough steel under 2500 tons pressure, then hardened to a Rockwell C-65-66 and ground to tolerances of ± .00015 (both straight and parallel). They are available in all sizes and shapes, to meet your particular requirements.

OK wear strips are now available in welded Ampco bronze. Because of the OK's special bi-metal method of welding, less bronze is required. These ways are ground to close tolerances thus reducing manufacturing and assembly time.

Mail coupon below for comprehensive bulletins.

Manufacturers for the Metal Working Industry of Slitter Knives, Shear Blades, Rotary Shear Knives, Hardened Spacers, Hardened Ways, Gibs, Ball Races, Bronze Ways, and Wear Strips.

*Reg. U. S. Pat. Office by Ampco Metal Inc.



OHIO KNIFE CO., DEPT. C
Cincinnati 23, Ohio

Please send free Bulletins on OK ways, gibs, etc.

NAME_____

COMPANY_____

ADDRESS_____


CITY_____ STATE_____

THE OHIO KNIFE CO.

CINCINNATI 23, OHIO


One Source

FOR "SPECIFICATION" FORGINGS AND CASTINGS





STEEL ROLLS



PRESSURE VESSELS



PRESS CYLINDER



RINGS

Name your requirements . . . show us your blueprints . . . and Midvale engineers and craftsmen working with the finest equipment will produce the forgings or corrosion and heat resisting castings you need.

Midvale can assure you of the finest in craftsmanship, precision and ultimate performance. Whether it is weldless gear rings for turbine speed reduction . . . cylinders for hydraulic presses . . . weldless high-pressure vessels for oil refining, gas reactions and steam generation or hardened and ground steel rolls for cold rolling steel, aluminum, copper, brass, zinc, foil, paper, linoleum, plastic and rubber, Midvale engineers can help you design them. Midvale craftsmen will build them to your most exacting specifications. Put your forging and casting problems in our hands . . . you'll be satisfied with the results.

THE MIDVALE COMPANY

NICETOWN, PHILADELPHIA 40, PA.

OFFICES: NEW YORK • CHICAGO • PITTSBURGH
WASHINGTON • CLEVELAND • SAN FRANCISCO

MIDVALE

Custom Steel Makers to Industry

PRODUCERS OF FORGINGS, ROLLS, RINGS, CORROSION AND HEAT RESISTING CASTINGS



THE HANSEN REPRESENTATIVE—

Quick-Connective Couplings Are His Business

BUT SO ARE AIR LINE PROBLEMS

REPRESENTATIVES

BALTIMORE	LOS ANGELES
BIRMINGHAM	LOUISVILLE
CHICAGO	MILWAUKEE
CLEVELAND	MINNEAPOLIS
DALLAS	NEW ORLEANS
DAYTON	PITTSBURGH
DENVER	ROCHESTER
DETROIT	SAN FRANCISCO
FT. WAYNE	SAVANNAH
HARTFORD	SEATTLE
KANSAS CITY	ST. LOUIS

MONTREAL
TORONTO VANCOUVER

Export Department: CLEVELAND




TO AVOID AIR LINE PROBLEMS

use the HANSEN man's know-how

...backed by experience in hundreds of plants!

Believe us, you're missing something if you aren't making use of the know-how and help that you can get from the Hansen representative. In dozens of plants, it's almost routine procedure to call him—either when actual troubles arise—or when air line circuits are being planned or altered.

The main job of the Hansen representative, of course, is to supply you with exactly the right couplings for your particular requirements. But from years of on-the-job experience with almost every type of fluid line installation, he can also give you real help on such matters as the pitch of your lines, proper take-off, location of drains and other details which insure a moisture-free circuit operating at maximum efficiency.



To keep moisture out of air operated devices—
ASK THE HANSEN REPRESENTATIVE ABOUT THE HANSEN HOOK-UP


QUICK-CONNECTIVE FLUID LINE COUPLINGS

1. QUICK CONNECTION AND DISCONNECTION **2. INSTANT AUTOMATIC FLOW OR SHUT-OFF**

One-Way Shut-Off



Two-Way Shut-Off



ALSO STRAIGHT-THROUGH QUICK-CONNECTIVE COUPLINGS

Send for Catalog!

THE HANSEN MANUFACTURING COMPANY

4031 WEST 150th STREET • CLEVELAND 11, OHIO



ONE OF A NUMBER of different tumbling barrels in which sample parts are processed in the new Norton barrel-finishing department.

Get the

"TOUCH OF GOLD"

Sample tumbling FREE in the new Norton test department

Can you "tumble" with the "Touch of Gold"? Can you be sure that you are adding value to your product each time the barrel turns in the barrel-finishing operation? Have you investigated this method as a way to more efficient processing and higher profit?

You can get samples processed without cost — in the newly enlarged Norton sample processing department with tumbling barrels of different types and capacities, plus auxiliary equipment such as a mechanically vibrated screen. Here Norton engineers, long experienced in tumbling procedures, determine for you just what barrel-finishing can do for the metal parts you send.

The range is wide. We have been successful in finishing parts ranging from tiny needles to castings and forgings weighing several pounds. Many manufacturers already have the "Touch of Gold" with substantial savings and production speed-up.

Tests result in detailed recommendations on barrel type, size, speed and amount of ALUNDUM* Tumbling Abrasive, amount of water, type and amount of compound or cleaner, time cycles and other data.


No obligation — send now. Mail us your representative sample parts plus (a) finished sample to be matched and (b) information on your present barrel-finishing equipment, if any, including type, size and speed of barrel. Send to NORTON COMPANY, Worcester 6, Mass., attention Sales Engineering Dept., Abrasive Division. Tests take about a week.

Also available is a 55-page Norton handbook on barrel-finishing. Ask your Norton Distributor for Form 501 or write us direct.

*Trade-Mark Reg. U. S. Pat. Off.

NORTON COMPANY, Worcester 6, Mass
Distributors In All Principal Cities
Export: Norton Behr-Manning Overseas Incorporated, Worcester 6, Mass.

NORTON
ABRASIVES
Making better products to make other products better



"where can I get a good, small general purpose hydraulic press . . . *quickly?*"



"HANNIFIN HAS THEM FROM TO 10 TONS FOR PROMPT DELIVERY!"

, Hannifin is your best source for small, general p pose hydraulic presses. And, you can get *almost* i ediate delivery because the demand for these popu- l presses is so consistent that Hannifin is able to make t n in quantity.

his *continuous* quantity production works to your antage price-wise, too, because the savings of volume duction are passed along.

he quality of these small presses is identical to that the larger Hannifin presses that are built to order. t acting, single-lever and dual-lever manual controls standard, but optional controls, including Hannifin's ented Sensitive Pressure Controls, are available on 5-, 8- and 10-ton models. Maximum pressure can be usted from 10% of capacity to l capacity on all models.

lect the press you need om this chart...

CAPACITY, tons	1-ton	2-ton	5-ton	8-ton	10-ton
MODEL NUMBER	F-10	F-20	F-50	F-80	F-101
RAM SPEED (in.–min.) Down	400	190	120*	73*	130
RAM SPEED (in.–min.) Up	800	345	240*	151*	254
PUMP (gpm.)	3.3	3.3	5*	5*	11
MOTOR (hp)	1½	1½	2*	2*	5
STROKE (in.)	6	6	10	10	12
GAP (in.)	10	10	16	16	22
REACH (in.)	6	6	7½	7½	10
BULLETIN	H-784	H-784	135	135	134

PRICES WILL BE SENT PROMPTLY ON REQUEST. Check THE BULLETINS YOU WANT ON THE COUPON

**Supplied with larger motor and pump when higher ram speed is required.*

mail the coupon!

Hannifin Representatives Are at Your Service in These Leading Industrial Centers

Atlanta, Buffalo, Cincinnati, Cleveland, Dallas, Dayton, Denver, Detroit, Houston, Los Angeles, Milwaukee, Minneapolis, Moline, New Orleans, New York, Philadelphia, Pittsburgh, St. Louis, Seattle; Richmond, Va.; Rochester, N. Y.; South Bend, Ind.; Washington, D. C.; Worcester, Mass. In Canada: TEM Sales Company, Toronto

HANNIFIN

Hydraulic and Pneumatic Presses from ½ Ton to 150 Tons

Air and Hydraulic Cylinders • Riveters • Air Control Valves

Hannifin Corporation
1125 S. Kilbourn Ave., Chicago 24, Ill.
Please send bulletins checked, together with prices:

☐ Bulletin H-784 ☐ Bulletin 135 ☐ Bulletin 134

Name.....

Position.....

Company.....

Address.....

City.....*State*.....

40,000 lb. ERIE STEAM HAMMER

Increases Production at Kropp Forge Company



PART of the Kropp Forge Company's $5,000,000 expansion program is this 40,000 lb. Erie Steam Drop Hammer making aircraft forgings. Well known for top quality forgings, Kropp is meeting today's all-time high forgings demand with greatly expanded facilities . . . in which Erie Hammers play a major part. Forgings are as good as the hammergangs and hammers that make them. Kropp's choice of Erie Hammers recommends them highly to you. Write for Bulletin 340 giving complete details on Erie Steam Hammers.

ERIE

ERIE FOUNDRY COMPANY ERIE, PENNSYLVANIA

Dependable **FORGING HAMMERS • HYDRAULIC PRESSES**

for POSITIVE DESCALING of...

U PONT SODIUM HYDRIDE ESCALING PROCESS—

fast, efficient and easy to operate!

st *one* fast treatment in the hydride bath is all it takes reduce oxide scale from any of a great variety of metals d alloys. Bath action *stops* the instant scale is reduced preventing pitting or base metal loss even if work is ft in bath longer than necessary.


The flexible design of hydride installations makes the ocess adaptable to shops and mills of any size. Equipent can be manually operated, conveyorized or conuous, and treatments can be carried out on finished ticles or processed stock of all sizes and shapes. The ocess is *easy* to operate and maintain—*skilled hands are unnecessary.*

If your operations call for the descaling of "hard to ean" metals, be sure you get all the facts about Sodium ydride Descaling from Du Pont—the pioneer of this markably efficient process. We can show you how you n use Sodium Hydride Descaling *profitably*—even help ith the design of the installation and the training of the erators. Get in touch with the nearest Du Pont office send in the coupon below.

- **STEELS—ALL TYPES**
  - **CAST**
  - **CHROME STAINLESS**
  - **CHROME-NICKEL STAINLESS**
  - **HIGH SPEED**
  - **SILICON**
- **NICKEL**
- **INCONEL**
- **SILVER**
- **COPPER**
- **STELLITE**
- **COBALT BEARING ALLOYS**
- **MONEL**
- **TITANIUM AND ITS ALLOYS**

—and all other metals not affected by fused caustic at 700°F.

NEW, REVISED BOOKLET gives you up-to-date information about the Du Pont Sodium Hydride Descaling Process: advantages, applications and equipment used. SEND FOR YOUR COPY.



DISTRICT AND SALES OFFICES: Baltimore • Boston • Charlotte • Chicago • Cincinnati • Cleveland • Detroit • Kansas City* • Los Angeles • New York • Philadelphia • Pittsburgh • San Francisco **Barada & Page, Inc.*

DU PONT
Sodium hydride process for positive descaling

DU PONT
REG U.S. PAT OFF.

BETTER THINGS FOR BETTER LIVING... *THROUGH CHEMISTRY*

E. I. du Pont de Nemours & Co. (Inc.)
Electrochemicals Department, Wilmington 98, Delaware

Please send me more information about the Du Pont Sodium Hydride Descaling Process: advantages, applications, equipment used. I am interested in descaling_____


_____

*Name*_____ *Position*_____

*Firm*_____

*Address*_____

*City*_____ *State*_____



HOW FAST IS

18,000 Characters a Minute?

It's 24 times as fast as the fastest recorded typing speed . . . 128 times as fast as the average handwriting speed. But it's the *actual* speed at which the IBM 407 Accounting Machine, illustrated above, turns out accounting and statistical records for business and industry.

IBM Accounting Machines give you not only all the documents required in your daily accounting work, but—from the same punched cards—reports, statements, analyses, and other business records based on *fresh* information. With these in hand, you base your decisions on current facts.


Executives in many industries rely on this high-sp d productive capacity of IBM machines to help th maintain effective business control.

IBM
TRADE MARK

INTERNATIONAL BUSINESS MACHINES
590 Madison Avenue, New York 22, N. Y.

For Precision Surface Grinding

...Toolroom and Production



Brown & Sharpe

Accurate Finish . . . Toolroom and Production at Low Cost . . .



No. 5 Surface Grinding Machine

Where precision, fine finish, and rapid stock removal on flat surfaces are equally important, this productive hydraulic-type machine quickly pays for itself. Automatic hydraulic table feeds are powerful, smooth, quiet and infinitely variable. Centrally-located controls permit rapid set-up and easy operation. Flange-mounted removable unit-type wheel spindle provides accuracy of alignment — choice of plain-bearing or antifriction-bearing types. You'll find many other features for speed, safety, accuracy and long life that make the No. 5 ideal on both toolroom and production grinding for work up to 24″ long, 8″ wide and 11″ high.



Nos. 2L and 2LB Surface Grinding Machines

These machines, long famous for their economical production of small to medium-sized precision work, give you the advantages of automatic lubrication and ample guarding to reduce maintenance costs and extend machine life. Removable unit-type precision wheel spindle, plain-bearing or antifriction-bearing — and rigid column construction — provide exceptional grinding finish with quick spark-out. The No. 2LB Machine with Hand Feeds Only is ideal for toolroom and production work where automatic feeds are not needed. No. 2L (illustrated) and No. 2LB grind work to 18″ long, 6″ wide and 9½″ high, using a wheel 7″ in diameter.

Write for detailed specifications on these machines.

Brown & Sharpe B·S

Milling Machines • Grinding Machines • Screw Machines • Cutters • Machine Tool Accessories
Machinists' Tools • Electronic Measuring Equipment • Johansson Gage Blocks • Permanent Magnet Chucks • Pumps

BROWN & SHARPE MFG. CO., PROVIDENCE 1, R. I., U. S. A.

PRINTED IN U. S. A.

Wherever piping is concealed ...



Yoloy pipe used for radiant heating. Ready for placement of pipe supports, to be installed before pouring concrete floor slabs.


use YOLOY continuous weld pipe

Yoloy Continuous Weld Pipe offers distinct advantages for radiant heating and snow removal. Its use is recommended whenever piping is concealed—in industrial plants, commercial buildings, hospitals, schools and residences.

In standard tests Yoloy steel has demonstrated that its resistance to atmospheric corrosion is four to six times greater than that of regular steels. In actual installations Yoloy Pipe has demonstrated that it has a high resistance to many other corrosive conditions.

For example, Yoloy Continuous Weld Pipe, used as a cold water line in a highly sulphurous atmosphere in an industrial plant, continued in service and in excellent condition for many years. Yoloy Continuous Weld Pipe installed in brine lines from wells at a salt plant is still in service after several years.

Yoloy Continuous Weld Pipe is made from the same nickel-copper steel composition that has proved so successful in service in the oil, mining, railroad, chemical, trucking and other industries where resistance to corrosion and abrasion is of prime importance. This pipe is easy to thread and fabricate with standard pipe tools. It can be electric or gas welded readily. It has high strength and high resistance to abrasion, shock and vibration fatigue. For further information, write or phone the Youngstown District Sales Office nearest you.



Youngstown

QUALITY YOUNGSTOWN SERVICE

THE YOUNGSTOWN SHEET AND TUBE COMPANY

General Offices — Youngstown 1, Ohio

Manufacturers of Carbon, Alloy and Yoloy Steel

Export Office-500 Fifth Avenue, New York

COLD FINISHED CARBON AND ALLOY BARS - ELECTROLYTIC TIN PLATE - COKE TIN PLATE - WIRE - PIPE AND TUBULAR PRODUCTS - CONDUIT - RODS - SHEETS - PLATES - BARS - RAILROAD TRACK SPIKES.



Yes, gentlemen, *less* than 5% ripple—and you know that means more uniform deposits. This exclusive new H-VW-M Rectifier also has dual input for either 220 or 440 volts. That's right, single knob control instead of several—but that single knob controls 22 points of on-load switching!

And that *oversize transformer* is another typical H-VW-M "extra"—operates continuously without exceeding a 25°C. temperature rise . . . *plenty of reserve capacity*. The acid and alkali-resistant coating on both the transformer and the selenium stacks is real assurance of dependable, long life. There's *increased plate area*, too—and easily replaceable Fiberglass dust-blocks to filter incoming air. And instead of an ordinary contactor, there's a standard starter to guarantee AC line-overload protection with no-voltage release.

These Rectifiers—*made* by H-VW-M—have a smooth, easy-to-clean, durable, grey, hammer-tone finish and are the most complete line in the industry. They're available with either self-contained or remote control, in a full range of sizes from 50 to 10,000 ampere units in all desired voltages. And by comparison, *they cost less per unit than any other rectifiers made!*

Superior, lower-cost rectifiers are just one of the many results of H-VW-M's constant progress in electroplating and polishing development for more than eighty years. It's a continuous policy, best summed up in H-VW-M Platemanship . . . your working guarantee of the best that industry has to offer—not only in rectifiers—but in every phase of plating and polishing.

8906


Your H-VW-M combination—of the most modern testing and development laboratory—of over 80 years experience in every phase of plating and polishing—of a complete equipment, process and supply line for every need.

HANSON-VAN WINKLE-MUNNING CO., MATAWAN, N. J.
PLANTS AT: MATAWAN, N. J. • ANDERSON, INDIANA
SALES OFFICES: ANDERSON • BOSTON • CHICAGO • CLEVELAND DAYTON • DETROIT • GRAND RAPIDS • LOS ANGELES • MATAWAN MILWAUKEE • NEW YORK • PHILADELPHIA • PITTSBURGH ROCHESTER • SPRINGFIELD (MASS.) • STRATFORD (CONN.) • UTICA

H-VW-M

INDUSTRY'S WORKSHOP FOR THE FINEST IN PLATING AND POLISHING PROCESSES • EQUIPMENT • SUPPL S

Boosts mill scale recovery rom 250 to 475 tons a week




Mill scale removed from steel strip by high pressure sprays, is sluiced from hot strip mill to concentrator, from which it is removed by three Link-Belt Straightline Collectors. Two Link-Belt belt conveyors—a horizontal collecting belt and an inclined pivoted loader—then carry scale to railroad cars. After fusing by sintering, the recovered scale is charged into blast furnace.

Steel mill also eliminates clogged sewers with LINK-BELT Straightline Collectors

HERE'S the case of a mill that saw its profits literally "going down the drain"—and did something about it. Before stalling Link-Belt Straightline Collectors, almost half the ile passed into the sewers, causing frequent clogging.

Now, with their new collectors, they've boosted recovery om 250 to 475 tons a week. Since the scale is 72% pure iron, ch ton is equivalent to 1½ tons of ore. And the waste water actually clearer than the river water . . . aiding the anti-ver-pollution program.

No matter what your waste treatment problem, you'll find pays to call in a Link-Belt engineer. Drawing on Link-Belt's oad experience in this highly specialized field, he can recommend the equipment best suited to your requirements from e complete Link-Belt line. Ask your Link-Belt office for rther information.




LINK-BELT

CONVEYING AND HANDLING EQUIPMENT


NK-BELT COMPANY: Plants: Chicago, Indianapolis, Philadelphia, Colmar, ., Atlanta, Houston, Minneapolis, San Francisco, Los Angeles, Seattle, Toronto, Springs (South Africa), Sydney (Australia).
Sales Offices in Principal Cities. 13,094

REDUCEROLLING THIS BELL CRANK FORGING BLANK—

1. Cuts labor cost in half . . .
2. Doubles production per man hour . . .
3. Saves one pound of steel per forging!



NO. 6 REDUCEROLL



Stock (A) measures 2¼" round by 8¾" long, weighs 10 lbs. REDUCEROLLED blank (B) ready for forging. Finished forging (C). Note small amount of flash.

METHOD	EQUIPMENT	CREW	FORGINGS PER 8 HOURS
OLD	Two Hammers	4 Men	575
NEW	One Hammer One Reduceroll	3 Men	900
RESULTS	Saves One Hammer	Saves One Man	Produces 325 More Forgings

From one of America's largest and most modern forge shops comes this report of outstanding progress in forging the steering bell crank illustrated above.

The REDUCEROLLING technique, in addition to producing 325 more forgings per eight hours, also obtains three extra forgings from each bar of stock, thus saving one pound of steel per forging. Rolls were redressed after pre-forming approximately 14,000 blanks. Same rolls have been redressed three times to date.



THIS DOOR IS ALWAYS OPEN!


Our entire organization is always at your service to help you solve your forging problems. Send us prints or samples of the parts you wish to forge. Better yet, visit us. No obligation, of course.

NATIONAL MACHINERY COMPANY

TIFFIN, OHIO—SINCE 1874

DESIGNERS AND BUILDERS OF MODERN FORGING MACHINES • MAXIPRESSES • REDUCEROLLS • COLD HEADERS • BOLTMAKERS • NUT FORMERS • TAPPERS • NAILMAKER

Hartford Detroit Chicago



ooper-Bessemer

IODERN DESIGN...


r compressors at Sindri . . . at Suez . . . everywhere!

Shown opposite are Cooper-Bessemer otor-driven compressors in two of the rld's newest and largest synthetic am-nia plants.

e top view shows part of the 22,000 oper-Bessemer M-Line compressor horse-wer installed in the ammonia synthesis nt of the Sindri Fertilizer Factory, Bihar ovince, India. Here, ammonium sulphate n be produced at a rate of 1,000 tons a y — 350,000 tons a year!

milarly the other photo shows a line-up Cooper-Bessemer compressors in the large ez plant of the Societe Egyptienne D'En-ais et D'Industries (S.A.E.), Egypt. Here, lcium nitrate fertilizer is produced at a rate 200,000 tons yearly.

both plants, these modern Cooper-Besse-er units handle the entire compressing job nd comprise the heart of production opera-ons. For, with Cooper-Bessemers, you can e sure of year-in, year-out performance at e lowest operating cost.



Cooper-Bessemer M-Line motor-driven compressor in the synthesis section of the Sindri Fertilizer Factory, India. Here eight 2,750 hp 7-cylinder units compress gas through six stages to a pressure of 5,500 psi. The huge Sindri plant was engineered by the Chemical Construction Corp., New York, and built under the direction and supervision of the Power-Gas Corp., Ltd., England.

Here, in the Suez plant of the Societe Egyptienne D'Engrais et D'Industries (S.A.E.), these four 2,750 hp JM-5 motor-driven units compress 25,344 mcf of gas daily from atmospheric to 5,200 psi for initial calcium nitrate production of 200,000 tons yearly. This plant, engineered by the Chemical Construction Corp., utilizes waste gases from nearby oil refineries.

The Cooper-Bessemer Corporation


MOUNT VERNON, OHIO — GROVE CITY, PENNA.

ew York Washington, D. C. Bradford, Pa. San Francisco Houston, allas, Greggton, Pampa and Odessa, Texas Seattle Tulsa Shreveport . Louis Los Angeles Chicago Cooper-Bessemer of Canada, Ltd., Halifax, Nova Scotia Gloucester, Mass. New Orleans, La.

Cuts Machining Time

SOUTH BEND 12 SPEED LATHE

The wide range of spindle speeds on this new lathe cuts machining time because the operator quickly selects the right speed for each operation. Pushbutton control provides a fast change from any high speed to the corresponding low speed. This versatility is further increased by 48 choices of longitudinal and cross feeds which insure maximu efficiency on every job. Also, you w find that its accuracy and ease of ope tion make your tough jobs easy. Send coupon for complete information.



SPECIFICATIONS

Spindle Speeds — 12. Direct drive: high range 300, 550, 945; low range 150, 278, 475. Back gear drive: high range 32, 70, 118; low range 20, 33, 60.

Spindle Bore — 1⅜".

Swing over bed and saddle wings — 16¼".

Swing over saddle cross slide — 9⅝".

Distance between centers — 33¼", 45¼", 57¼", .. 105¼".

Collet Capacity — 1" maximum.

Longitudinal Feeds — 48 R.H. or L.H., .0015" to .0..

Cross Feeds — 48, .0006" to .0315".

Thread Pitches — 48, 4 to 224 per inch.

SEND INFORMATION CHECKED:

☐ _____









☐ TOOLS & ATTACHMENTS ☐ 9" and 10" BENCH LATHES ☐ 10" to 16-24" FLOOR LATHES ☐ ½" and 1" Collet TURRET LATHES ☐ 14" DRILL PRESSES ☐ 7" BENCH SHA..

Name _____ Company _____

Street _____ City & State _____

Building Better Tools Since 1906 • SOUTH BEND LATHE • South Bend 22, Indiana

STE L..

AVY STRUCTURALS

as close as your telephone at

CENTRAL STEEL
AND WIRE COMPANY

All materials available at published prices

No order too small to receive prompt, careful attention



Central Steel & Wire Company

PLANTS AND OFFICES

CHICAGO 80, ILL.
P. O. Box 5310-A
REpublic 7-3000


DETROIT 12, MICH.
13400 Mt. Elliott Ave.
TWinbrook 2-3200

CINCINNATI 14, OHIO
Box 148 Annex Sta.
AVon 2230

MILWAUKEE 14, WIS.
6623 W. Mitchell St.
EVergreen 4-7400

Here's where LUMNITE Concrete*

SAVED TWO WEEKS' WORK



Built to take the soaking heat of a continuous heat-treating furnace, this Heat-Resistant Conc foundation was placed in 9 hours. Lumnite cement was used with pre-soaked Lelite aggrega

POURED MONDAY . . . READY TUESDAY—That's the short, profitable story of this Heat-Resistant Concrete flue and foundation for a Wire Patent Furnace at John A. Roebling's Sons, Roebling, N. J. Their superintendent reports substantial savings on the job. And small wonder. It is estimated that by conventional methods this job would have taken about 2 weeks more to complete!

SIMPLE MONOLITHIC CONSTRUCTION is *naturally* faster than laying up thousands of small units. And Lumnite Concrete reaches service strength in 24 hours or less. That cuts outage time on both Heat-Resistant and Refractory jobs. Moreover, upkeep costs are low because Lumnite Concrete withstands severe thermal shock, resists corrosion and abrasion, and, with suitable aggregates, takes heat to 2600°F.

WHETHER YOU NEED Heat-Resistant, Refractory or I sulating Concrete, you can make it quickly, easily a economically with Lumnite calcium-aluminate ceme and the proper aggregates. It has a proved time- a cost-saving record for flues and furnace foundatio and for door linings, car tops, base pads, found floors, stack linings and many other installations.

FOR CONVENIENCE you may prefer to buy prepar Castable mixes. These packaged mixtures of Lumn and selected aggregates are tailor-made to meet yo specific temperature and *insulation* requirements. A only water. They're made by refractory manufactur s and sold through their dealers. For more informat n write: Lumnite Division, Universal Atlas Cem t Company (United States Steel Corporation Subsidiar , 100 Park Ave., New York 17, N. Y.

""LUMNITE" is the registered trade mark of the calcium-aluminate cement manufactured by Universal Atlas Cement Company.*

S-L-60-R

ATLAS® **LUMNITE for INDUSTRIAL CONCRETES**

REFRACTORY, INSULATING, OVERNIGHT, CORROSION-RESISTANT



"THE THEATRE GUILD ON THE AIR"—*Sponsored by U. S. Steel Subsidiaries—Sunday Evenings—NBC Network*



CONTINUOUS HOT STRIP MILL

(OPERATING IN WALES)

DESIGNED AND BUILT BY

UNITED

ENGINEERING AND FOUNDRY COMPANY

PITTSBURGH, PENNSYLVANIA

Plants at PITTSBURGH • VANDERGRIFT • NEW CASTLE • YOUNGSTOWN • CANTON

Subsidiaries: ADAMSON UNITED COMPANY, AKRON, OHIO • LOBDELL UNITED COMPANY, WILMINGTON, DELAWARE • STEDMAN FOUNDRY AND MACHINE CO., INC., AURORA, INDIANA

Designers and Builders of Ferrous and Nonferrous Rolling Mills, Mill Rolls, Auxiliary Mill and Processing Equipment, Presses and other Heavy Machinery. Manufacturers of Iron, Nodular Iron and Steel Castings, and Weldments.

UNITED can serve you no matter where in the world you are.

®

How a Monel Pickling Chain made a comeback

...after 6 years in a hot Sulphuric Bath!



At Youngstown Welding & Engineering Co., new Monel link are welded into this Monel chain which had been attacked a the acid level after six years in hot sulphuric pickling bath Reconditioning Monel pickling equipment after years of servic saves in replacement costs.

Corrosion attacks pickling equipment viciously at the acid level — the zone where acid meets air.

So the owners of a wrought Monel® chain learned... when after six years of service they found the links at this point were gradually being destroyed. As the rest of the chain was in good condition they decided to have it reconditioned and the weak section replaced. At the Youngstown Welding & Engineering Company where the corroded section was cut out, new links of Monel were welded in with an oxy-acetylene torch.

Now the chain is back, ready for many more years of service.

Pickling chain is only one example of where Monel equipment fabricated by Youngstown Welding & Engineering Co. can give extra-long service life... and can then be reconditioned for additional years of use.


Strong, corrosion-resisting Monel can help you obtain substantial savings in replacement and maintenance costs in all types of pickling equipment... crates, hooks, tie-rods, racks. And because Monel is so strong, you can have lighter equipment which means increased payloads.

"Where Monel Pays Its Way in PICKLING," has been specially prepared to show you how useful Monel can be. Why don't you write for your free copy, now?

Be sure to consult your Distributor of Inco Nickel Alloys for the latest information on availabilities from warehouse and mill. Remember, too — it always helps to anticipate your requirements well in advance.



Here's how the chain section at the acid level looked after si years of service. These original links were flash welded. Re placement links are formed from Monel rod and gas welde



Here's how the chain looked after the corroded links had be cut out and new Monel links were welded in by oxy-acetyle torch. Now it is ready for many more years of rugged dut

INCO TRADE MARK **Monel** PICKLING EQUIPMENT

extra life
extra capacity
extra safety

The International Nickel Company, Inc.
67 Wall Street, New York 5, N. Y.

April 6, 1953

Production: Highest Ever

Even if the Korean War were to end tomorrow, industrial production would remain at or near peak levels for at least the next four to six months. Even if activity by the end of the year drops 15 or 20 per cent from today's levels, the economy would be running at one of the best peacetime clips in history. Current output rates are terrific. The Federal Reserve Board's estimated March industrial index is at the postwar high of 241 per cent of the 1935-1939 average, compared with 239 per cent in February and 218 in February, 1952.

Will 1953 Be Best in History?

Producers of transportation equipment expect sales to be 32 per cent higher than last year, according to a Commerce department survey. Automakers foresee 18 per cent better sales, and electrical machinery producers predict a 14 per cent improvement. For most industries, realization of those expectations will result in the highest sales volume on record. Every major industry in the survey expects higher sales volume in 1953 than in 1952.

Tax Cuts More Likely

President Eisenhower is in danger of suffering a major political defeat, a slap in the face administered by members of his own party. As it looks now, a tax reduction program that will mean $8.5 billion a year less in federal revenues will be bulled through the House, despite the opposition of the administration. Senators will not be so anxious for tax reductions, but even in the upper chamber the sentiment toward tax-cutting is making headway. Major proposed cuts: No excess profits tax after June when it is now scheduled to expire; expiration of the 11 per cent increase in personal income taxes June 30 instead of Dec. 31; lower excises after April, 1954. Commerce, Justice, Agriculture and Labor departments thus far have come up with budget cuts that total only $417 million.

Mr. Durkin Doing Well

Watch Labor Secretary Martin Durkin. He's making a good impression. Mr. Durkin is working closely with the Commerce department, so the business viewpoint will have a chance to be heard in government labor policies. What's more, the secretary has abandoned the tripartite committee of labor, business and public members as an unworkable device and has indicated that he will let Congress decide on any amendments to Taft-Hartley.

Work Stoppages Drop

You can expect 1953 to be a far quieter year regarding strikes than 1952 was. True, we will have walkouts all year long, but nothing comparable to the steel strike of 1952 appears likely. Already, the work stoppage record is much better this year than last. Idleness resulting directly from walkouts amounted to about 1 million man-

duction-Engineering News—p. 101 The Market Outlook—p. 163

UTLOOI METALWORI OUTLOOK M METALWORI

days in February, compared with 1,250,000 in January and 1,370,000 in February, 1952.

Progress on the Seaway

The odds are good that the U.S. will finally participate in the St. Lawrence Seaway. The administration favors it, but will hold off on specific recommendations until after the Senate Foreign Relations Committee holds its hearings, which begin Apr. 14.

Gradual Shift for the FTC

The Federal Trade Commission will gradually shift its antitrust position to one more favorable to business. The new chairman, Edward F. Howrey, a Virginia Republican, is no New Dealer. He and Lowell Mason, the lone dissenter until now against the rigid antitrust views of the FTC majority, will unite to try to swing opinion gradually to more moderation.

Expansions in Pig Iron

Washington corridor talk has it that Jackson Iron & Steel Co., Jackson, O., wants approval for a new blast furnace with merchant pig iron capacity of 240,000 tons annually. Also, Great Lakes Steel Corp., Detroit, is reportedly seeking an o.k. to rebuild its A Furnace and double its capacity to 486,000 tons yearly.

Straws in the Wind

The administration is working out details for a plan to provide small business loans of not more than $100,000 after the RFC goes out of existence . . . SJ Res 61 proposes a constitutional amendment limiting federal nonmilitary spending to 5 per cent of the national income, with certain carefully defined exceptions requiring a two-thirds vote of Congress . . . Ford Motor Co. open hearths established a new record in March of 134,006 tons, compared with the previous high of 124,149 tons reached in March, 1952 . . . Westinghouse Electric Corp. employment is now at a peak of 121,000 and still rising.

What Industry Is Doing

Inventories and deliveries of components are improving rapidly, but are still causing trouble, according to a STEEL quarterly survey (p. 59) . . . Kaiser Steel Corp., Fontana, Calif., expects to blow in its third blast furnace about May 15 (p. 60) . . . Railroads are dickering to get their temporary hikes in freight rates made permanent (p. 61) . . . Manufacturers of containers and packaging materials are looking forward to good sales throughout 1953 (p. 61) . . . Magnesium producers reveal new uses for the light metal at an exhibition in Washington (p. 62) . . . Interest is reviving plans for selling company shares to workers (p. 63) . . . Bicycle makers rolled out 2 million vehicles in 1952 and expect to do even better in 1953 (p. 70) . . . Competition is taut in the wire rope industry as the sales outlook darkens (p. 71).




rmco Steel Tubing moves your products faster

To cut your shop costs . . . to give your products at extra "sales" appeal, look into Armco Welded eel Tubing.

Used in place of angles and other solid sections, rmco Tubing simplifies design and speeds produc- on. And its smooth surface makes your products ore modern and attractive — more salable.

Tubular parts mean your products are stronger id lighter in service, too. Loaded as a beam, Armco elded Tubing has less than one-fifth the deflec- on with the same amount of steel. And as a column, offers more than five times the load-carrying apacity with the same amount of steel.

Armco Welded Steel Tubing comes in a variety of ade-to-order shapes in Hot-Rolled or Cold-Rolled Steel; in ALUMINIZED (an aluminum-coated steel) and in ZINCGRIP (a specially zinc-coated steel). Our Tubing Specialists will help you select the *right kind* of tubing for your products. Write for further information.



These are some of the standard and special shapes of Armco Welded Steel Tubing. With either standard or special shapes, you can reduce fabrication time and costs, give your products a more substantial look.

ARMCO STEEL CORPORATION

MIDDLETOWN, OHIO, WITH PLANTS AND SALES OFFICES FROM COAST TO COAST
THE ARMCO INTERNATIONAL CORPORATION, WORLD-WIDE

ARMCO

New, FORD Foundry Speeds Handling of—

SAND, PIG IRON, SCRAP, SLUDGE

with



EC&M MAGNETS and EC&M CRANE CONTROL



THESE CRANES AT THE NEW, MODERN FORD FOUNDRY IN CLEVELAND ARE EQUIPPED FOR —

1. *Speed Control* with EC&M Cam Type Master Switches—Bulletin 1190.
2. *Smooth Starts and Stops* by EC&M Frequency Relay Controllers—Bulletin 930.
3. *Long-life Brake Operation* through EC&M Type WB Brakes —Bulletin 1006.
4. *Safety* with EC&M Manual-Magnetic Disconnect Switch—Bulletin 1024.

Also on the magnet cranes, EC&M Bulletin 900 ALL-WELDED Lifting Magnets and EC&M Bulletin 905 Automatic-Discharge Controllers speed scrap and pig iron handling at low cost.





For overhead foundry cranes, EC&M Magnets and EC&M Crane Control have earned a reputation for fast, safe handling of materials in all stages of production. Designed for highly repetitive operation, EC&M equipment gives "main-line, non-stop" service which, users know, results in quicker handling and lower cost per operation. When buying cranes, make it a point to specify EC&M Control and EC&M Magnets.

THE ELECTRIC CONTROLLER & MFG. CO.

2698 EAST 79TH STREET • CLEVELAND 4, OHIO



Let's Have All the Facts

Technologists in the metalworking industry will not be satisfied with the explanations thus far offered by Secretary of Commerce Sinclair Weeks on the controversy which caused Dr. Allen V. Astin to resign as director of the National Bureau of Standards.

Apparently an important factor in Secretary Weeks' decision to request Dr. Astin's resignation was the manner in which the bureau handled the investigation of an additive for storage batteries called AD-X2. The secretary says that this AD-X2 matter is "one of many phases . . . . that caused us to decide it would be well to have a change in the administration of the bureau."

As yet, the other "phases" have not been divulged, but a clue to them is found in the secretary's testimony before the Senate Small Business Committee. He criticized the bureau for not being "sufficiently objective." He also voiced dissatisfaction with the bureau's lack of "awareness of the business point of view."

He testified that "the files show that scientists in the National Bureau of Standards were in touch with and worked closely with individuals and organizations who might have had an interest in the final outcome, submitting their work to them previous to publication and seeking their advice and guidance." This indicates that the secretary believes the bureau's scientific findings were influenced by ulterior and perhaps sinister motives. Also, his testimony hints strongly that the bureau has been discriminating against "little businesses."

These are serious charges. They are particularly shocking because the National Bureau of Standards has enjoyed a reputation of high integrity in scientific matters over a long period of time. One cannot recall any important instance in which the bureau has permitted political or other ulterior influence to interfere with its scientific objectivity.

Now that Secretary Weeks has raised doubts about the integrity of one of his important bureaus, it becomes absolutely necessary that every detail be aired thoroughly. If his charges can be substantiated, then the faults must be corrected promptly. If he has been in error, he should admit it. In any event, the good name of the bureau must be restored at the earliest possible moment.

E. L. Shaner

EDITOR-IN-CHIEF

NO SUDDEN CHANGE DUE: It will be imprudent to dismiss the recent conciliatory guestures of the Reds lightly. The offer of the Chinese to talk about exchange of prisoners, the invitation by the Soviets to France and the United States to join England in discussing methods of avoiding airplane clashes and other incidents show that the Kremlin is in a bargaining mood.

Probably Malenkov will demand a high price

for every concession his side grants, yet there is hope that the Korean truce talks can be reopened. Should they lead to an end of hostilities, the United States will be faced with the test of making its economy click without the stimulus of a war that is actually in progress. There might be a chance to "stretch out" defense and to readjust the emphasis of our objectives. However, it is not likely that any sudden or drastic change will come from the new Red tactics.

* * *

BUSINESS IS BOOMING: At the moment, industrial production is running slightly under the peak established during the most hectic period of World War II. Contributing to this new postwar record are heavy steel output, automobile assemblies at the highest level in two years, and electric power demand (p. 77) that is running almost 10 per cent ahead of that of a year ago. Sales of some household appliances also are up as much as 27 or 28 per cent over those of the corresponding period of 1952. Machine tool builders are finding that civilian demand is increasing as orders for defense decline.

Offsets to these gratifying trends are the continued lag in revenue freight car loadings—off 4 per cent from last year, a rather serious depression in the soft coal industry, and a slackening of new orders in structural steel, foundry equipment and some other items.

* * *

FIGHTING CORROSION: Combatting corrosion is one of the most baffling problems confronting the metalworking industry. It has been estimated that in the United States (p. 102) about $6 billion is spent annually in the war against rust. Roughly a third of this amount goes for paints and the remainder is spent for other protection and replacement.

In many plants there are numerous opportunities for greater efficiency in methods employed to fight corrosion. A first step would be to designate a competent person to be responsible for a systematic anticorrosion program. Under proper guidance such a program will provide for establishing specifications and tests, diagnosing failures, tabulating experience, conducting periodic inspections and placing many other similar activities on definite schedules.

Once a company has adopted a well planned program instead of hit-or-miss efforts, its attack on corrosion will become more effective.

* * *

LOAD STEEL CAREFULLY: Rules specifying how lengthy iron and steel products shall be loaded and secured on railroad freight cars are rigid. Normally inspection of loadings is thorough. As a result, thousands of carloads of iron and steel are transported to destination every week without incident.

However, on Friday evening, Mar. 27, there was an exception. At 9:58 p.m. lengths of pipe began falling off a gondola in an eastbound freight train on the main line of the New York Central east of Conneaut, O. One section of pipe dented a rail on the westbound passenger track. Two minutes later the westbound Mohawk was derailed by this defect and plunged into the side of a westbound freight train. Moments later the eastbound Southwestern Limited plowed into the debris of both wrecked trains.


This unusual chain of mishaps cost 21 lives and property damage of several million dollars. It is a costly lesson that one cannot be too careful in loading steel properly.

* * *

MORE BIKES THAN EVER: It will come as a surprise to many readers that of all of the modes of private transportation in vogue at the turn of the century, the bicycle has been the only one that has held its own against the competition of the automobile. In fact, there are 21 million bicycles in use in the United States today (p. 70) which is about 15 million more than were on the roads during the so-called golden age of bicycling from 1900 to 1910.

A rather odd characteristic of this substantial American market for bikes is that it is supported chiefly by youngsters for pleasure and by a few older persons for recreation. In England, on the European continent and in Asia a sizable market for bicycles is utilitarian. People use bicycles to get to or from work. In a large degree, it is a substitute for an automobile.

are your CUTTING COSTS really down far enough ?



NO. 3 ½ FRICTION SAW
HYDRAULIC FEED

'll never know for certain until you COMPARE your PRESENT cutting speed with

he faster Kling HIGH SPEED FRICTION SAW!

at is friction sawing?

proven method of cutting metal by generating heat through ion on the part to be cut at a rate faster than that part can orb heat. This temperature increase reduces the tensile ngth of the piece to the point that the weakened surface can onger resist the action of the colder blade. The metal is thus ly removed with no apparent wear on the blade surface.

test, all-around cut-off machine in the shop!

s all types of steel, hard or soft, big or small, in any shape, hout distortion. For day-in, day-out production, one Kling tion Saw will do the volume of work that would ordinarily uire several separate shears or slow speed saws. One of the time-saving reasons is the ability of the Kling Friction Saw ut any structural shape, without change of blade or setup. ause the average Friction Saw blade will give a good full 's production before requiring redressing, you eliminate ly downtime and also save on tool costs.


How long would it take you to cut these pieces?	With a Kling friction saw you could do it in approximately...
24" 100 lb. I Beam	28 seconds
15" 55 lb. Channel	15 seconds
8"x8"x34.3 lb. H Beam	10 seconds
100 lb. A.R.A. Rail	9 seconds
6-1/2"x6-1/2"x19.8 lb. Tee	5 seconds
8"x8"x3/4" Angle	11 seconds
3" Square	10 seconds
4" Round	15 seconds
6" O.D. Tube, 1/2" Wall	11 seconds

6008R

*What's your requirement? There's a size to fit your specific needs—large or small.

E complete, friction sawing information!

rn how you can profitably apply Kling Friction Sawing in your t. The information contained in this 12-page bulletin will give you the complete story on Friction Sawing . . . including the principles of the process and some of its applications. Write today for your FREE copy.



KLING BROS. ENGINEERING WORKS
1324 N. Kostner Ave. • Chicago 51, Illinois

ce 22 Kling ...an investment in speed!



Combination Shear Punch & Copers



Double Angle Shears



Rotary Shears



Punches



Plate Bending Rolls

Stamco #6 standard 12 ga. x 144"

#8 corrugator 8 ga. x 168"

For Roll Corrugating and Culvert forming . . . see

Stamco

Stamco #6A high speed corrugator

Stamco 8 ga. Culvert Curving roll

Stamco 8 ga. x 36" corrugated shear

Stamco high duty Culvert Punch and Riveter equipped with air operated friction clutch

Stamco standard Culvert Punch and Rive

• LAY YOUR CORRUGATING PROBLEMS AT STAMCO'S DOOR •

STAMCO, Inc., New Bremen, Ohio

TEEL
ARTERLY
URVEY

Inventory—Delivery Position for Parts

APRIL, MAY, JUNE — TIGHTEST—Steel castings, antifriction bearings, forgings
EASIEST—Nonferrous castings, belting, hose couplings

More Components Faster by July

F WE WORK hard enough at ex-diting, we can now closely con-ol our inventory of components d can get nearly anything as fast we should reasonably expect."

So says a large farm equipment anufacturer who points out that e situation has improved marked- in only the last four to six onths. His experiences reflect at of the overwhelming majority the nearly 150 respondents to TEEL's quarterly survey on inven-ry and delivery positions for components listed in the table below.

Even Better—The need for continued expediting may also diminish soon because 81 per cent of the components users or makers foresee still more improvement over the next three months. Some 89 per cent say their inventory and delivery conditions are substantially better than a year ago. Although at one time many bought their components from foreign producers and other irregular suppliers, only 2 per cent are doing so now.

About half the respondents say currently their ideal inventory position is 30-60 days for nearly all components. A glance at the table below shows that in 12 of the 21 product groups about half of the companies replying have stocks in the 30-60 day category, a better showing than three months ago. That reveals inventory balance is improving, but it's still troublesome.

Still Problems — "Inventory balance troublesome?" asks a small

IMPROVING: INVENTORIES & DELIVERIES OF COMPONENTS

(Figures are percentages of those replying to STEEL's quarterly questionnaire)


COMPONENTS	INVENTORY POSITION					BEST DELIVERY				
	Under 10 days	10-30 days	30-60 days	60-90 days	3-6 mos.	Under 10 days	10-30 days	30-60 days	60 -90 days	3-6 mos.
ntifriction bearings	14	12	53	12	9	20	29	21	18	12
elting, belt drives	21	26	34	6	13	42	32	22	4	.
astings, die	..	10	59	17	14	4	15	59	22	..
astings, gray iron	..	34	43	16	7	25	42	25	5	3
astings, malleable	3	15	46	26	10	..	27	48	20	5
astings, nonferrous	9	25	50	14	2	24	43	29	2	2
astings, steel	10	12	46	20	12	3	21	45	18	13
ouplings, hose	10	41	28	7	14	27	46	27	..	.
ylinders, air, hydraulic	17	35	13	13	22	8	35	38	11	8
lec. equip. (relays, switches, etc.)	4	27	41	18	10	13	40	30	15	2
lectric motors (fractional)	2	25	35	19	19	15	33	26	18	8
lectric motors (1-5 hp)	7	29	32	18	14	25	25	21	16	13
lectric motors (over 5 hp)	12	27	27	12	22	11	32	32	18	7
asteners	3	14	53	16	14	20	35	31	11	3
orgings	2	16	43	31	8	..	23	38	13	26
ears	2	9	40	33	16	9	18	30	25	18
ubber goods, mechanical	4	26	48	18	4	5	45	48	2	..
crew machine products	6	23	33	26	12	9	32	38	15	6
prings, wire shapes	4	17	47	19	13	6	30	46	18	..
tampings	..	29	36	29	6	12	12	47	23	6
Weldments	25	25	38	6	6	12	41	23	12	12

Texas firm. "Our 'balance' is nearly putting us flat on our back." Balance, or rather the lack of it, is serious for scattered companies, but they're mostly small or new. Component buyers on the West and East Coasts are having the best time of it; purchasers in the Midwest are hardest pressed. That's because of heavy automotive demands, most of which flow from Detroit. Also plagued by component shortages are companies in industries experiencing unusually rapid growth, such as air conditioning. Suppliers haven't yet accustomed themselves to their specialized needs or caught up with the increasing volumes they require.

All respondents were asked what components are giving them the most trouble. More replied steel castings, antifriction bearings and forgings than any other items. The first and third products are tight because of especially heavy military demand. Although bearings still cause some difficulties, the situation is improving. For example, a major bearings manufacturer a year ago could deliver in six to nine months on his general line. Three months ago deliveries ranged from six to seven months. They're currently varying from two to five months. For bearings and practically every other component made today, unusual specifications or queer lots mean far more extended deliveries than for the general line.

All Clear—At least one respondent had trouble with every component except nonferrous castings, belting and belt drives and hose couplings. Only one company out of 150 (a different one in each case) complained of difficulties with weldments, stampings, mechanical rubber goods, 1-5 horsepower motors and die castings.

Big component inventories are not being built up now because, as a Wisconsin manufacturer puts it, "We don't need high stocks since we're getting better deliveries." An appliance maker also reflects current opinion: "Last year we bought strictly on delivery and quality. Now we're buying on cost and quality." Nearly all purchasing agents agree that a normal inventory-delivery position on components soon will be here.



BLAST FURNACE #3 NEARLY READY AT KAISER STEEL
. . . 657,000-ton capacity made expansion necessary in other operations

Kaiser To Blow in Third Blast Furnace About May 15

KAISER STEEL Corp., Fontana, Calif., expects to blow in its third blast furnace about May 15, says George B. McMeans, vice president in charge of operations. The 25.5-foot hearth furnace will be rated at 1200 tons a day, same as the two existing furnaces.

Other expansion programs at the West Coast steel plant are nearing completion. Part of the 90 new coke ovens are being warmed up and will be making coke in the near future. When all are completed, Kaiser will have a battery of 225 ovens.

Better Tin Plate — Fifth and sixth stands will be added to the United 4-stand, 86-inch mill in the tin plate plant, and they will be ready by August. The new stands will make it possible to roll thinner gages of improved quality. A new shear line for hot-rolled sheets will go in about the same time.

The added capacity necessitated expansions in Kaiser's coal and iron ore mining operations. At the Utah coal mines, modern equipment was installed and the washing plant was enlarged.

Eagle Becomes More Active—At the Eagle Mountain iron ore properties in southern California, a new area, the North-South pit, is being opened to supplement production from Bald Eagle, which is 80 per cent depleted. That pit has supplied about 4.2 million tons of ore so far. The new workings will supply the three blast furnaces for about 25 years, the company believes.

Equipment now being installed at Eagle Mountain includes a new 66 x 84-inch jaw crusher, cars and engines and a beneficiating plant expected to improve quality of the ore which is already running better than 50 per cent iron.

Kaiser's annual capacity is now 1,536,000 tons from nine open hearth furnaces. To match that capacity, more soaking pits are being added at the Fontana plant.

New Plant for Green River

Green River Steel Corp. will soon open a new plant at Owensboro, Ky. Facilities will consist of electric melting furnaces, soaking pits, presses, blooming and bar mills, annealing furnaces and several slow cooling pits.

The blooming mill will go into operation in May, the bar mill in June and melting facilities in July, the company anticipates. Equipment has been installed for production of alloy and quality carbon steels of all types.

lroads Seek Rate Help

temporary increases are not ade permanent, capital im- ovement plans may suffer

HE RAILROADS are to con- e their program of capital im- ement, they claim, they must ntain their present level of ings based on the temporary e increases authorized last il by the Interstate Commerce mission. Therefore, a petition ed by officials of the Eastern roads, Southern Freight Asso- ion and Western Traffic Asso- ion asks the ICC to make the eases a permanent part of rail- freight rate structure.

reater Need—The need for the eases is greater this year than r before, the railroads pointed . Freight cars and locomotives to be purchased for the pro- m will cost more than $2 billion. provement on roadways and uctures will add $400 million an- lly. Payroll since last April's porary increase has increased r $200 million a year. The st pay hike—4 cents an hour 1.3 million workers as a "pro- tivity" increase—will cost the lroad operators another $120 lion yearly.

The temporary increase produced ut $1 billion in gross annual venues, the petition says. If rates re reduced by that much, the lroads would be left with less n 2 per cent return on invest- nt. They claim that they need increased revenue to maintain dit position which makes capital provements possible.

w Group Fights Tariff Cuts

Long-silent opposition to tariff s is flaring as a new group, the mmittee of Industry, Agriculture Labor on Import-Export Policy, dges a fight against free-trade posals. The committee, under spices of the National Labor- nagement Council, intends a blic information campaign on the level of today's tariffs.

While Congress will be the stage the final tariff controversy, iff supporters are pointing out t the U. S. has lowered tariffs an average of 12 per cent, com- red with 50 per cent in 1933.



Business prospects stack up well for 1953 as . . .

Optimism Soars for Containers, Packaging

Practically everything points to a good year, with emphasis on the first half. Better materials supply and end of controls account for much of the enthusiasm

MANUFACTURERS of containers and packaging materials, like so many other businessmen today, are expressing enthusiastic optimism about business in 1953, reports the Containers & Packaging Division of National Production Authority.

Last year's fluctuating temperament will give way to a pleasantly even tempered 1953, with demand running strong pretty well throughout the year (for details on prospects for individual container-packaging types, see STEEL, Jan. 26, p. 48). That trend, established in the last half of 1952, is evident in January order statistics. Total of new orders for all U. S. container manufacturers was up about 5 per cent in January compared with January, 1952. Unfilled orders exceeded December by about $500,000.

Naturally—One of the big reasons for the optimism is that the industry is no longer hamstrung by controls. When NPA lifted its controls on container operations and materials — cans, packaging closures, collapsible tubes and selenium—the industry sighed with relief. Improved raw materials supply and further lifting of controls will give impetus to that feeling.


In fact, quantities of raw materials available for nondefense container and packaging production in 1953 will be substantially larger, with few exceptions, than at any time since Korea. Some selected alloy metals will remain tough, but over-all, the situation looks good.

Fair Weather—NPA points out that these barometers of business show fair weather ahead, which will affect the container industry no less than any of the others: Defense spending to the tune of 14 per cent of gross national product; almost $1.5 billion more money in circulation than a year ago; bank credit increased about $2 billion over January, 1952. Those factors lead container manufacturers, almost to the man, to tag the first half of 1953 as "exceptionally good," the whole year as at least as good as 1952 and in some cases even better.

NPA points out that container manufacturers' major efforts in 1953 must be concentrated on internal problems for profitable and expanding operation.

Magnesium Becomes Versatile

Producers of the light-weight metal point out new uses and improvements in a Washington exhibition. Their problem: To encourage sales



This Sikorsky S-55 helicopter is almo entirely fabricated from magnesiu sheet, has 100 magnesium castin

IF YOU'RE planning to use magnesium in your operations and want assurance of supply, magnesium fabricators and distributors will tell you there's no need to worry.

The industry's problem today is in getting more magnesium in use to build volume and reduce costs. Last year twice as much magnesium was produced as used, the national stockpile absorbing the surplus. A price rise between two and three cents last month makes today's problem more acute.

Spread the Word—The first international magnesium exposition, a $50 million show last week at Washington's National Guard Armory, set about with vigor to convince industry that magnesium's virtues are many and its faults are being overcome. "Too many people think of magnesium as something that corrodes or burns," says J. S. Kirkpatrick, president of the Magnesium Association and research director of Brooks & Perkins Inc., Detroit.

Actually, magnesium sheet, castings and forgings won't burn in air unless a temperature above 1000 degrees is maintained. The metal can be formed at high temperatures by bending, drawing, spinning, pressing, stretching and similar operations.

Corrosion problems are being met by electrolytic and chemical coating methods. One promising finish, developed by Allied Research Products Inc., Baltimore, was announced last week. It's a chromate conversion coating that can be applied at room temperature without special equipment.

Top Customer—The armed services are the biggest single customer for magnesium today. Applications range from 1.5 pounds in the Army Handie-Talkie to 4500 pounds of sheet, extrusions and

CONSUMPTION OF MAGNESIUM-1952

INDUSTRY	%
Aircraft	29.3
Aluminum Industry	20.4
Electrochemical	8.5
Ground Transportation	7.6
Machinery and Tools	6.2
Chemical and Metallurgical	6.0
Materials Handling	4.7
Electrical Equipment	3.5
Magnesium Powder	2.4
Consumer Products	1.6
Textile Industry	0.8
Printing and Engraving	0.4
Miscellaneous	8.6

castings in the C-124 Globemaster. Chief Army uses lie in equipment that must be carried manually or in airborne operations; these were liberally displayed at the exposition.

Fabricators Busy—Versatility of magnesium use was amply demonstrated at the show by the wide variety of die castings shown by Doehler-Jarvis Division of National Lead Co., New York, and a great range of intricate sand castings made by a number of foundries. Huge forgings were on exhibition, including a 105-pound mortar base plate made by Wyman Gordon Products Co., Worcester, Mass.

A show-stopper was a British hand-built prototype sports car made by Essex Aero Ltd. with all-magnesium body. Processing required pickling and etching, acid dip permite treatment, two coats of zinc chromate and eight coats of cellulose finish.

More Uses — Magnesium's usefulness for materials handling was demonstrated at the exposition. A new portable yard ramp for loadin and unloading freight cars fro ground level was unveiled by Ma nesium Co. of America, East Ch cago, Ind. Made in five sizes wit capacities from 6000 to 16,0 pounds, the ramp is mounted o two wheels and can be handled b one man.

Harvey Begins Alumina Tests

A new industry may soon appe in the Pacific Northwest. Harve Machine Co. Inc., Torrance, Cali purchased a government-built e perimental alumina plant in Sale Oreg. The acquisition follow several months of negotiation wit the government's General Servic Administration.

Harvey's new facility will ser as an experimental pilot plant.

Nicaro To Sinter Nickel


Sintering equipment costin about $750,000 will be installed i the government-owned Nicaro Nic el Plant in Cuba. It will produ nickel in small heavy pellets, form more widely usable than th present nickel oxide powder.

The facilities will be in operatio in about eight months. The si tered product brings about 2 cen a pound more than the powdere form, and General Services Admi istration, which operates the plan believes the new equipment wi pay for itself in about three year It will be installed by the Frede

.. Snare Corp. of New York.
wdered nickel can be used
in electric furnaces unless
ally packaged. The pellet form
oe used in both electric and
hearth furnaces. However,
of the Nicaro production, es-
ed at about 2 million pounds
month, will not be sintered,
use the oxide is preferred for
nber of special processes.

. Buys More Ontario Nickel

ore nickel will be available be-
ing this year as the result of
ntract signed between the U.S.
rnment and Falconbridge Nick-
ines Ltd., Toronto, Ont., call-
for production and sale to the
ed States of at least 100 mil-
pounds of the critical metal
id-1962. There is a possibility
btaining an additional 100 mil-
pounds by mid-1967.
alconbridge will ship at least
illion pounds of nickel to the
. by the end of this year. How-
, this will not remove the metal
n the "most critical" list.
he contract also calls for the
of up to 2 million pounds of
lt by June 30, 1962, and up
52 million pounds of refined
per by Dec. 31, 1958.



pressive Demonstration

craft engineers visiting the Hy-
ulic Press Mfg. Co., Mt. Gilead, O.
tch a demonstration of the com-
ny's latest—a 7000 ton commercial
del Hidraw press with added Guer-
and die quenching features. The
ss was designed with the co-opera-
of Consolidated Vultee Aircraft
p. and other aircraft manufacturers

EMPLOYEE STOCK OWNERSHIP PLANS

MANUFACTURING	Total	Present Status of Plans: Active	Inactive	Discontinued
Chemical	4	2	2	—
Electrical products	5	2	—	3
Food & beverage	6	2	4	—
Machinery	8	3	5	—
Medical instruments	2	1	1	—
Metal products	9	4*	2	3
Paper products	2	1	—	1
Petroleum	3	2	1	—
Publishing	2	—	1	1
Shoe manufacturing	1	1	—	—
Textiles	1	1	—	—
Total manufacturing	43	19	16	8
NONMANUFACTURING				
Banking and investment	1	—	1	—
Mercantile	2	2	—	—
Public utilities	22	7†	13	2
Total nonmanufacturing	25	9	14	2
TOTAL	68	28	30	10

*In one company, plan proposed, not yet installed.
†In two companies, plan proposed, not yet installed.

Workers Become Owners

ONCE AGAIN programs to encourage sales of company stock to rank-and-file employees are catching industry's eye. Employee ownership plans, widespread in the 1920s, are starting to regain the popularity they lost during the lean 1930s.


Interest in programs for employee shareholding has been slow to revive, however. Most manufacturers still are hesitant to launch special issues for employees since many workers during the depression were caught with too many eggs in company baskets. A survey by the National Industrial Conference Board reveals that only 68 companies (see above) have tried employee stock purchase plans recently. Another 18 include some stock purchase in their employee savings programs. General Electric Co. is the only metal-working firm among them; most of the rest are oil companies.

Buying At Option—A significant factor in recent years is the emergence of option programs for employees. Under these programs—which were formerly reserved only for executives—a certain amount deducted from the worker's pay is held in account until enough is collected to cover the cost of the desired number of shares. Should the worker change his mind during this interval, the accumulated money is returned to him.

Such a plan is being extended another year by Westinghouse Electric Corp. Some 22,268 employees are now enrolled in the company's current shareholding plan and have purchased 467,752 shares of common stock. The program was started in 1950.

Money Back—A company starting an option program is Armco Steel Co. Its executives say they are submitting to stockholders an option plan for approval. Purchase price of the shares would not be less than 95 per cent of market value on the date option is granted. Payments would be made over a three-year period with options exercisable in the third year.

Watching the reawakened interest in employee shareholding, many manufacturers may soon follow suit. The advantages are sizeable. Principal benefits are: Workers show greater interest in and devotion to the company and working capital is obtained for the company's operations.



1



2

Blasting Away at the Shell Shortage

PITTSBURGH STEEL CO., Pittsburgh, and Lehigh Foundries Inc., Easton, Pa., comprise one industrial team forging lethal accuracy into 4.2-inch mortar shells. These photographs, taken at Lehigh Foundries, show steps that spell one answer to talk of ammunition shortages overseas.

Pittsburgh Steel produces the high-carbon, high-manganese open hearth steel that goes into the shells and cold draws it into seamless mechanical tubing. From the tubing, Lehigh Foundries manufactures the finished shell cases.

For each shell the tubing must be sized to a tolerance of less than .015 inch, a nose tapered and machined, and a baseplate fitted. When packed for shipment the shell has been cleaned, bonderized, painted and inspected by Army Ordnance Corps inspectors.

Accuracy built into these shells comes from close control of raw materials, exact weight and dimensions, assuring the infantryman's continued respect for his heavy mortars.

In addition to 4.2-inch mortar shells, Lehigh Foundries are making castings for 60-mm and 81-mm mortar shells, 155-mm illuminating shells and anti-personnel mines. During World War II Lehigh Foundries won four Army-Navy "E" awards for producing 25 million rounds of ammunition of all descriptions.

1. Sections of cold-drawn tube are expanded by a tapered reamer in a 125-ton Bliss hydraulic press.

2. Nose and ogive of the 4.2-inch mortar shells are cold formed on a 150-ton Elmes press.

3. As shells near completion they are inspected under the supervision of U. S. Army Ordnance.

4. Completed mortar shells, ready for packing and shipping, reach the end of the production line.

3



4



...portunities Ahead

...anufacturers will find many ...ances to subcontract as new ... omic weapons are developed

...NUFACTURERS on the look- ...for defense subcontracts won't ... their opportunities diminished ...h if the fighting in Korea ends ...1.

...orea's take of defense expen- ...res is only $1 billion for each ...7 billion spent elsewhere. De- ...e outlays have risen from $14 ...on a year before Korea to the ...ent annual rate of about $46 ...on. Of the present total, around ...illion a year is used for Korea ... $36 billion is being spent on ...nse projects in the U. S. and ...r parts of the globe.

...lore Jobs—Defense production ... offering more subcontracting ...nces today than in any period ...e the top production days of ...rld War II. Mass output is to ... fore as most defense producers ... already geared with the heavy ...ipment. Subcontractors are ...ling more and more jobs to ...ke component items.

...lso in subcontractors' favor are ... new weapons being developed. ...e many and complicated parts ...king up these weapons are good ...ns to subcontract. Atomic mis- ...s for submarines may be one ...h weapon. The Navy discloses ...t it has in operation a submarine ...rying a guided missile capable ... blasting inland targets with ...mic warheads. The jet-powered ...sile, called the "Regulus," is 30 ...t long and is installed in a spe- ...l hangar attached to the sub- ...rine's deck. Under development ... five years, the missile is now ...production at the Dallas plant ...the United Aircraft Co.

...tomic Subs—Meanwhile, devel- ...ment of atomic engines to propel ...marines is well underway. The ...mic Energy Commission says ...t a thermal reactor prototype ...nt for subs has successfully en- ...ed its first operation tests at ...C's reactor testing station in ...ho. Scientists at the station ...e started an atomic fission chain ...ction in the power plant. Further ...s will bring the reactor to full ...er to determine operating char- ...eristics.



NPA Appointment

Earl P. Leeds, director of sales of Brown & Sharpe Mfg. Co., Providence, R. I., takes office Apr. 6 as director of the NPA Metalworking Equipment Division. Mr. Leeds has been serving as deputy director of the NPA division. He succeeds Donald M. Pattison, vice president in charge of sales, Warner & Swasey Co., Cleveland who is returning to his position with Warner & Swasey

Federal Contract Awards Jump

Construction contract awards financed entirely or in part with federal funds hit $4.4 billion in 1952, according to preliminary figures from the Bureau of Labor Statistics. That's nearly three-fifths of the all-time high, $7.9 billion in war-time 1942, and 5 per cent above 1951.

Awards for federally-owned industrial plants jumped 35 per cent over 1951 dollarwise—from $782,384,000 to $1,225,749,000—largest dollar increase in any category from the previous year. Money for federally-aided highways increased 17 per cent to a record total of nearly $1 billion in 1952.

CHECKLIST ON CONTROLS

Materials Orders

COLOR TV—NPA Order M-90, which required the securing of NPA permission to mass-produce home-type color television receivers, was revoked, effective Mar. 26, 1953.

USED RAILROAD EQUIPMENT — NPA Order M-64, which provided for the allocation of used railroad rails, used axles and used cast iron car wheels, was revoked, effective Mar. 30, 1953.

MARINE MRO SUPPLIES — Amendment of Mar. 30, 1953, of NPA Order M-70 provides that during the second quarter, owners and agents of foreign and Canadian flag vessels may, within limits, self-certify for MRO supplies and minor capital additions. It was effective Mar. 30.

CHRYSOTILE ASBESTOS FIBER—Amendment of Mar. 31, 1953, of NPA Order M-96 permits use of grades 3F, 3K, 3R, 3T and 3Z chrysotile asbestos fiber in unlimited quantity in the production of the following items: Theater safety curtains, gun covers, ironing board covers, passenger car woven brake linings less than ¼ inch thick by 2 inches wide and oil-burning wicking. It was effective Mar. 31.

Controlled Materials Plan

NICKEL STAINLESS STEEL — Amendment of Mar. 26, 1953, of Direction 20 to CMP Regulation 1 states that nickel-bearing stainless steel may no longer be purchased on unrated orders under the open-ending arrangement of the direction. It was effective Mar. 26.

Appointments in Washington

Edward F. Howrey, Washington lawyer, was confirmed by the Senate as a member of the Federal Trade Commission for a term expiring Sept. 26, 1959.

Harold L. Aitken was named executive assistant administrator of the Federal Civil Defense Administration.

Francis V. du Pont, Wilmington, Del., was named commissioner of the Bureau of Public Roads, Commerce department.

Ormonde A. Kieb, Maplewood, N. J., was sworn in as assistant postmaster general for facilities, Post Office Department.


Stanley Nelson Barnes, a member of the California Supreme Court, has been named Assistant Attorney General of the Antitrust Division, Justice department.

SELECTED DEFENSE CONTRACTS IN EXCESS OF $100,000

PRODUCT	CONTRACTOR
Truck Parts	Mack Mfg. Corp., New York
Fuzes, Grenade	Bayshore Industries Inc., Elkton, Md.
Boosters	Sargent & Co., New Haven, Conn.
	Robertshaw-Fulton Controls Co., Robertshaw Thermostat Div., Youngwood, Pa.
Airplane Crash Cranes	R. G. Le Tourneau Inc., Peoria, Ill.
Wheel Assemblies	Aerol Co. Inc., Burbank, Calif.
Generator Sets	R. H. Sheppard Co. Inc., Hanover, Pa.
Synchros	Martin-Parry Corp., Toledo, O.
Radiacmeters	A. O. Beckman Inc., S. Pasadena, Calif.
Winches	Lake Shore Engineering Co., Iron Mountain, Mich.
Boilers	Cyclotherm Corp., Oswego, N. Y.
Locomotives	Baldwin-Lima-Hamilton Corp., Eddystone, Pa.
Cameras, Motion Picture	Mitchell Camera Corp., Glendale, Calif.
Lamps	Radiant Lamp Corp., Newark, N. J.

Windows of Washington

By E. C. KREUTZBERG *Washington Edito*



FIGHT BEGINS OVER FREIGHT ABSORPTION
. . . who is on the wrong side of the tracks?

Congress takes sides on legalizing freight absorption. Senate bill would allow sellers to pay some expense of transportation to meet competitors' prices

BATTLE LINES again are forming in Congress on the issue of legalizing freight absorption to enable a seller to meet his competitors' delivered prices.

Leaders on the "pro" side are Senators Homer E. Capehart (Rep., Ind.) and Pat McCarran (Dem., Nev.). Chief of the "con" faction is Sen. Estes Kefauver (Dem., Tenn.). Bills are now in judiciary committees, and a fight will occur when the legislation comes up for debate.

Stormy History—The controversy dates back to the 80th Congress, when more than 100 witnesses were heard. In the 81st Congress, S. Res. 1008 would have established the legality of freight absorption, but it was vetoed by President Truman. A similar bill, S. Res. 719, passed the 82nd Senate, but adjournment came before House action.

Leading "pro" bill in the present Congress is S. Res. 1377, sponsored by Senator Capehart, with the backing of Sen. Edwin C. Johnson (Dem., Colo.). Carefully drafted to accord with applicable Supreme Court decisions (Standard Oil Co. vs Federal Trade Commission and FTC vs Cement Institute), it would permit a seller "who is acting in good faith and is not in collusion with anyone to pay part or all of the cost of transportation on sales to a customer in order to meet a lower price which a more favorably located competitor offers to that customer."

Industries Endangered — Industry opinion, which overwhelmingly backs the Capehart-Johnson position, is summarized by Harold T. Halfpenny, Chicago attorney for the National Standard Parts Association, who says that FTC decisions in the National Lead Co. and Chain Institute cases imperil all industries in which manufacturers distribute their products through wholesalers who are strategically located through the nation.

Senator Capehart declares that his bill has no concealed loopholes and will not permit sellers to use basing point systems as that term is defined by the Supreme Court. Legislation is required, he insists, to foster a free, competitive economy with the maximum number of sellers competing for each buyer's business. "Had the legality of freight absorption been clarified four or five years ago," he remarks, "I am certain that buyers would have been saved many millions of dollars during the period since the Korean aggression."

Kefauver Disagrees — Senator Kefauver's bill, S. Res. 1357, would reject "good faith" as a complete defense to a charge of price discrimination under the Robinson-Patman Act.

"In the Standard Oil of Indiana decision," says Senator Kefauver, "the court largely nullified the rule underlying the Robinson-Patman Act. The essence of the court's interpretation is that wherever FTC challenges a discriminatory practice and the supplier shows that he has carried on that practice in good faith, the government can't issue a cease-and-desist order."


Kefauver contends that, as the law now stands, there is no limit on discriminations as long as they are made in good faith.

Business States Its Case . . .

"Get the government out of business!" That was the theme of the Conference of American Small Business Organizations which brought to Washington small businessmen from all sections of the country.

Sandwiching reports in between speeches by members of Congress, various convention committees called for a balanced budget, a constitutional limit on income taxes and strengthening of the Taft-Hartley Act. Members opposed direct or indirect subsidy of small business with public funds, extension of the excess profits tax and rent control.

Speakers encouraged abandonment of fixed farm price supports and adoption of flexible programs instead. Others called for a sternly uprooting of subversive individuals in the government while favoring withdrawal from the United Nations. Meanwhile they asked Congress to make certain that the resources of small business be tapped before launching new expansion.



"There's only ONE reason!"

S JUST THAT SIMPLE. There's only one reason in the ·ld why 2 out of 3 wire rope users in the industrial field fer Roebling wire rope... *it costs a lot less on the job n any other.*

For maximum wire rope efficiency and economy, call your rest Roebling office for a Field Man. He'll recommend best ropes for your operations.

ROEBLING

A subsidiary of The Colorado Fuel and Iron Corporation

N A. ROEBLING'S SONS CORPORATION, TRENTON 2, N. J. BRANCHES: ATLANTA, 934 AVON AVE. • BOSTON, 51 SLEEPER ST. • CHICAGO, 5525 W. ROOSE- RD. • CINCINNATI, 3253 FREDONIA AVE. • CLEVELAND, 13225 LAKEWOOD HEIGHTS BLVD. • DENVER, 4801 JACKSON ST. • DETROIT, 915 FISHER BLDG. • JSTON, 6216 NAVIGATION BLVD. • LOS ANGELES, 5340 E. HARBOR ST. • NEW YORK, 19 RECTOR ST. • ODESSA, TEXAS, 1920 E. 2ND ST. • PHILA- PHIA, 230 VINE ST. • SAN FRANCISCO, 1740 17TH ST. • SEATTLE, 900 1ST AVE. S. • TULSA, 321 N. CHEYENNE ST. • EXPORT SALES OFFICE, NTON 2, N. J.



Like the right size shirt

CMP THINSTEEL TRADE MARK *is tailored to your need*



Buying steel is very much like buying a shirt—you prefer to bu the steel or the shirt that EXACTLY fits your requirements. Tru any item made to fit a particular need may cost a little mo than a product offered for all-purpose useage; but the first co particularly the "first steel cost", may be relatively unimportai The end-product cost is the important consideration. If co rolled strip or spring steel is involved in fabriaction of compone parts for your end-products, and the labor cost for fabricati and assembling those component parts is an important part your total cost, you'll want to investigate CMP strip products.

CMP strip can be made to fit the most exacting needs, whetl it be in terms of close tolerances, uniformity of structure, temp finish or physical properties. The use of specially prepared CM strip made to the measure of a particular processing or en product requirement is contributing to lower total costs for ma manufacturers. We'll welcome the opportunity to "try CM strip for size" in your fabricating or assembly operations. Do compromise steel quality for first steel cost.

PRECISION COLD ROLLED C M P STRIP STEEL

the Cold Metal Products co

YOUNGSTOWN 1, OHIO

New York • Chicago • Indianapolis • Detroit • St. Louis • Los Angeles • Clevel

LOW CARBON, HIGH CARBON (Annealed or Tempered) *STAINLESS A ALLOY GRADES, ELECTRO ZINC COATED ARE AVAILABLE FR*

THE COLD METAL PRODUCTS CO. of CALIFORNIA, 6600 McKinley Avenue, Los An Phone: PLeasant 3-1291

THE KENILWORTH STEEL CO., 750 Boulevard, Kenilworth, New Jersey
Phones: N. Y., COurtlandt 7-2427; N. J., UNionville 2-6900

PRECISION STEEL WAREHOUSE, INC., 4425 W. Kinzie, Chicago . Phone: COlumbus 1-





ıtual Aid Means Give and Take on Both Sides of the Atlantic

. tanks of Italy's "Ariete" division, left, stretch out to horizon at Verona, Italy. This division and another completely equipped with these M-47s, M-26s and self-propelled American-made guns. This Swiss-built, U.S. Air Force-owned machine, right, grinds jet engine gears automatically at General Electric Co.'s Lockland, O., jet center

ow Good Is Technical Assistance?

National Planning Association will study the problem in Latin America. The answers may evolve a better, cheaper way of helping friendly foreign countries

TH FOREIGN AID becoming an rous burden, both to the U. S. recipient countries, the time arrived to get an objective, d-headed evaluation of alternate ys to help friendly countries w stronger.

That's exactly the purpose of National Planning Association's study of technical assistance programs in Latin America.

Attention on Industry—Private industry men have a big stake in the problem, too: They've been carrying on their own technical assistance programs for at least as long as the govenment has; the people receiving the assistance are their past or potential customers. So, NPA's survey will give a great deal of attention to private concerns' activities.

NPA plans to send teams of American technicians into Latin American countries, under the direction of Theodore W. Schultz, professor of economics and chairman of the Department of Economics, University of Chicago, to get answers to the questions outlined below.

The technique will be to talk with industry men, farm and labor leaders, government personnel and leaders of thought to assess the worth of the various forms of technical assistance in all Latin American countries.

Steel Mills To Contribute—Agricultural extension programs will be studied early in the plan. Steel mills and other metalworking concerns will be asked to contribute from their experience.

This is not a government-sponsored nor government-fostered evaluation. Money is to come from the Ford Foundation, $400,000. It will take about two years to complete, but staff reports are to be published by NPA for public consumption as field studies in Latin America are finished, says H. Christian Sonne, NPA chairman.

Latin America Will Help NPA Answer These

Are technical assistance programs making a real contribution to the long-range interests of the U.S. and Latin America in world peace?

What are the present objectives of technical assistance in Latin America? Are they achieving these results? Which objectives have the greatest value for the future in Latin America and elsewhere?

Where should private technical assistance programs end and public programs begin?

What are the best techniques for providing assistance, especially in administrative co-ordination?

How can technical assistance programs be developed so that future technical aid will not be required?



Bike Makers Roll Easier with Push from Steel Producers

ONLY THE BICYCLE is holding its ground with automobiles in the struggle for individual transportation. Where the hansom cab, horse-drawn hack and most cable cars and electric trolleys succumbed, some 21 million bikes still roll along.

There is one bike for every two and one-half automobiles and trucks; actually, 15 million more bikes are on the road now than during the generally accepted golden age of bicycling at the turn of this century.

Rolling Production—Eleven manufacturers in the U. S. assembled slightly more than 2 million "wheels" in 1952. They plan to better production this year. Including accessories and replacement parts, bike making becomes a $175 million industry, employing 80,000 workers.

That production and sales record by a relatively small group of manufacturers is remarkable because the industry faces difficult problems, not the least of which being imports of lightweight bicycles, notably of British make. And imports are continuing to increase; 225,000 bikes came in last year, valued at $5.6 million plus parts sales.

Coaster Not a Break—The domestic industry asked for tariff relief last fall and was turned down. Later, on Oct. 29, a price increase of seven per cent over highest selling prices since July was authorized. The price lid raise meant nothing as competition, domestic and foreign, was and is too keen to permit higher prices. Meanwhile, costs are rising and foreign-made bikes can be sold at retail for near or below prices domestic manufacturers must bill their distributors.

Several American manufacturers produce lightweight models, surpassing in quality and efficiency most imported bicycles of a similar type, but at somewhat higher cost. To meet European competition, some consideration has been given to increased production of lightweights, but more than 90 per cent of domestic production is in the sturdy balloon tire de luxe model. With rare exceptions, imported bikes are variable as to quality, often more complicated in operation, requiring more frequent repairs.

Riding with Age—Two features most quickly noticed in the bike manufacturing industry are elderly skilled employees and old veteran companies. The average age of employees in the industry is 45 to 50 years with 15 years employment: One veteran company, Westfield Mfg. Co., Westfield, Mass., has been making bikes for 76 years, starting with high front wheelers with pedals attached.

The bike Junior propels over smoother roads or sidewalks today differs greatly in appearance and efficiency from the old model Columbia, so proudly pedalled by his granddad (the Columbia is still being made by Westfield Mfg. Co.). Junior's bicycle is a de luxe machine with many gadgets which were missing from earlier "wheels." For courting or pleasure, you can still buy a tandem, or bicycle built for two, from either Arnold Schwinn & Co., Chicago, or the Colson Corp., Elyria, O., though.

Boys, Two-to-One—Sales of boys' bikes are two-to-one over girls' models. Retail sales are highest at Christmas time and continue active through first quarter. From 60 to 65 per cent of production is normally done in the second half of the year.

Some bike makers also produce other children's wheeled goods, wheel chairs, casters, metal furniture and hospital equipment. At one time or another about half the industry has had small defense contracts since Korea; during World War II, they went 100 per cent on armament.

In Gear—Steel supply for bike manufacturers is rapidly straightening out, except for nickel-bearing grades (for steel needs of the industry see the box above). In fact the bike industry gives much credit to steel producers for making possible the 2-million-plus output last year. Few expected to reach this volume; peak post-war output being 2.8 million in one year.

This year should see the industry roll up even nearer the peak.

Steel in a Wheel

THE AVERAGE 26-inch de luxe boy's bike takes 63 pounds of steel and the bike-making industry consumes about 60,000 tons of steel a year. Included in that total in order of volume are cold-rolled sheets and strip, mechanical tubing, hot-rolled bars, hot-rolled strip, wire, cold finished bars and bolts, nuts, washers and rivets. Chain is used extensively, also ball bearings, springs, forged crank and coaster brakes. There are ten ball bearings to ease loads on the human power plant, including two in each wheel.

The British lightweight bicycle weighs an average of 35 pounds. Most have three speed gears and controls more concentrated in handle bars.

Tubular Goods Look Good

"Tighten your belts and use your usual ingenuity to cope with a possible shortage of pipe over the three to six months beginning June 30. After that, if all goes re

bly well, you may once again a supply salesman sitting in anteroom." That's the advice nett A. Vaughey, director of Production Division of Petro- . Administration for Defense the North Texas Oil & Gas ociation in Wichita Falls, Tex.

fter controls go off June 30, country tubular goods will be iderably tighter than in sec- quarter, Mr. Vaughey said. By th quarter, however, the situa- should be more normal and ybody should be able to breathe ttle easier.

e also said that PAD was de- ed to protect the smaller oper- s, but when controls die the ller operator must fend for self. He will be the hardest hit il the situation settles down r this year or possibly first t of next year. The picture is ch brighter for 1954 and 1955.

C Not Dead Yet

mall business loans up to $1 lion will still be made by Re- struction Finance Corp., at least a while, even though the RFC already on the road toward liqui- ion by June 30, 1954. No more ns over that amount will be de by the agency. Following White House decision on Mar. about 50 per cent of the agen- s offices will close within the xt 60 days.

The action does not shelve the l in the Senate which would kill C on Jan. 1, 1954, and transfer small business loans function to e Federal Reserve Board.

hromite Due from Alaska

The Red Mountain (Alaska) romite deposit will yield 13,000 ng tons of chromite under a work- g agreement between Kenai hrome Co. and the Defense Ma- rials Procurement Agency. The greement calls for a DMPA ad- nce of $110,000 for opening the ine and installing necessary facil- ies, including a loading dock for essel shipment to the state of Vashington, and up to $200,000 or working capital. It runs rough 1955. By that time Kenai expected to continue production n its own.



Strands of wire rope are wound together in a closing machine at E. H. Edwards Co., San Francisco

More Competition in Wire Rope

Wire rope producers fear sales may lag in construction and shipbuilding after 1953

IS THE MARKET for wire rope as strong as the product? Many manufacturers are saying their sales outlook after this year is not as favorable as in 1952.

Demand Slows—Producers explain that demand from two good customers, the construction industry and highway building, may level off in 1954, while competition is now becoming the rule of the day.

Some 35 companies produce tough, durable wire rope and cable for use in oil well drilling, excavating, construction machinery and shipbuilding. A predominantly civilian industry, with less than 10 per cent of yearly sales of about $110 million going to defense activities, rope-making suffers when long-range construction forecasts drop. As purchases of cable are made well in advance of actual building, the industry may be feeling the effect of a future decline.

Materials Handling—The largest single use for wire rope is in moving heavy equipment. Cranes and elevators employ some of the strongest cable, with tensile strength of as much as 270,000 pounds per square inch. Increasing orders from oil wells making up part of the slack caused by lagging construction and shipbuilding demand.


Few manufacturers confine their activities to wire rope. Major steel companies have rope-making divisions, and producers such as E. H. Edwards Co., San Francisco, are entering the wire specialty field more strongly. Edwards makes fish netting, garment hangers and increasing numbers of wire products as well as cable, and thus has gained 30 per cent in sales within the last seven years.

Entire Line — Upson-Walton Co., Cleveland, rounds out its rope production with drop-forging of tackle blocks and fittings such as hooks, swivels and clips to hold the rope. Small firms often forge blocks and fittings along with a variety of other work.


As competition grows tighter among American companies, several foreign producers are entering the market. Here foreign manufacturers, mainly English, are at a disadvantage in the lack of a distribution system where short lengths of specialized wire rope might be readily obtained.

Optimistic Signs — Fortunately, material shortages are considerably improved over a year ago. A Pittsburgh producer says delivery dates on steel rods are about 50 per cent better than in 1952. "Now we can fill our orders quickly," industry men remark, "but we won't know whether our market is holding up until the summer building season starts."

When there's a BIG bearing job to do . . .



American steel companies are pushin production to a new all-time high, to meet the demands of higher civilia and defense needs. It means steel mill equipment and component parts have a bigger, tougher job to do. Keeping pace with this job are Hyatt Roller Bearings. Specified throughou the years by the country's major mil and builders of mill equipment, Hyatts are still leading the way— meeting these greater demands with advanced methods of manufacturing, modern heat treatment and rigid inspection from raw materials to finished bearings. As a result, Hyatts virtually eliminate friction, reduce wear, require a minimum of attention and help provide longer equipment lif There's a size and type of Hyatt Rolle Bearing for every steel mill application. Hyatt Bearings Division, General Motors Corporation, Harrison, N. J.



HYATT ROLLER BEARINGS

By LOYD G. LAWRENCE *Detroit Editor*

Mirrors of Motordom

The V-8 engine, when generally adopted by all automakers by 1956, will influence styling. The power plant is lighter and smaller, will give more flexibility to designers

DETROIT

T S WEEK it looks definite— th "V" for V-8 and hoped-for s s victory should emblazon at le t one hood line in every auto- m ker's offering by 1956. Plan- n ; by all automakers appears to b headed that way. Tooling s ld not bar the road and the r ent is some *truly major* auto s ing changes very shortly.

ehind the swing to the over- h d valve V-8 is no primordial h -rod instinct on the part of the a omakers. Greater engine ef- f ency in terms of increased p ver to weight and better fuel e nomy are the basic factors. F e, roughly, is the way it came a ut.

Explanation—One of the auto e ineer's chief objectives is to en- l e the automobile to travel ever f ther on a gallon of gasoline. H wever, the car must retain the p formance characteristics de- m nded by the American motorist. T e way of achieving this aim k own to every high school boy w o has owned a Model A is sim- p to compress the fuel-air mix- t e to a greater extent before it is ignited by shaving the head a d increasing the compression r tio.

As many high school boys also l rned the hard way, this in- c eases engine stresses and the h ttest Model As had exceedingly s ort lives. In an eight cylinder e gine, rising stresses call for a c ankshaft carrier and bearing b tween each crank throw. That a ds up to nine bearings, and while w s being done by at least one a tomaker, engineers feel that the V -8 which accomplishes the trick w ith merely five is not so over- k aring.

Angles—Another factor is the m atter of fuel distribution. With a single carburetor and single in- t ke manifold, some of the cylin- d ers are "starved" since they must draw farther or against greater vacuum in the manifold than other cylinders. To minimize starving, the mixture of the remaining cylinders had to be made somewhat on the rich side in a sort of unhappy median. With the V-8, the intake manifold can be compounded in such a way that no barrel of the carburetor or branch of the manifold is drawn upon twice in succession giving the manifold pressure a chance to rebuild a healthy diet. Dual carburetion on a six gives similar results, but four barrels on an eight approaches more closely the ideal of a carburetor for each cylinder.

Of less theoretical import to the average motorist is the simple fact that a V-8 of given displacement is shorter than an in-line engine of the same capacity. The block of the new Buick is 13½ inches shorter than its straight predecessor. In addition, the over-all height of the motor is reduced 4 inches. That to an auto designer means two things—an inherently more rigid block structure of lighter weight, and just acres of new room to move things around in. It is the latter aspect which will alter styling.

Room for Styling—Hood lines are going down to give increased visibility. Motors can be pulled back from the front axle to give better weight distribution. Wheelbases can be shortened for greater maneuverability. Passengers can be moved further forward between the much-touted axles. Less weight in the front end will help handling. Lower hood lines will lead to lower body lines and lower centers of gravity for better roadability.

The whole thing looks just peachy except for Harry Horsepower, average motorist. Harry has known for a long time that a long, high hood meant power and the auto designers are made aware by their sales departments of Harry's beliefs. Consequently,



Wide World

"Mighty Mite" Meets a Relative

Latest version of the familiar Jeep is the "Mighty Mite" (left) developed by the Marine Corps to be flown into combat by helicopter. The midget, shown nudging the current Jeep (right), is only 96 inches long, weighs 1496 pounds, has all-wheel drive and runs like a rabbit. It seats two comfortably

(Material in this department is protected by copyright and its use in any form without permission is prohibited)

if you take a look under the hood of most newcomers to the V-8 field, the radiator is a major distance back from the grill and the engine in turn is a goodly yardage back from the radiator. The cheeks of the engine protrude only slightly from beneath an air cleaner that could handle a furnace heating a six-room house, for to Harry the air cleaner is "engine" and reeks of two-hundredish horsepower.

Besides, that big engine cavern must be filled with something and hoodlines must be sustained until the psychological resistance to sensible design can be slowly overcome an inch at a time.

Technique—Designers hope to satisfy some of Harry's demand for length and "sweep" with fenders. Fender lines are going to be made to do the work of conveying length and power as the hood slowly falls between them. Then when that has been done, and it may not take too long if the Studebaker efforts to pave the way meet with success, a brand new idea of dropping the fender lines to give Harry a look at the sides of the road will come along. And then, perhaps about 1960, the car of tomorrow will be well on the way to being the car of today.

Car of the Week

A week spent driving a Chrysler New Yorker leaves an over-all impression of a living room on wheels. Interiors are spacious, comfortable and luxuriant without dangerously protruding knobs and garish gadgets. The padded dash cowl is a noteworthy feature to promote safety.

If you're trying to make the decision on power steering, don't rely on a trip around the block to tell you the story. Power steering is something that must be lived with until your driving habits have adapted to it. One hand tends to work against the other until you're used to the minimal wheel pressure required and the first sensation is one of driving on ice. The answer seems to be driving with only one hand placed at the bottom of the wheel.

One finger is sufficient to spin the wheel in either direction using the wheel spoke like a boat tiller at highway speeds of 60-70 miles an hour. With the Chrysler 16 to 1 steering ratio which power steering permits in a car of this size, control is phenomenal. Road shock disappears and correction for road surface deflection becomes effortless. From 50 right on up the clock to an indicated 110 miles per hour where editors turn chicken, the car gives the sensation of being a thing alive.

The Chrysler transmission is the one weak factor in the car as Chrysler engineers well know. When you step on the accelerator at a traffic light, plenty happens under the hood—not much happens at the rear wheels. You can expect to see a dig-in transmission to go with that beautiful engine one of these days.

The term "beautiful" is used here advisedly. Skirts on the pistons are diamond-turned, tappet holes are machined in the block to such close tolerances no selective fitting is required. Multiple gaging checks 36 dimensions on the crankshaft simultaneously giving the operator a simple "OK" or "reject" answer and rocker armholes and shafts are held to two-tenths tolerance for silent operation.

But perhaps the most impressive thing in the engine manufacture is the machine which balances the entire engine with torque converter after assembly. The engine is suspended by wires and turned over at 400 rpm by an electric motor. Any imbalance is multiplied by an electronic device which (A) actuates a drill which removes the precise amount of metal required from the crankshaft damper to balance the front of the engine, and (B) actuates an electric welding arm which feeds out and welds precise quanity of metal required on the torque converter rim to balance the back half of the engine.

The result of it all is a truly goin' machine.

Auto, Truck Output

U. S. and Canada

	1953	1952
January	612,829	424,559
February	623,530*	464,557
March		525,024
April		570,464
May		542,559
June		542,478
July		226,134
August		322,755
September		595,715
October		656,767
November		548,782
December		569,715
Total		5,989,509

Week Ended	1953	1952
Feb. 28	167,779	118,397
Mar. 7	158,825	115,126
Mar. 14	165,762	120,392
Mar. 21	169,923	125,347
Mar. 28	179,909	132,850
Apr. 4	177,000*	125,668

Sources: Automotive Manufacturers Association, Ward's Automotive Reports. *Preliminary

Exhaust Notes


Also rumored for Indianapolis in addition to the Chrysler, Cadillac and Lincoln mills reported May 23 are Studebaker and Dodge powered entries. The Studebaker engine will sport double overhead camshafts which may be slated for use on more conventional Studebaker power plants in the not too distant future. Studebaker denies it is contemplating a sports car but with a double overhead cam engine and that European styling the temptation must be terrific. The Dodge engine, by the way, is claimed to produce 280 hp in the current racing version with little strain.

Rumor has it that the Ford S will be bored to 240 cubic inches from 216 in 1954 models. Resulting horsepower should not be far from 125.

The French Ford *Comete* may be introduced before long as a luxury import. The car with '53 Ford and Mercury engines has been undergoing tests recently at the Ford test track.

Attempts of some automakers to lengthen their working day are meeting with surprising worker antipathy. Seems that many of the workers have jobs in other plants for the second shift and just can't make their other jobs when the quitting time is moved up on the first shift.

Hudson's Jet is still a headache for the firm. Material shortages crippling body output have knocked production down to 12 units an hour compared with 30 a short time ago.




Maintenance-Free To The Nth Degree

Maintenance costs can slash deeply into profits in every manufacturing plant. One way to attack this problem is to insist on New Departure ball bearings in both production machinery and end products . . . for New Departures are capable of reducing maintenance just as surely as they reduce friction between moving parts.

Often, New Departure bearings are self-sealed and lubricated-for-life so as to eliminate *all* bearing maintenance for years. This permits machines and motors to be placed in almost inaccessible locations without servicing problems. With the need for adjustment and lubrication eliminated, New Departure ball bearings help cut costs all along the line. Keep your eye on the BALL to be sure of your BEARINGS!

This booklet illustrates many types of mechanisms which are improved by the use of New Departure "Lubricated-for-Life" ball bearings. Send for your free copy today.



NOTHING ROLLS LIKE A BALL



NEW DEPARTURE

BALL BEARINGS

NEW DEPARTURE • DIVISION OF GENERAL MOTORS • BRISTOL, CONNECTICUT

Also Makers of the Famous New Departure Coaster Brake

TOOL STEEL THAT OUTWEARS OTHERS 3 TO 1 NOW COMES IN HOLLOW BAR FORM

ADVANTAGES OF GRAPH-MO

MOST STABLE TOOL STEEL MADE
OUTWEARS OTHERS 3 TO 1
MACHINES 30% FASTER
MINIMUM TENDENCY TO PICK UP, SCUFF OR GALL
UNIFORM RESPONSE TO HEAT TREATMENT

PLUS

ADVANTAGES OF HOLLOW BARS

NO DRILLING
FINISH BORING IS FIRST STEP
LESS MACHINING TIME
LESS SCRAP LOSS
MORE PARTS PER TON OF STEEL

EQUALS

ADVANTAGES OF

"GRAPH-MO HOLLOW-BAR"

It's "Graph-Mo® Hollow-Bar"

NEW "GRAPH-MO HOLLOW-BAR" COMBINES THE FASTER MACHINING AND LONGER WEAR OF GRAPH MO WITH THE ECONOMY OF A HOLLOW BAR SECTIO

Now you can get Graph-Mo® graphitic tool steel in hollo bars! It's "Graph-Mo Hollow-Bar"—a new product d veloped by the Timken Company for makers of ring gage dies and other ring-shaped tool steel parts.

"Graph-Mo Hollow-Bar" gives you all the proven ac vantages of Graph-Mo steel *plus* the economies of a hollo bar section. The hole is already there. Drilling is eliminate Finish boring is your first step. You save machining tim cut scrap loss, get more parts per ton of steel.


Long used in bars and forgings by tool and die maker Graph-Mo is a *different kind* of tool steel. Free graphi in its structure makes it 30% easier to machine. And t combination of free graphite and diamond-hard carbid give it unusual wear resistance. User reports prove it ou wears other tool steels an average of 3 to 1!

Stability tests show that Graph-Mo is the most stab tool steel made — a typical Graph-Mo steel master plu gage showed less than 10 millionths of an inch dimension change in 12 years! Its free graphite gives it minimu tendency to pick up or gall. And it has uniform respon to heat treatment.

If you make ring-shaped tool steel parts, make use of t double-barreled advantages of "Graph-Mo Hollow-Bar Sizes range from 4″ to 16″ O. D. with a variety of wall thic nesses. "Graph-Mo Hollow-Bar" is distributed throug A. Milne and Company and Peninsular Steel Compa warehouses.


Get complete information today. Write The Timk Roller Bearing Company, Steel and Tube Division, Cant 6, Ohio. Cable address: "TIMROSCO".

YEARS AHEAD—THROUGH EXPERIENCE AND RESEARCH



TIMKEN
TRADE MARK REG U S PAT OFF
Fine Alloy
STEEL

SPECIALISTS IN FINE ALLOY STEELS, GRAPHITIC TOOL STEELS AND SEAMLESS TUBIN



ek ended Mar. 28

Based upon and weighted as follows: Steelworks Operations 35%; Electric Power Output 23%; Freight Car Loadings 22%; and Automotive Assemblies (Wards' Reports) 20%.

Production machinery is whirling faster than in any period since World War II. High consumer demand is supplying a large boost. Industrial activity index jumps

E NATION'S assembly lines are moving faster than in any pe- d since the all-out production eks of World War II.

ndustrial production, as meas- d in STEEL's index, jumped 4 nts in the week ended Mar. 28 236 per cent of the 1936-1939 rage. The 236 per cent level 1 point over the previous post- r high established in the final ek of last October when metal- rking companies were striving regain output lost by the steel ike. Indications point to a fur- r upsurge in output during the xt few weeks.

Steel—Steel production is nearly heavy as current equipment per- ts, and new facilities are being stalled rapidly to raise output en higher. As steel demand re- ains sturdy, producers are saying at high output will continue for me time ahead. Steel mills, as ings look now, will continue busy ll into the third quarter, at least.

Automotive production is now usually strong and is also ex- ected to rise some more. Custom- s are snapping up new models early as fast as they enter deal- s' showrooms, and installment redit on autos is climbing at an almost unbelievably fast momentum.

Sparks Flying—Electricity generation, a good indicator of production, is now a sizzling 9-10 per cent over the comparable weeks in the spring of 1952. This over-the-year gap has widened from about 7 per cent in the fall weeks of 1952 to 9.8 per cent in recent weeks.

Freight car loadings are the one depressive factor in today's industrial picture. Revenue freight, since before the start of 1953, has fallen about 4 per cent under the comparable weeks of a year earlier. This lag is not expected to continue, however. Predictions coming in from regional advisory boards to the Association of American Railroads say that loadings in the second quarter will exceed by 8 per cent those of the second three months of 1952.

Steel Output Climbs Higher . . .


Swamped by new orders, steel companies are pouring heavier tonnages each week. The American Iron & Steel Institute says that U. S. production in the week ended Mar. 28 totaled 2,324,000 net tons of steel for ingots and castings. That's the fourth consecutive week that output records were broken. Estimated for the week ended Apr. 4 is a turnout of 2,273,000 net tons.

Laundry Equipment Soaring . . .

Among household appliances, demand is particularly encouraging for manufacturers of home laundry equipment. Reason for this is that many housewives already own modern refrigerators and ranges and are now purchasing laundry equipment. The American Home Laundry Manufacturers' Association says that factory sales of standard-size household washers in February totaled 326,604 units, or 27.6 per cent over washer sales in February, 1952. Sales of automatic tumbler dryers in February rose 28.3 per cent over the year to 57,136 units, and ironer sales totaled 22,586 units, or 28.1 per cent over a year earlier.

Auto Production Surges . . .


Automakers are starting the second quarter with operations running in quick-time. Production of U. S. passenger cars and trucks are at a two-year peak and an even higher weekly output may occur shortly. U. S. output of passenger cars and trucks in the week ended Mar. 28 numbered 169,379 units, or 36 per cent over the comparable week of last year and the highest weekly volume since March, 1951,



Steel Employment, Payrolls

	Employees in Thousands		Payrolls In Millions	
	1953	1952	1953	1952
Jan.	683	672	$285.4	$252.2
Feb.	...	674	....	234.9
Mar.	...	672	....	242.7
Apr.	...	670	....	225.6
May	...	662	....	223.1
June	...	*	....	*
July	...	*	....	*
Aug.	...	660	....	250.4
Sept.	...	674	....	269.4
Oct.	...	677	....	282.9
Nov.	...	680	....	269.7
Dec.	...	684	....	280.0

*Not available because of steel strike.
American Iron & Steel Institute.




Construction Valuation

(37 States)—In Millions of Dollars

	Total		Building	
	1953	1952	1953	1952
Jan.	1,075.9	902.1	867.0	695.4
Feb.	.....	885.2	.....	697.8
Mar.	.....	1,321.3	.....	1,056.0
Apr.	.....	1,597.5	.....	1,243.9
May	.....	1,563.6	.....	1,216.2
June	.....	1,488.8	.....	1,133.3
July	.....	1,511.3	.....	1,170.8
Aug.	.....	1,438.7	.....	1,147.5
Sept.	.....	2,039.2	.....	1,790.8
Oct.	.....	1,310.1	.....	1,072.8
Nov.	.....	1,248.8	.....	989.9
Dec.	.....	1,467.4	.....	1,147.7
Total	.....	16,774.9	.....	13,362.1

F. W. Dodge Corp.




Industrial Furnaces

New Orders—Thousands of Dollars

	Fuel Fired*		Electric	
	1953	1952	1953	1952
Jan.	3,540	3,379	1,655	2,856
Feb.	....	2,413	....	1,363
Mar.	....	1,813	....	2,100
Apr.	....	3,606	....	2,298
May	....	3,032	....	3,713
June	....	2,954	....	1,552
July	....	6,728	....	2,530
Aug.	....	5,259	....	1,626
Sept.	....	2,462	....	1,412
Oct.	....	1,507	....	2,459
Nov.	....	2,382	....	1,241
Dec.	....	3,235	....	1,634

* Except for hot rolling steel.
Industrial Furnace Mfrs. Assn.



Pumps, New Orders

In Thousands of Dollars

	1953	1952	1951
Jan.	5,752	5,517	6,477
Feb.	....	6,020	6,480
Mar.	....	5,925	7,654
Apr.	....	6,354	7,583
May	...	6,140	6,371
June	....	7,957	6,852
July	....	6,299	8,358
Aug.	....	5,921	5,911
Sept.	....	5,258	6,552
Oct.	...	5,534	6,506
Nov.	....	4,130	5,908
Dec.	....	6,575	5,553
Total	...	71,630	80,175

Hydraulic Institute

Charts Copyright 1953 STEEL

Issue Dates on other FACTS and FIGURES Published by STEEL

Durable Goods ...Mar. 30	Indus. Production..Feb. 16	Refrigerators .....Feb. 2
Employ., Metalwk..Mar. 30	Machine Tools ...Mar. 23	Steel Castings ....Mar. 16
Fab. Struc. Steel ..Mar. 30	Malleable Castings.Mar. 16	Steel Forgings ....Mar. 16
Foundry Equip. ..Mar. 23	Prices, Consumer...Jan.26	Steel Shipments ...Nov. 3
Freight Cars .....Mar. 23	Prices, Wholesale..Jan. 26	Vacuum Cleaners..Mar. 23
Gear Sales .....Mar. 9	Radio, TV .....Feb. 2	Wages, Metalwk. ..Mar. 9
Gray Iron Castings.Mar. 16	Ranges, Gas .....Mar. 30	Washers .....Mar. 30
Ironers .....Mar. 9	Ranges, Elec. .....Feb. 2	Water Heaters ...Mar. 30

says *Ward's Automotive Reports*

Shortages of steel may n worsen as much as auto compani in recent weeks have feared. O "Big Three" producer is raisi schedules, and overtime is expect to receive an increasing play. everything goes well, says the a tomotive weekly, output of passe ger cars and trucks in the Ma June period may reach the highe level in history.

U. S. and Canadian car-tru assemblies in the week ended Ma 28 totaled 179,909 units, up 99 from the previous week and 47,0 units over automotive volume the week ended Mar. 29, 1952. Pr duction in the week ended Apr. is estimated by STEEL at 177,0 passenger cars and trucks.

Tool Picture Improves . . .

The machine tool industry is fin ing that civilian manufacturers a pressing for equipment as defer orders for tools continue to decli The National Machine Tool Bui ers Association says that new o ders in February totaled $85 m lion or 282.2 per cent of the 19 1949 average. That's the larg influx of orders since last Septe ber but it is well under the 318.8 dex for February, 1952, and a d matic slash from the 615.3 index February, 1951. An encouragi factor is the drop in cancellatio in February. Canceled ord amounted to not more than 10 cent of the gross new orders ceived—the smallest percentage over a year.

Productive capacity of toolm ers is continuing to expand to highest rate in history and is w above the inflow of new orde Defense orders for heavy equ ment and the possibility of a tional emergency are keeping industry capacity on the upcli With shipments outpacing inco ing orders, the industry has 9 months' work ahead at the pres demonstrated production rate. year earlier, the rate was 1 months, and in February, 19 toolbuilders had 18 months of w lined up.

Business Looks Good . . .

Business will remain at toda high levels throughout the n three months, at least. So predi

BAROMETERS OF BUSINESS

	LATEST PERIOD*	PRIOR WEEK	YEAR AGO
NDUSTRY			
eel Ingot Output (per cent of capacity)[2]	101.0	101.0	102.0
lectric Power Distributed (million kwhr)	8,050[1]	8,078	7,236
ituminous Coal Output (daily av.—1000 tons)	1,352	1,305	1,587
etroleum Production (daily av.—1000 bbl)	6,450[1]	6,489	6,402
onstruction Volume (ENR—millions)	$344.1	$316.1	$271.6
utomobile, Truck Output (Ward's—units)	179,909	169,923	132,850
TRADE			
reight Car Loadings (unit—1000 cars)	705[1]	701	725
usiness Failures (Dun & Bradstreet, number)	188	160	164
urrency in Circulation (millions)[3]	$29,600	$29,708	$28,329
ept. Store Sales (changes from year ago)[3]	+16%	+11%	−7%
FINANCE			
ank Clearings (Dun & Bradstreet, millions)	$18,577	$19,452	$17,083
ederal Gross Debt (billions)	$264.7	$265.2	$258.1
ond Volume, NYSE (millions)	$16.2	$15.9	$13.5
tocks Sales, NYSE (thousands of shares)	9,677	9,552	6,807
oans and Investments (billions)[4]	$78.0	$77.8	$73.9
nited States Gov't. Obligations Held (billions)[4]	$31.0	$31.3	$31.9
PRICES			
TEEL's Weighted Finished Steel Price Index[5]	181.31	181.31	171.92
TEEL's Nonferrous Metal Price Index[6]	225.1	225.1	243.6
ll Commodities[7]	110.0	110.2	112.5
ll Commodities Other Than Farm and Foods[7]	113.4	113.4	114.2

Dates on request. [1]Preliminary. [2]Weekly capacities, net tons: 1953, 2,254,459; 1952, 2,077,040. [3]Federal Reserve Board. [4]Member banks, Federal Reserve System. [5]1935-1939=100. [6]1936-1939=100. [7]Bureau of Labor Statistics Index, 1947-1949=100.

majority of industrial buyers veyed by the National Associa- of Purchasing Agents. Produc- in March continued to grow, at a much slower rate than in previous two months. Many orders flowed in to manufac- ers, although for smaller quanti- of goods. Industry's supply of illed orders declined at a slight- accelerated pace.

Decontrol of prices in March sed more strength in the price ucture than has been shown in ny months. Higher quotations balanced the lower by four to . With few exceptions, notably per, price increases were small centagewise. Most buyers say rise in prices doesn't assure a nd, as the majority of increases re tests of the new supply-and- nand market. Competition be- ne keen in March with "Stand- Room Only" in many reception oms of purchasers.

ructurals Orders Sagging . . .


Shipments of structurals are off om a year ago as the industry ces a smaller supply of unfilled ders. American Institute of Steel nstruction says that shipments February of fabricated struc- ral steel totaled 237,499 tons, ap- oximately 4 per cent under Feb- ary, 1952. New orders for struc- turals amounted to 182,184 tons, a small amount compared with the 230,832 tons ordered in the same month last year. As of Mar. 1, producers had on their books orders for 2.1 million tons, compared with 2.4 million tons a year earlier.

Foundry Equipment Slips . . .


Makers of foundry equipment are experiencing a lull in new orders. The Foundry Equipment Manufacturers Association's new order index in February dropped to 257.3 per cent of the 1937-1939 average, or the lowest level in 13 months.

Trends Fore and Aft . . .

The cost-of-living declined in February to only 0.9 per cent above February, 1952, according to the Bureau of Labor Statistics . . . Department store sales in the week ended Mar. 21 jumped 16 per cent over the comparable week in 1952, but Easter came a week earlier in 1953 . . . Sales of the gearing industry rose 16.6 per cent in February . . . Contract awards for heavy construction in 1953 are now about 11 per cent over the same weeks in 1952 . . . Shipments of metal cans in January rose 15 per cent over the first month in 1952 . . . Shipments of automatic gas water heaters in February rose 30.9 per cent over February, 1952.



You Don't Toss These 500 Pound Doors Around One-Handed



Ingenious Fully Automatic Material Handling System Moves Bulky Steel Doors Safely and Efficiently Through a Production Cycle.

Each door, held in a frame by magnets, is raised from a horizontal to a vertical position then set on to an overhead conveyor and released to travel through various production processes. Finally it is removed from the conveyor and returned to the original, horizontal position—a finished product.

Every phase of the handling cycle is automatic and synchronized with every other movement.

The Door Handling Installation may not fit your material handling problems but whatever their nature the Allied Engineering Staff can provide solutions; consult us.

Allied Manufacturers Various Types of Conveyors



Floor Conveyor




Overhead Conveyor

ALLIED

STEEL AND CONVEYORS, INC.

17313 HEALY, DETROIT 12, MICH.



Ohio Rolls

SHAPING METAL FOR ALL INDUSTRY

CARBON STEEL ROLLS • OHIOLOY ROLLS • OHIOLOY "K" ROLLS
HOLL-O-CAST ROLLS • CHILLED IRON ROLLS • DENSO
IRON ROLLS • NICKLE GRAIN ROLLS • SPECIAL IRON ROLLS
NIOLOY ROLLS • FLINTUFF ROLLS • OHIO DOUBLE-POUR ROLLS

THE OHIO STEEL FOUNDRY CO.

LIMA, OHIO • Plants at Lima and Springfield, Ohio



WALTER B. PETERS
. . . heads new Byrne sales outlet



EDUARDO R. REDLHAMMER
. . . div. v. p. at Bart-Messing



H. B. MONTROSS JR.
. . . new position at Columbia-Geneva Steel

'rne Metal Products Inc., De-)it, new sales outlet of Byrne)ors Inc., which maintains offices the Curtis building at 2842 West and Blvd., elected **Walter V. Pe-'s** as president. Mr. Peters for-)rly was executive vice president charge of sales for Truscon Steel).

:eorge W. Bruce was appointed)rks manager of the Claymont, el., plant of **Colorado Fuel & Iron**)rp. Associated with the steel in-ustry for the last 22 years, he as been associated with Midvale eel Co., U. S. Steel Corp. and ith Steel Co. of Canada as assist-nt works manager at Hamilton, nt.

ames L. Clifford was made New ork district sales manager, **Udy-te Corp.,** to succeed **A. B. Hoefer,** ecently made a vice president of dylite and an executive of Fred-ric B. Stevens Inc., subsidiary.

tanley B. Lindh was appointed ales promotion manager, **Atkins aw Division,** Borg-Warner Corp., ndianapolis. He joins the division fter serving as account executive vith Hugh H. Graham Associates t New Britain, Conn. He formerly vas assistant sales manager for Morse Twist Drill & Machine Co., nd sales and advertising analyst or Lever Bros.

Eduardo R. Redlhammer was elected vice president in charge of the Sel-Rex Rectifier Division, **Bart-Messing Corp.,** Belleville, N. J. **Sid Mitwol** becomes sales manager, same division. Mr. Redlhammer has been with the company since 1947 and formerly was chief engineer in charge of rectifier development.

Hall Kirkham has retired as president of **Hydreco Division,** New York Air Brake Co., Cleveland, and that position has been discontinued. He continues as director of and special consultant for the parent company. **Edward J. Hrdlicka,** associated with Hydreco since 1936 when that division was organized as Hydraulic Equipment Co., and most recently serving as vice president of sales, was appointed Hydreco manager.

Thorbjorn Madsen was elected vice president in charge of production, scale division, **John Chatillon & Sons,** New York. He joined the company in 1927 and has been works manager of the scale division since 1949.

Allen S. Dunbar, for the last three years senior research engineer for Stanford Research Institute, joins **Dalmo Victor Co.,** San Carlos, Calif., as assistant director of research.


H. B. Montross Jr. was made manager of market development by **Columbia-Geneva Steel Division,** U. S. Steel Corp., with headquarters in San Francisco. He joined the organization in 1947 in the Seattle sales office and since 1951 has been senior technical field representative in that area.

Dwight Palmer has retired as chairman of **General Cable Corp.,** New York, and is succeeded by **Irving T. Bennett,** who on May 1 will also be chairman of the executive committee. Mr. Bennett at present is vice president of Revere Copper & Brass Inc. On Nov. 1 he will become chief executive officer of General Cable and **James R. MacDonald,** president, will continue in that post, and will assume charge of all company operations.

Leo Botwin, senior project engineer, Sperry Gyroscope Corp., Great Neck, N. Y., has joined **Ketay Mfg. Corp.,** New York, as director of systems engineering.

Richard K. Hulett, since 1950 associated with the **Iron Fireman Mfg. Co.** Cleveland office and field engineering staff, was advanced to assistant industrial sales manager.

Alfred H. Busch was elected secretary, **Stewart-Warner Corp.,** Chicago. He has been acting secretary



GEORGE E. MILLER
. . . Osborn's machine div. sales manager

since the death of **James I. Minteer** last February.

Promotions in the machine division of **Osborn Mfg. Co.**, Cleveland, include **George E. Miller**, since 1945 assistant sales manager, now sales manager; **James W. Stuart**, sales engineer in the eastern territory, now in the Cleveland office as assistant sales manager; and **J. Doyle Robbins**, production manager, named assistant to the vice president.

Acheson Colloids Co., division of Acheson Industries Inc., Port Huron, Mich., appointed **Harold J. Dawe** technical director, **Alden Crankshaw** sales manager and **John W. Shier** production manager. Since 1941 Mr. Crankshaw has been eastern service manager, responsible for the area bounded by Buffalo, Pittsburgh and Washington. His New York and New Jersey territory is now served by **Paul E. Yoder. Earl L. Youse** is supervisor, product development laboratory.

At **Lebanon Steel Foundry**, Lebanon, Pa., **T. S. Quinn** continues as treasurer and in over-all charge of operations, but relinquishes his position of general manager to his son, **Harry L. Quinn**, also secretary. **T. S. Quinn Jr.**, assistant plant manager in charge of foundry operations, was made plant manager, and **Leroy G. Miller**, currently serving as plant manager, was named to the newly created position of chief engineer in charge of product. **John M. Quinn**, assistant plant manager in charge of casting cleaning operations, assumes the added responsibility for all foundry operations.

Frank J. Delaney, formerly with International Harvester Co., Chicago, has joined **Allied Equipment Co.**, Fresno, Calif., as sales promotion and advertising manager.

Roy C. Knoll, vice president of **Inland Steel Products Co.**, Milwaukee, has retired. He was placed in charge of the company's expansion program two years ago. He joined the company in 1937 and in 1950 was named vice president for manufacturing.

L. Richard Edgcomb was appointed manager, nonferrous sales, **Edgcomb Steel Corp.**, Hillside, N. J. Until recently he was with the Los Angeles sales office of Reynolds Metals Co.

Clark Bros. Co., Olean, N. Y., announces changes in its corporate officers. **C. Paul Clark** becomes chairman of the board and is succeeded as president by **John N. MacKendrick**, who since 1946 has been vice president in charge of engineering. **F. W. Laverty**, general sales manager, was elected executive vice president. **George W. Probst** was named vice president-sales; **Edward G. Beardsley** vice president-engineering; **Richard F. Moser** vice president-manufacturing; and **C. C. Hill** secretary and treasurer. **David K. Hutchcraft**, vice president-sales, and **Frederic H. Light**, vice president secretary and treasurer, have relinquished their responsibilities in line with the company's retirement policies but remain as consultants.

Durando Miller Jr. was made assistant technical manager at **Permutit Co.**, New York.

Julian D. Dickerson was appointed chief metallurgist for the Midland Pa., Works, **Crucible Steel Co. of America**. He replaces **George Bryer**, recently appointed metallurgical service engineer for the Detroit area. Before joining Crucible Mr. Dickerson was chief metallurgist for Republic Steel Corp. at its Buffalo plant.


General Electric Co. announces consolidation of its wiring device department at Bridgeport, Conn. and its Monowatt department at Providence, R. I., into a new department to be known as the GE wiring device department. Headquaters will be at Providence. **Abe F. Warren** was appointed general manager and **Arville W. Gilmore** assistant general manager. Both General Electric and Monowatt brand lines will be retained and manufacturing operations will be continued at present locations.

Howard Winterson was appointed director of industrial relations at **Blaw-Knox Co.**, Pittsburgh.

Joseph J. Lengyel was appointed manager of marketing for **General**




C. PAUL CLARK



JOHN N. MACKENDRICK
. . . new chairman and president of Clark Bros.

The cop who keeps x-ray traffic moving in parallel lanes



Fluorescence analysis is the new, fast way to find out which elements and how much of each are in alloys—without destroying the sample of the alloy.

This trick is accomplished by bombarding the alloy specimen with X-rays using a Fluorescence Analysis Unit produced by North American Philips, Inc. The x-radiations of each element bounce off the specimen only to be separated according to wavelength and measured.

As the x-radiations leave the specimen they shoot through bundles of fine tubes known as "collimators". The collimator acts as a kind of traffic cop, keeps the rays moving in parallel lanes, reduces divergence. This is an interesting job, and we're pleased that North American Philips chose Superior fine nickel tubing for it on the basis of its uniformity in diameter, wall thickness and finish.

Undoubtedly you have opportunities where tubing could be helpful—as a carrier, a weight-saving structural member, or as a shape that saves machining time. Look into the variety of forms, sizes, and analyses Superior produces to tight specifications. Take advantage of the experience and testing facilities that Superior brings to focus on your problem. Tell us the nature of your application and we'll send you information and a Data Memo by return mail. Superior Tube Company, 2005 Germantown Ave., Norristown, Pa.

Round and Shaped Tubing available in Carbon, Alloy, and Stainless Steels, Nickel Alloys, Beryllium Copper, Titanium and Zirconium.



Superior

THE BIG NAME IN SMALL TUBING

West Coast: Pacific Tube Company, 5710 Smithway St., Los Angeles 22, Calif. UNderhill 0-1331

All analyses .010" to ⅝" O.D.
Certain analyses (.035" Max. wall) up to 1⅜" O.D.



ORREN S. LESLIE
. . . Fairbanks, Morse v. p.-mfg.



JACK G. ALLEN
. . . joins Bingham-Herbrand



PETER G. CALVELLO
. . . Cory div. purchasing director

Electric Co.'s construction materials division, Bridgeport, Conn.

Fairbanks, Morse & Co., Chicago, elected **Orren S. Leslie** vice president-manufacturing and **G. J. Malone** vice president-controller. **J. A. Cuneo**, general sales manager of the company, was elected to the board of directors.

B. S. Handwork was elected chairman of the board of **Joslyn Mfg. & Supply Co.**, Chicago, succeeding **M. L. Joslyn**, made honorary chairman. **P. W. Lotz**, executive vice president, now is president and chief executive officer. **B. M. Smalley** becomes executive vice president.

Jack G. Allen has joined the executive staff of **Bingham-Herbrand Corp.**, Toledo, O., as a vice president of the corporation and general sales manager, Herbrand Division. He formerly was vice president, Plomb Tool Co., Los Angeles, which he joined in 1947.

Louis J. Minbiole becomes assistant sales manager, **Udylite Corp.**, Detroit. **Frank Reha** is now sales engineer in the Michigan territory.

Bruce T. Dayton was named general representative of **Douglas Aircraft Co.** for South America. He succeeds **Charles B. Cort**, transferred as Douglas parts sales representative to New York.

Peter G. Calvello was promoted director of purchases for the Co **Division** of Cory Corp., Chica **Russell A. Kawell** is director of pr duction planning for the division.

William J. Healy, sales manag turbine division, **De Laval Stea Turbine Co.**, Trenton, N. J., a sumes the additional post of sa manager, blower and compress division.

Robert M. Johnson was made sout ern California sales manager **General Controls Co.**, Glenda Calif.

Lt. Gen. William E. Kepner joi **Bell Aircraft Corp.**, Buffalo, as ecutive vice president, a new offi

OBITUARIES...

Harry W. Hill, 63, vice president in charge of operations, **Northwestern Steel & Wire Co.**, Sterling, Ill., died Mar. 23 of a heart attack. He spent his entire business career with Northwestern which he joined in 1909.

Bertram H. Lawrence, retired vice president-engineering, **United States Steel Corp.**, died at his home in Cleveland Mar. 25.

Carl E. Johnson, 69, board chairman of **Sterling Electric Motors Inc.**, died Mar. 26 at his home in San Marino, Calif.

Frederick D. Schreiber, 62, manager, coal chemicals division, **Pittsburgh Coke & Chemical Co.**, Pittsburgh, died Mar. 22 of a heart attack while vacationing in Florida.

Inland Steel Co., Chicago, announces that **John J. Davis Jr.**, Inland sales executive, and his wife must be presumed lost as a result of their disappearance at sea near the Bahama Islands a few weeks ago. Mr. Davis was manager of sales for the railroad, pig iron and chemical division.

Walter E. Blair, 63, assistant to the president, **Solvay Process Division**, Allied Chemical & Dye Corp., New York, died Mar. 23.

G. Brock LePan, president, **Gerrard Co. Ltd.**, Hamilton, Ont., wire tying machines, died Mar. 23.

Ralph W. Hisey, who retired fr the **Osborn Mfg. Co.**, Cleveland, 1945 after 32 years of service a vice president-manufacturing the machine division, died Feb.

Clinton H. Havill, 60, head of t electronics research department **Curtiss-Wright Corp.'s** plant Carlstadt, N. J., died Mar. 25.

Dennis L. Fitzgerald, 59, salesm for **United States Hoffman M chinery Corp.**, New York, d Mar. 23.

E. B. W. Pfischner, president, **T. Lippert Saw Co.**, Millvale, died Mar. 13.

Harvey J. Rowe, 51, district m ager, **Perfect Circle Corp.**, Chica died Mar. 23.

WICKWIRE WIRE





for mechanical springs



When you select Wickwire Wire you're always sure of wire that has the definite physical properties best suited for your particular spring application.

That's because Wickwire Wire . . . Hard Drawn, Spheroidized or Oil Tempered . . . is a product of long experience, skilled craftsmanship and completely integrated facilities starting with actual steel making. Thus, every step of its production is under constant and uninterrupted control, subject to thorough-going testing, checking and inspection.

High or low carbon steel . . . round or shaped . . . in all tempers, grades and finishes, it pays to remember—*For the Wire You Require, Check First With Wickwire.*

THE COLORADO FUEL AND IRON CORPORATION—Denver, Colorado
THE CALIFORNIA WIRE CLOTH CORPORATION—Oakland, California
WICKWIRE SPENCER STEEL DIVISION—Atlanta • Boston • Buffalo
Chicago • Detroit • New York • Philadelphia

WICKWIRE WIRE

PRODUCT OF WICKWIRE SPENCER STEEL DIVISION
THE COLORADO FUEL AND IRON CORPORATION

CF&I



Castings for the Connoisseur

If there were a gallery where casting works of art were displayed, there's no doubt that Sivyer castings would wear many a blue ribbon. Indeed, the most critical judging would reveal only casting perfection . . . unblemished finish . . . sharp corners . . . clean cored holes . . . absence of excess metal. Manufacturers who insist on the ultimate in steel castings know that the Sivyer ◇S◇ means less handling . . . lower machining time greater dependability . . . longer service life. Look for it.

S

SIVYER

SPECIALISTS IN HIGH ALLOY AND SPECIFICATION STEEL CASTINGS

SIVYER STEEL CASTING COMPANY • MILWAUKEE ◇S◇ CHICAGO ◇S◇ MAIN OFFICE: 1675 SO. 43rd ST. • MILWAUKEE, WI

ane Enters Titanium

Chicago company seeks government contract for plant to produce 6000 tons a year

ANE CO., Chicago, may soon ome the third and largest U. S. ducer of titanium. Crane is now king a contract with the gov- ment to build a $26 million nt to produce 6000 tons of ti- ium sponge annually.

After spending $1 million ex- imenting with the metal, Crane confident that it can be produced a lower cost. The proposed nt would be located near Nash- e, Tenn.

Greatest Production — If Crane ld reach its anticipated output, would surpass total production t year by Titanium Metals Inc. d National Lead Co., presently only two titanium producers.

Under the proposed plan, the vernment will lend Crane the ney with which to build its nt. In return, the U. S. would ve first call on titanium pro- ced for a given number of years.

Location Uncertain—The Tennes- site was chosen because it is ar a source of low-cost electric wer. Other locations, however, e still being considered.

E "Park" Takes Shape

General Electric Co.'s Appliance rk is 35 per cent complete. In- nded as a factory with a "cam- s atmosphere," the project is lo- ted on a 1000-acre tract in Bue- el, Ky. Eventually, GE plans manufacture all the company's frigerators, home freezers, elec- ic ranges and other large electric pliances there.


When completed, the project will ve cost GE about $200 million. nstruction, which began last ar, will include five large manu- cturing buildings.

reaks Ground in Toledo

Electric Auto-Lite Co. broke ound for a new Toledo, O., plant.

art To Represent Buggie

Hart Engineering & Sales Co., lanta, became representative in nnessee, Georgia, Alabama and



Long Life for Turboblowers

Turboblowers at Dravo Corp. enjoy a long career. In the Pittsburgh company's machinery division, one turboblower, installed for Carnegie Steel Co., was put in place 25 years ago. Recently Dravo added the second one, at right, for Sharon Steel Corp. Both blowers are 7000-horsepower units. They were produced by De Laval Steam Turbine Co., East Trenton, N. J., a firm represented by Dravo

Florida for H. H. Buggie & Co., Toledo, O. The Toledo company makes connectors and component parts for the electronics and communications industry.

Air Products Breaks Ground

Air Products Inc. broke ground for the first unit of a research laboratory in Allentown, Pa. The unit is the first of six which will comprise Air Products' research department. The firm produces oxygen-nitrogen generators and equipment employing extremely low temperatures, to be used in chemical and petroleum industries.

Acquires Milwaukee Company

Neff, Kohlbusch & Bissel Inc., Chicago, purchased Stokerunit Corp., Milwaukee, producer of boring and production machines, planer mills and stoker unit transmissions. Stokerunit will be known as Simplex Machine Tool Co.

H & B Hopeful for '53

H & B American Machine Co., Chicago, presented an optimistic picture of anticipated sales and profit for three new divisions established in the past year. Company spokesmen estimated that total sales this year would exceed $14 million.

Distributes Sightmaster Rods

Factory Products Corp., Chicago, entered a five-year agreement to distribute fluxless welding rod manufactured by Sightmaster Corp., New Rochelle, N. Y.

Linde Expansion Begun

Linde Air Products Co.'s research laboratory in North Tonawanda, N. Y., started a $350,000 expansion program. A two-story engineering building is under construction.

Warehouse for American Can

American Can Co. will begin construction of a new warehouse at its Geneva, N. Y., machine shop soon. The structure will have about 61,450 square feet of floor space.

Completing Building Program

A building program, started in 1946, which will add 180,000 square feet to the manufacturing plant of Crouse-Hinds Co., Syracuse, N. Y., will be completed this year. The final phase of building, construc-

ELECTRO DYNAMIC
Extra dependable industrial motors
1 TO 250 HORSEPOWER (N.E.M.A. STANDARDS)
Extra large "free-flo" air channels.
Liberal size grease lubricated bearings.
One-piece cast iron frames.
Permanently aligned cast iron brackets.
Also a complete line of Direct Current motors and generators
ELECTRO DYNAMIC
DIVISION OF GENERAL DYNAMICS CORPORATION
BAYONNE, NEW JERSEY
HEART of the motor
3. Extra high-frequency testing of insulation between turns.
4. Extra care in fitting coils into stator.
The WINDING is the
1. Extra insulation in stator slots and between phases.
2. Extra impregnations and bakings of the wound stator.
QUALITY SINCE 1880
WRITE TODAY FOR NEW ILLUSTRATED CATALOGUE NO. 468

Simulated Stops

When a driver stops his car, he se dom generates more than 260 pound per square inch of pressure on th brake line. But this machine, whic tests power brakes at Chrysler Corp puts as much as 1400 pounds pe square inch on the line, and eac brake must withstand 500,000 stop Some have gone up to 1.5 millio

---

tion of a 45,000-square-foot foun ry, is to be finished by fall.

Chris F. Neely Promoted

Chris F. Neely was made sta engineer of the Liquefied Petroleu Gas Association Inc. and will d vote his time to technical and saf ty activities.

To Move Warehouse

Bridgeport Brass Co., Bridg port, Conn., is moving its New En land warehouse facilities at Prov dence, R. I., to a new location 177 Georgia Ave.

Names Chicago Agent

Lees-Bradner Co., Cleveland, pr cision thread milling machi manufacturer, appointed Charl Ross Co., Rockford, Ill., as sal representative in the Chicago are

Instrument Building Begun

G. M. Giannini & Co. is buildi a new scientific instrument asse bly building in Pasadena, Cal Giannini designs and makes pr cision instruments for guided m

re high capacity and long service life important?

re's how truck and trailer manufacturers t them with NEEDLE BEARINGS


ny leading truck and trailer manufacturers specify Torrington edle Bearings for steering and brake assemblies because of ir high radial load capacity and their long service life. They have been *performance-proved* in day-to-day operation der every kind of road and traffic condition.

Torrington Needle Bearings in steering mechanisms trucks and buses make for easier handling, surer ering — and on the braking systems of heavy- ty trailers, they help assure smoother, faster ps. The unique construction of Torrington edle Bearings contributes to their long, uble-free, anti-friction performance — a st for operators of truck and bus fleets.

Needle Bearings have demonstrated their worth countless applications since they were introduced arly twenty years ago. Their high capacity and their se of installation have made them "standard uipment" wherever compactness of design and uble-free performance are vital.

We'll be glad to show you how Needle Bearings n be used to advantage in your product.

HE TORRINGTON COMPANY
orrington, Conn. South Bend 21, Ind.




TORRINGTON NEEDLE BEARINGS

Needle • Spherical Roller • Tapered Roller • Straight Roller • Ball • Needle Rollers

Trade-marks of some of the truck and trailer manufacturers whose products enjoy the benefits of Needle Bearings.

Sterling White · INTERNATIONAL · Ford · W · UTILITY TRAILERS · DODGE · LaCROSSE America's Favorite LOW BED TRAILER · TRAILMOBILE · T · Mack TRUCKS · Kingham UNIVERSAL

JOHNSON



HIGH QUALITY HIGH CARBON WIRES

When the second man appeared on earth, the rights of the first were cut in half. Now divide yourself by the total population and that explains everything.

We do not claim the know-all of the wire making business, but we have been associated long with the men of this great wire making center*—and from many of these wire men have come suggestions that have led to improvements in manufacture all the way from rod to finished product.

*Worcester is the cradle of the American wire drawing industry.

JOHNSON STEEL AND WIRE COMPANY, INC.
WORCESTER 1, MASS.
New York Philadelphia Cleveland Detroit Akron Chicago
Atlanta Houston Tulsa Los Angeles Toronto

SUBSIDIARY OF PITTSBURGH STEEL COMPANY

siles, radar control and industri applications.

Caspers Buys Zahn

Caspers Tin Plate Co., Chicag purchased the Zahn Steel & Lith graphing Co., Santa Clara count Calif. Caspers will operate t Zahn firm as a wholly-owned su sidiary.

Portion of Business Sold

Pesco Products Division of Bor Warner Corp. sold Pesco's supe charger business to Dexter Fold Co., Pearl River, N. Y.

Modernization for A-C

Allis-Chalmers Mfg. Co. a nounced a $3 million plant mo ernization and expansion progra for additional machine tools a testing at the company's West A lis, Wis., works. The project i cludes a new steam turbine, insta lation of a new boiler, rebuilding the main substation and moder ization of the coal handling syste

Hanna Opens Plant

Hanna Steel Corp., Birminghar established a steel processing pla and warehouse in that city to fu nish package lots or carloads steel sheets and strip. The pla will occupy 50,000 square feet.

Vapor Plans Factory

Vapor Heating Corp. will build $2 million factory and office buil ing in Niles, Ill. The structure, be completed next January, w contain 218,000 square feet. Abo 800 persons will be employed.

Joins Chain Group

Round Chain Companies, a gro of 11 affiliated firms, established Canadian affiliate, Round Chain C of Canada, Brampton, Ont.

New Building for Lindberg


Lindberg Steel Treating Co. building a heat treating plant Chicago. When completed, t project will double Lindberg's pre ent capacity of 12,500 tons of me annually. Plant cost will be

Closer Temperature Control, Cleaner Aluminum, Cooler and Less Congested Conditions Are Obtained With

AJAX TAMA-WYATT *Induction Furnaces*—



housands of die cast ro- for hermetic motors made from pure alu- inum poured from a ery of AJAX Electric duction Furnaces in- ed in the St. Louis t of the Emerson Elec- Mfg. Co. Two of these aces are shown in the tograph at right.



ose-up of die-cast alumin- n rotor which is pressed nto the compressor shaft ex- nsion used in refrigeration nits.

Our electrical industry produces fractional horse power motors at the rate of 20 to 25 millions per year. After World War II the leading manufacturers changed from fabricated copper rotors to cast aluminum rotors. In this operation, aluminum of high purity under closely controlled temperature is required. In many cases the machines had to be placed right on the assembly line, with severe space restrictions and, of course, with rigid requirements for reliability. AJAX induction furnaces and AJAX automatic pouring units were selected for this job in almost all the plants which switched from copper to aluminum rotors.

Write for Further Information to


AJAX ENGINEERING CORPORATION, TRENTON 7, N. J.

AJAX TAMA-WYATT

INDUCTION MELTING FURNACE

AJAX ELECTRO METALLURGICAL CORP., and Associated Companies
AJAX ELECTROTHERMIC CORP., Ajax-Northrup High Frequency Induction Furnaces
AJAX ELECTRIC CO., INC., The Ajax Hultgren Electric Salt Bath Furnace
AJAX ELECTRIC FURNACE CORP., Ajax-Wyatt Induction Furnaces for Melting

A 3/32-in. deposit of HASTELLOY alloy C on the cutting edge of this shear blade has increased its life by four times. The edge can be rebuilt again and again, when it finally does wear.



HOT SHEAR BLADES STAY SHARP... when Hard-Faced with HASTELLOY Alloy

TRADE-MARK

This shear blade is used in a plant producing tough non-ferrous alloys. Before hard-facing was adopted, the blades would chip, lose their edge, and have to be scrapped after shearing only about 50 tons of metal. They now can handle roughly four times that amount of metal because they are protected with HASTELLOY alloy C. They can be machined and hard-faced again when they finally do wear. One set of hard-faced blades has been in use in the plant for more than three years with periodic maintenance.

In steel mills, too, HASTELLOY alloy C has increased the life of blooming mill shears by as much as 10 times. Hard-faced blades have lasted 110 turns without maintenance.


HASTELLOY alloy C rod has also been applied to many other hot-working parts with outstanding success. The metal flows well by metallic arc welding or HELIARC welding without preheating. No peening is necessary. Deposits of HASTELLOY C work-harden in service. They can be machined by conventional methods.

For information on how to apply HASTELLOY alloy C to hot-working parts, write for a copy of "HAYNES Hard-Facing Manual." For on-the-job help in applying the rod, get in touch with the nearest District office.

HAYNES TRADE-MARK *alloys*

Haynes Stellite Company
A Division of
Union Carbide and Carbon Corporation
UCC
General Offices and Works, Kokomo, Indiana
Sales Offices
Chicago — Cleveland — Detroit — Houston
Los Angeles—New York—San Francisco—Tulsa

"Haynes," "Hastelloy" and "Heliarc" are trade-marks of Union Carbide and Carbon Corporation.



ew Butyrate Developed

tman Chemical Products Inc., New k, plans to compete with nitrocellu- in metal lacquers with a new yrate. Nitrocellulose is one of the shing industry's principal raw ma- als, but Eastman believes that aying lacquers made of butyrate w a greater color stability and ater resistance to weathering

lion, with a similar sum to be ended for equipment.

Hold Gas Clinic

The American Gas Association is ducting an industrial gas school Detroit for five days beginning y 4. Experienced men from lity companies, equipment manu- turers and members of indus- al organizations will lecture. etings will be held at Detroit's eraton-Cadillac hotel.

points Sales Engineers

American Flexible Coupling Co., ie, Pa., appointed Paddon Co., oungstown, as sales engineers in stern Ohio and western Pennsyl- nia. American Flexible produces wer transmission equipment.

ecomes West Coast Agent

C. A. Pafenbach & Co., Los An- les, is now West Coast agent for avallee & Ide Inc., Chicopee, Mass.

ew Milwaukee Office

Ehret & Kinsey, Chicago repre- ntative of American Flexible

Do you pack and handle your product in crates?



Whatever you make, pack or handle, STANDARD CONVEYORS can speed operations

Material handling often constitutes as much as 50% of total production cost — cut handling costs and you cut production cost.

More than 45 years' experience qualifies Standard to be of expert service on any "package" conveyor need — roller, belt, slat, chain, push-bar, sectional, portable self-contained conveyor units — spiral chutes — pneumatic tube systems. Write —


STANDARD CONVEYOR COMPANY
General Offices: North St. Paul 9, Minn.
Sales and Service in Principal Cities

Write Dept. ST-43 for Standard's General Catalog and tell us what you want to convey. Address Dept. ST43



Standard GRAVITY & POWER CONVEYORS

ROLLER • BELT • SLAT • CHAIN • WHEEL
PUSH-BAR • SECTIONAL
PORTABLE CONVEYOR UNITS:
HANDIBELT • HANDIPILER
INCLINEBELT • LEVEL BELT • EXTENDOVEYOR
UTILITY BELT-VEYOR • HANDI-DRIVE
VERTICAL LIFTS • PNEUMATIC TUBE SYSTEMS



Design for Economy...

with Stampings by Geometric

To a large extent the cost of your product is determined right on the drawing board. In designing new products or redesigning old ones don't overlook the cost-saving advantages of metal stampings. Many progressive manufacturers have cut cost of component parts up to 75% by converting from castings to stampings. Savings of 50% are common.

Geometric engineers, skilled in the analysis of all kinds of stamping problems are glad to show you how your product, or parts of it, can be made better, lighter and at much lower cost in our modern high-production stamping plant. You get another efficient manufacturing department for your business — without overhead expense or operating worry.

It pays you to send your blueprints for quotation—today.

GEOMETRIC STAMPING CO.

A Subsidiary of Barium Steel Corp.

1130 E. 200th Street **Cleveland 17, Ohio**

Coupling Co., opened a new M waukee office.

Relocating in Pittsburgh

York Engineering & Constru tion Co. and York-Gillespie M Co., Pittsburgh, relocated all th fabricating shops, machine sho general offices and engineering d partments in one large Pittsbur plant.

Suggestions Well Received

Westinghouse Electric Corp. pa $144,057 to 8346 employees in 19 for suggestions to improve co pany operations. Last year 24,7 suggestions were submitted by 1 970 workers.

Lassman Opens New Plant

Benjamin Lassman & Son open new facilities in Glenshaw, Pa., cluding a manufacturing plant a offices.

I. F. Kinnard Honored

I. F. Kinnard of General Elect Co., West Lynn, Mass., won t 1952 Lamme Gold Medal awa presented to members of the Am ican Institute of Electrical En neers who have shown meritoric achievement in development of el trical apparatus or machinery.

Moves Permutit Office

Permutit Co., New York, ma facturer of industrial and hou hold ion exchange equipment, v remove its Los Angeles sales fice to Glendale, Calif.

Norton Finishes Factory

Norton Co., Worcester, Ma completed a factory and offi building as part of its $6 mill expansion project. Norton p duces 45 types of precision gri ing and lapping machines.

To Lease Chlorine Plant

A chlorine plant at Mus Shoals, Ala., will soon be availa for lease to private industry, Department of the Army says. C struction of the plant was c


UDYLITE FULL AUTOMATIC CROSSES OFF REJECTS . . .

at the Dura Company of Toledo!

"Thousands and thousands of window regulators for automobiles go through the Dura Company Zinc Plating installation. Our Udylite Full Automatic practically eliminates rejects."

But that's only part of the Dura Company story. With their Udylite Full Automatic they get high production runs, too. This means a quality product at rock-bottom cost. It's easy to see that Udylite equipment is paying off for this modern, progressive company.

Why not bring YOUR plating problem to Udylite. Let us show you how Udylite equipment, research and supplies can give YOU top results. Call your Udylite technical man today or write direct. There's no obligation. THE UDYLITE CORPORATION, DETROIT 11, MICH.



THE Udylite CORPORATION
DETROIT 11, MICHIGAN


DEPENDABILITY TO SATISFY

RECORD DEMANDS

ATLAS CARS

Atlas Cars for steel plants are known to have that extra work factor which is so important in these days of high production.

50-TON BOTTOM DUMP ORE TRANSFER



This 50-ton ore transfer is a modern air-operated car with a heavy slab truck to protect motors and brakes when plowing through ore piles. For added safety a folding car pusher arm is used and is provided with a safety latch which cannot be lowered unless the switchman holds the latch. The overhung cab allows a clear line of vision for the operator.

Special features include electric hopper heaters, centralized lubricating, roller journal bearings, air brakes and, of course, all necessary safety features.

Custom Builder of Steel Plant Cars

THE ATLAS CAR & MFG. CO.

ENGINEERS MANUFACTURERS

1140 IVANHOE RD. CLEVELAND 10, OHIO, U. S. A.



Fiery Furnace at CF&I

In a fiery scene, a sample of iron taken from a cast at blast furnace "Y", at Colorado Fuel & Iron Corp. Wickwire Spencer Steel Division plant in Buffalo. Here merchant pig iron is one of the major products. As iron pours from the furnace, the "binman" dips samples from the runner, pours them into small moulds to be analyzed

pleted last year, and it has since been held on a stand-by basis.

Phoenix Office Opened

Norman S. Wright & Co., West Coast distributor of toggle clamps produced by Detroit Stamping Co., established an office with warehouse facilities in Phoenix, Ariz., to serve the Southwest.

Names New Representative

G. A. Gray Co., Cincinnati, appointed Harrington-Wilson-Brock Co., New York, as eastern New York representatives.

Plans California Meeting

The Anti-Friction Bearing Distributors Association will hold a two-day meeting in San Francisco beginning Apr. 23, at the Sir Francis Drake hotel.


Purchases Instrument Maker

William Miller Corp. was acquired by Transformer Engineers, both of Pasadena, Calif. The new company, William Miller Instruments Inc., will continue to ma-

BAY STATE MOUNTED POINTS and WHEELS

Best because:

INDICATOR ACCURACY




Precision Shaped

on the spindle for perfect contour and complete concentricity.

You get . . .


UNIFORM, SAFE, PRECISE PRODUCTION

1. UNIFORM




2. SAFE






3. ACCURATE



4. DURABLE



Deep-Knurling

for EXTRA SAFETY, in high-strength alloy steel spindles. THE HEADS STAY ON!



Specially Cemented

USE THEM . . . right down to the spindle!

Wrench-and-vise test proves its strength. This cement HOLDS, under EXTREME STRAIN.

1. Made from solid blocks of perfectly mixed materials.
Result: Complete elimination of "hard and soft" spots.

2. Deep-knurled, high strength alloy steel spindles, and special adhesive.
Result: Abrasive heads stay on spindles.

3. Each wheel trued and shaped after mounting on its spindle.
Result: Perfectly concentric; ready to use when you get it.

4. Completely uniform structure; pretested, positive bonding.
Result: Longer useful life; use them right down to the spindle.

BAY STATE

WIDE RANGE OF SHAPES & SPECIFICATIONS AVAILABLE FOR IMMEDIATE SHIPMENT

SEND FOR CATALOG

BAY STATE ABRASIVE PRODUCTS CO.
Westboro, Massachusetts, U. S. A.

Branch Offices and Warehouses:
Chicago, Cleveland, Detroit, Pittsburgh
Distributors — All Principal Cities
In Canada: Bay State Abrasive Products Co. (Canada) Ltd., Brantford, Ont.



facture the Miller line of recordi oscillographs and equipment us for measurement of vibration, pr sure and strain.

Seaboard Springs Move

The Seaboard Spring Coil Cor division of Associated Coil Spri Co., New York, will move to a n factory in Gardena, Calif., from present Los Angeles location.

Sales Office Moves

Granite City Steel Co.'s Dal sales office will move to new qu ters at 3200 Maple Ave. Transf was made to provide room for a ditional personnel.

Centers Output in Utica

General Electric Co.'s radio r ceiver manufacturing is now ce tered in its Utica, N. Y., plant, ficials report.

Hanna Sells Three Ships

M. A. Hanna Co. sold three shi the steamers *La Belle, W. D. Cra ford* and *Joseph Wood.* The *Belle* was purchased by Kinsm Transit Co., *W. D. Crawford* w acquired by Midland Steamsh Line Inc., and Gartland Steamsh Co. bought the *Joseph Wood.*

New Chilean Representative

De Laval Steam Turbine C Trenton, N. J., named For Chilena of Santiago, Chile, as clusive Chilean representative.

To Build Experimental Station

The Bureau of Mines awar a construction contract to Non lini Construction Co., Stockt Calif., for an experimental stat in rare and precious metals Reno, Nev. Research will cen about the rare earth minerals.

Combine Ohio Operations

Firth Sterling Inc., tool and cialty steel producer and A. M & Co., distributor of solid and low tool steels, combined their C operations. Stocks of both c panies' brands of steel will be tributed from A. Milne's wareh es in Cleveland, Pittsburgh Dayton, O.



America's finest!

A statement from
a conservative organization:

"Our records show that when a manufacturer once discovers the uniform quality of Roebling flat spring steel, he becomes a steady Roebling customer."

You, too, *pay* for the best spring steel... make sure you *get* it. Specify Roebling. John A. Roebling's Sons Corporation, Trenton 2, N. J.




ROEBLING

A subsidiary of The Colorado Fuel and Iron Corporation

BRANCHES: ATLANTA, 934 AVON AVE. • BOSTON, 51 SLEEPER ST. • CHICAGO, 5525 W. ROOSEVELT RD. • CINCINNATI, 3253 FREDONIA AVE. • CLEVELAND, 13225 LAKEWOOD HEIGHTS BLVD. • DENVER, 4801 JACKSON ST. • DETROIT, 915 FISHER BLDG. • HOUSTON, 6216 NAVIGATION BLVD. • LOS ANGELES, 5340 E. HARBOR ST. NEW YORK, 19 RECTOR ST. • ODESSA, TEXAS, 1920 E. 2ND ST. • PHILADELPHIA, 230 VINE ST. • SAN FRANCISCO, 1740 17TH ST. • SEATTLE, 900 1ST AVE. S. • TULSA, 321 N. CHEYENNE ST. • EXPORT SALES OFFICE, TRENTON 2, N. J.



Does a Horseshoe Bring Luck?



Grandpa set a lot of store by the horseshoe over his barn door. Often the only formal opening ceremony for businesses of Grandpa's day, was the ritual of nailing a horseshoe over the entrance. But businessmen today know that "luck" is a combination of careful planning and hard work.

Of course, some mustache-cup thinking, like the horseshoe idea, has carried over into our time. The idea that certain metal items must always be cast, or always cut from solid, has persisted largely because of tradition. Many products, now handicapped sales-wise by their appearance and weight, can be made handsomer and less expensively on modern stamping presses.

Clearing Machine Corporation has kept in step with the times in showing manufacturers the way to improved methods of press production. If you manufacture volume quantities of identical items, Clearing engineers may be able to help you boost production and cut costs. This service is yours at no expense. Why not get in touch with us today?

CLEARING MACHINE CORPORATION

6499 WEST 65TH STREET • CHICAGO 38, ILLINOIS

HAMILTON DIVISION, HAMILTON, OHIO

CLEARING PRESSES THE WAY TO EFFICIENT MASS PRODUCTION

Production and Engineering NEWS AT A GLANCE

LICENSED DESIGN—The new Spiramatic spindle head transmission design which DeVlieg Machine Co., Detroit, is putting on their jigmills has been licensed to four other machine tool builders. Machines considered for the head are turret lathes, milling machines, radial drills and engine lathes. Spiramatic head incorporates single helical gears operating in constant mesh. All speed changes are carried out automatically through the operation of a single pushbutton.

TOUGH FIGHT—There can be no let up in the fight against corrosion, the stakes are too high. This year, for instance, industry's bill for rust and corrosion losses will be $6 billion. Little consolation can be gained from the thought that the figure could be higher. Not all the losses can be eliminated but there are ways to minimize the tendency of metals to revert to their ores or to compounds of lower energy levels. Much is being done by specialists in corrosion to cut the staggering losses incurred but many companies aren't aware of the weapons available for the fight. No company can afford to take the stand that corrosion losses are inevitable so why fight them. There are techniques and products to protect your plant and the products you sell. It's an area where a little investigation is liable to pay big dividends. p. 102


ANOTHER USE—Silicone material is being thinned to a fluid paste and marketed as a weld-backing compound. Painted on joints before welding, it promotes uniform weld penetration and eliminates the harmful effects of air on the underside of welds. It is suggested for all arc welding processes except automatic inert arc where argon is used as the shielding gas. General Electric Co. says the new compound overcomes many of the disadvantages of fluxes, metal and gas backing media. Application to complex parts is easy and the powder residue left after welding can be quickly removed with a cloth. Because it promotes no carbon pickup in the weld, it is useful in the welding of low carbon stainless steels.

PLASTIC ALLOY—That's what United Chromium calls its new 218X plastisol coating. When the plastisol, which consists of small particles of vinyl resins in liquid plasticizers, is heated to the right temperature, the resin dissolves in the plasticizer. On cooling, a rubber like material is formed which might be called a plastic alloy in the same sense that brass is an alloy formed by dissolving pieces of zinc in molten copper. Outstanding property: High resistance to chemicals. However, uses have spread far from the original use on plating racks. One plating plant extended use of the material to covering hooks on conveyors so that polished tubes wouldn't be scratched on the way to the plating department. Another uses it for coating handles of electrical tools. An automaker puts the plastisol coating on fenders and body hoisting hooks and cables, conveyor hooks and racks, spot welding machine connectors and bumper protectors. Material handling baskets are coated to prevent scratching of aluminum alloy parts for automatic transmissions. The plastic alloy is not only corrosion resistant but is thick and tough. This accounts for such varied uses as coating the inside of ventilating ducts, blades of fans, solution agitators, refrigerator trays, dishwasher racks and drain boards.

STAINLESS WELDS—Troubles often encountered in welding stainless steels can be minimized by exercising the proper regard for the metal's peculiarities. There are several ways to overcome carbide precipitation, the chief headache encountered in welding austenitic stainless steels. Welding the straight chromium grades poses additional difficulties. Carbide precipitation is not a factor but other fabrication problems make chromium stainless steels less desirable for welding than the chrome-nickel types where a choice can be made. An explanation of the effects of welding heat and a discussion of how these effects can be overcome or minimized for both stainless types offers practical assistance to plants engaged in welding stainless. p. 138

FINDING DATA—Before a research man undertakes a study, he must first find out what has gone before. Doing so is sometimes an almost impossible job since about 60 million pages of technical matter are published annually. Battelle Institute's new information service is aimed at streamlining this operation. Tailored to meet individual needs, the service will include the preparation of bibliographies, and coding and classification systems. Development of information processing equipment will be undertaken where required. Director Clyde Williams says some estimates put the current cost of literature searching at $300 to $750 million or from 10 to 25 per cent of the $3 billion spent on research last year.

METALWORKINGS—Design features of a new aluminum extrusion press permit its installation with minimum floor space requirements and at the same time give it maximum rigidity. A swinging arm simplifies die change (p. 137) . . . Most metalworking plants use wire slings but not all of them are aware of what factors should determine the type best suited to the job. An expert gives a few simple hints on what slings are best suited to certain jobs (p. 140) . . . Increased consistency and uniformity of the cutting operation and savings in machining time are possible with a hydraulic roll lathe being installed in the Fairless Works (p. 142) . . . Concluding installment in an appraisal of present day blast furnace practice and the challenge of other designs (p. 146).



Minimum thickness standards for pa
coatings are important for lasting c
rosion protection. This instrum
measures thickness on sheet me

Top pipe was coated with mastic co
position three years ago; bottom w
painted several times during peri
Location: Adjacent to coke quenc

Insul-Mastic



HOW YOU CAN . . .



Fight Corrosion

**Cost of corrosion to industry is appallingly high. M
can be accomplished with latest scientific know-how in t
field where only 1 per cent improvement means an ann
savings of $60 million**

By DR. ALLEN G. GRAY
Technical Editor

WHAT DOES corrosion mean to you in terms of dollars and cents? This year American industry will spend more than $6 billion for losses created by corrosion and rust.

Metalworking plants spend billions every year to prevent oxygen in the air from combining with metals to rust their products and destroy their facilities.

Economic and material loss from metal corrosion comes from money spent for protection and cost of replacement of corroded equipment. Don't forget that an incalculable, often higher, indirect loss may arise from shutdowns, overdesign and loss of product efficiency.

Be Realistic—Not all of this material loss can be prevented. Metals will always tend to revert to their ores or to compounds of lower energy levels despite corrosion protection. The amount that can be done may be limited economically by the continuous or periodic upkeep required of all protective measures. Notwithstanding, you will save money by taking full advantage of the latest scientific and engineering findings.

Fundamentals Foremost — When a metal corrodes, electric current flows similar to action inside a flashlight cell. At ordinary temperatures in air, corrosion can occur only if water is in actual contact with the metal surface. Otherwise, the necessary electric current accompanying corrosion cannot cycle through the metal.

Atmospheric corrosion, th
fore, occurs only under condit
where it is possible for wate
condense on the metal surface.
there is no water there can b
attack.

Impurities on the metal su
such as finger prints, or dust f
the atmosphere can hasten con
sation of moisture and cause
ing at low relative humidities.

Speeds Up Corrosion—Dissi
metal combinations accelerate
rosive attack of the more a
metal and at the same time re
attack of the less active metal.
effect can be reduced by insula
the metals where they make
tact, or by increasing the path
which the current must flow,
as by use of an insulating wa

ways

o prevent corrosion

. Right coating in right place
. Corrosion resistant metals
. Cathodic protection
. Corrosion inhibitors



Wrapping gears and small parts in corrosion inhibitor treated paper. Volatile nature of inhibitor prevents rusting during storage and shipping

een a dissimilar metal bolt in etal sheet.

nother Point—It is necessary void contact of an active metal aluminum or iron with water has leeched out corrosion prodfrom a metal like copper, since per may be deposited on the aluum or iron and form minute disilar metal couples possibly more aging than larger size couples.

ust what can be done to reduce corrosion losses which plague r business from all directions?

nert Barriers—Since iron and el constitute the bulk of metals use, paints and metal coatings the main lines of protection. ustry research is constantly imving their protective quality. otective paints have improved by elopment of new vehicles and rosion inhibitive primers.

Look Here—Use of corrosion reant metals will expand because economies effected by their use. e catalyst here is an increasing eptance of bright metal surfaces h as polished chrome stainless els for decorative applications.

f you dig into this matter deep ugh you may find that you are taking full advantage of the nomic gain of replacing iron by rosion resistant metals or alloys some assemblies in your prods.

Reverse the Process—Corrosion buried metal is costing industry lions of dollars in labor and maials. Cathodic protection propy employed can normally con underground corrosion on alst any buried steel structure at ost that is only a fraction of the value lost from corrosion.

Despite the fact that cathodic protection has proved itself to many companies, many other concerns continue to suffer needless waste because of a lack of understanding of the principles involved.

Chemicals Inhibit—Don't overlook the variety of benefits that you can gain by taking advantage of latest know-how in corrosion inhibitors. As a general rule these materials are substances which when added in small amounts will effectively decrease the corrosion rate.

A new amine nitrite differs from conventional inhibitors in that it is slightly volatile at atmospheric temperature. This property gives this compound special industrial importance because it makes possible the prevention of atmospheric corrosion of steel articles in packages or containers without the necessity for coating the steel with the inhibitor.


Protect Your Plant and Facilities

Each year this country spends close to $2 billion for painting just to protect its metal structures and equipment against corrosion. This represents about a third of the total cost for all corrosion prevention materials and methods combined.


A sound painting program can slash your plant maintenance costs. What is the basis of such a program? Proper selection and proper application of protective coatings backed up with foolproof sys-



Angier paper containing volatile inhibitor used as drawer liner protects parts in storage from rusting



Fingerprints on metal surface can hasten condensation of moisture and cause rusting at low relative humidity



Humidity cabinet evaluates protective coatings at Battelle

DO YOU NEED A CORROSION ENGINEER?

How can you be certain you are taking full advantage of possibilities for cutting plant corrosion costs and improving durability of your products? First thing to check: Be sure someone is assigned top level responsibility for fighting corrosion. Chances are he will need technical help if he is not trained or experienced along corrosion-lines.

Just what can management expect from a corrosion engineer? Here are. . . .

TEN THINGS HE CAN DO FOR YOU

1. Select best coating and metal—corrosion-wise
2. Consult with designers on corrosion pitfalls
3. Diagnose failures and record experience
4. Set up specifications and standards
5. Improve competitive position through better quality
6. Undertake and improve inspection and tests
7. Establish preventive maintenance schedule
8. Preserve equipment and salvage corroded parts
9. Examine packaging methods for corrosion sabotage
10. Plan, execute and supervise corrosion test programs

tem of periodic inspection and repair.

How Thick? — Involved in the proper selection of paints are the choice of resin types and severity of exposure conditions. The matter of economic thickness of coating is a part of application considerations. Most common fault leading to ineffectual plant protection is violation of the requirements of minimum coating thickness.

Cost of surface preparation is an important item of painting cost, often being as much as 50 per cent of the cost of a 3-coat system. This expensive operation need not be repeated every time an area is painted, provided it is done initially and a sure-fire maintenance inspection and touch up schedule is used.

This schedule requires that each paint application be inspected at definite intervals after application and that local wire brushing, priming and cover coat renewal be done as soon as inspection shows the least sign of localized failure.

Be Sure of This—Lack of compatibility of newly applied paint with the paint already on the surface is one pitfall that can cause real trouble. When you find a good paint system stick to it. Study related factors to improve its durability. Consult the manufacturer and his technical staff in case of doubt of compatibility if a change is made.

Chemically inert resins open the door to an entirely new concept of surface protection with paints. While ordinary oil base paint provides protection to metal structures at a cost of a few cents per square foot its efficiency as a protective medium in industrial service falls off in the presence of heat, constant exposure to weather or to the chemical attack to which much of industry's equipment is frequently subjected.

Special for the Job—Modern protective coatings tailored to meet many of the drastic conditions encountered in plant maintenance fill a big gap in industry's arsenal of weapons for fighting corrosion.

Types are available to comb almost every form of corrosio Vinyl coatings show unusual r sistance to solvents, boiling wat steam and acids. Chlorinated ru ber coatings are the basis for ve satile maintenance paints resista to acids and alkalies.

Alkyd base paints provide hig quality exterior maintenance coa ings with good appearance a weather characteristics. Fura resins form hard tough films of ir proved corrosion resistance ov the phenolics. Epoxy resins, a re atively new development, are chal ing up new durability records.

Heavy Coatings—Bitumen co positions for protective coatin may be divided into two gene groups: Those predominantly of coal tar base and those of asphal base. Coal tar compounds posse lower water permeabilities th those of asphaltic bases but the a phaltic type is more stable weathering and direct sunlight.

These materials are widely us as relatively low cost protecti against acidic fumes and for g eral plant protection. Bitum materials may be obtained in so ent solutions which will give thi nesses per coat approximat those of paint films. However, th greatest use is in the form of m tic compositions where thickness of coatings range from 15 mils 1/16-inch.

Practical Pointers — The id plant maintenance coating syst based on optimum performa should use thicknesses over corrodable metal of around 5 m Coating applied too thin will early. Job inspection is aided electric spark tester for examin continuity of applied barrier thickness gages for measuring c ing thickness.

The policy of buying coating terials on the basis of cost per lon and coverage per square has lost industry millions of dol in high labor costs and inadeq protection. The important crite on which to base your procurem is minimum thickness per coat

Don't overlook some of the obvious methods for reducing corrosion bill around the plant.

One of these is cathodic pro tion. It uses an impressed cur



se hot dipped galvanized ammunition boxes contained a small amount of solution for 5 days. One at left had chromate type Iridite treatment

revent or to reduce the rate of osion of a metal by making the al the cathode for the im- ssed current. Buried pipe or er metal structures can be thus tected externally for an almost efinite period.

Drain Off Corrosion — Cathodic tection systems can be divided three general classes depend- on the source of the current ined from the metal. The term inage is used by field engineers mean the drawing of current m an underground structure by ans of a metallic conductor for pose of corrosion control.

Forced drainage uses a source of rent such as a rectifier, gener- or or battery in conjunction with auxiliary anode, such as carbon. lvanic anode drainage uses an ode of an active metal such as c, aluminum or magnesium. Here drainage current depends on galvanic potential between the metal to be protected and the anode. Stray current or bus drainage is used for underground pipes and cables in areas where trolleys are operated and uses part of the trolley generator potential for draining the current.

Widest use of cathodic protection is on underground metallic pipes and cable sheaths. It may be used to protect the outside surface of almost any buried metallic structure. Gasoline and oil tanks and associated underground piping can be protected with forced drainage. Use of cathodic protection on the inside surfaces of water storage tanks, hot water tanks, condensers, water treatment tanks, and brine tanks may require special study.

Look Out for This—Hundreds of thousands of dollars have been wasted due to unnecessary failures from galvanic and stray current corrosion.

Stray current corrosion occurs on buried or submerged metallic structures and it differs from all other forms of corrosion damage in that the current causing the corrosion has a source external to the affected area. It is most common around electroplating installations, electrolytic refineries and in electric welding systems.


Failures which occur repeatedly in the same place are likely to be stray current failures. Voltage measurements will help you pin down the source of trouble. Protection, once the cause is established, is based on insulation or drainage similar to methods used for cathodic protection. Pumps installed in electroplating departments are often subject to rapid corrosion due to stray currents.

Protect the Products You Sell

If you manufacture metal products, chances are that the processes required to give necessary corrosion resistance and desired surface appearance are fully a third of your plant's total activities.

The coatings you depend on may be metallic — plated, dipped or sprayed. They may be inorganic layers resulting from chemical treatment; or they may be one of a variety of different types of organic coatings.

If your products are average it's a good bet that all three of these



agnesium anodes used to protect ried metals ease the corrosion prob- ms on pipe lines and tank farms





Diagram of cathodic protection system applied to underground pipe using a rectifier and a carbon anode



Corrosion leaks on steel mains in Houston, Texas before and after cathodic protection was installed



These Westinghouse power capacitors are sprayed with 0.010-inch of zinc to give positive corrosion protection. They are used in divergent climates

basic processes can do a job somewhere in your plant.

So this matter of selection of coatings is important. Effort put forth to get the right coating in the right spot will pay off in more ways than one.

Consider These—Most important factors to be considered in selection: 1. Purpose of the coating. 2. Use for which the finished article is intended. This involves not only the environment to which the finished article will be exposed but also its function, size, shape, cost, and expected length of useful life.

If the protective finish is intended to enhance the appearance and serviceability of an expensive article intended for lifetime service, or if it is applied to a piece of engineering equipment designed to operate for 20 years, the requirements, obviously, will be vastly different than if it is applied merely to provide sales appeal for an inexpensive article not intended to have a long life.

Several Factors—The protective value of metal coatings depend upon several interrelated factors: 1. Thickness and continuity of the coating. 2. Corrosion characteristics of both the coating and the basis metal, together with their electrochemical relationships in the environment to which they are exposed.

When classified in accordance with their corrosion protection characteristics metallic coatings fall into two major groups: 1. Those which are electronegative (anodic) to the basis metal. 2. Those which are electropositive (cathodic) to the basis metal. Zinc, cadmium and aluminum constitute the principal coatings of the first type. All other metals used for coating fall into the second category.

Electronegative coatings have the ability to protect the basis metal at discontinuities and pin holes which may exist in the coating. Electropositive coatings, on the other hand, are characterized by their tendency to promote corrosion of the basis metal at discontinuities which may exist in the coatings.

In both cases galvanic action is involved. This means that the presence of an electrolyte is necessary. In outdoor exposures, it results from surface condensation of atmospheric moisture, which is probably accentuated by the presence of hygroscopic materials in the minute surface irregularities of some coatings.

Zinc Coatings Looking Up—Zinc coatings are used primarily for corrosion protection of steel products. Formerly appearance was generally of minor importance. However, the development of bright zinc coatings and supplementary treatments such as the various chromate dips and the application of clear lacquers, to enhance appearance and durability, opened up new fields in consumer goods where an attractive appearance as well as utility is desirable.

In most environments, the corrosion of zinc coatings exhibits a linear relationship with time; th is, the protective value is direct proportional to thickness. Tes indicate that a given thickness zinc whether applied by hot di ping, electroplating, Sheradizing, spraying furnishes about the sa protection to steel.

The only other commercial me coating on steel that gives electr lytic protection about equal to zi is cadmium. Aluminum coatin give electrolytic protection to st under conditions where they r main active.

One objection to the use of zi coatings is that at high tempe tures and humidities corrosion rapid and may result in the form tion of bulky, white corrosion pr ucts. This gives an unsightly a pearance and may also interf with operation of intricate mecha isms. One of the best ways of tarding this type of corrosion is application of inhibitive chroma films.

Dual Purpose—By far the la est use of nickel-chromium a copper-nickel-chromium coatings for objects which must not only protected from corrosion but m also present a bright and pleas appearance. Cathodic coatings this type do not afford galva protection of the basis metal l bare at discontinuities. The p tective value is governed prima by the thickness of the plated co While it is true that the qual cleanliness and smoothness of basis metal influences the poros developed in the coat, the effect these variables becomes less imp tant as the thickness of the depo is increased.

Government restrictions on ni el necessitated changes in the c ventional bright chrome coating ish. Several modifications are i lowed:

The first one is heavy copp thin nickel followed by chromi M-80 order was amended late summer to permit an average str of 0.00005-inch nickel for all pa in bright chrome finishing. N has just recently indicated its tentions to divert more nickel electroplating in the second qu ter of 1953.

Uses No Nickel—Second sub tute uses no nickel. Chromium plated directly over copper. A coating of clear baked enamel



The palm tree that grows in Ohio

They planted it a year ago.
Leading steel publications covered the story:

"New All-American Lubricant For Cold Rolling Operations"

That's how The Ironsides Company of Columbus, Ohio, announced the first successful replacement for palm oil.

Instead of relying on palm trees—half a world away, tin plate producers now have a "palm tree" right in their own back yard.

Palmoshield looks, feels and acts like palm oil; requires absolutely no changes in mill operation. Already most of the major tin plate mills in this country and Canada are using Palmoshield for regular mill operations or for production test runs.

. . . and grows and grows and grows!

Production records set with Palmoshield: Recently a leading steel company, over a run of 20 consecutive shifts, increased production 15% over the average output with imported oil. No additional investment, no increase in manpower, and no changes in mill operation. Yet 115 tons of steel were rolled for every 110 before. One company broke the single-shift record, and still another broke both 8-hour and 24-hour records.

Backed by 60 years of specialization: Palmoshield is the result of Ironsides' sixty years of specialized research in the field of scientific lubrication. For your own lubricating problems, call or write The Ironsides Company, 270 West Mound Street, Columbus, Ohio.

SPECIAL LUBRICANTS and PRESERVATIVES

SHIELD PRODUCTS

IRONSIDES PALMOSHIELD



These auto fenders had six years of Detroit roof exposure. Paint was applied on bare metal at left and on Bonderite phosphate coating at right

advisable for outdoor exposure.

Copper chromium finishes according to a General Motors specification are required to withstand exposure in a humidity cabinet at 100 per cent relative humidity and 100° F for 96 hours without blistering or clouding. Those having a minimum clear enamel thickness of 0.001-inch must withstand 96 hours of salt spray testing without visible rusting or other corrosion of the metal underlying the clear enamel.

How Chemical Coatings Protect —The formation of a continuous nonmetallic (chemical) coating on metal surface retards corrosion since such coatings are non-conductors and stop the flow of electric currents between the anodic and cathodic areas. They also keep the moisture and oxygen of the atmosphere from contacting the basis metal.

Most widely used chemical coating is the phosphate type. Phosphate coatings on metals result from chemical reaction of phosphoric acid with the metal surface to form a nonmetallic coating, as contrasted with metallic coatings which do not require chemical combination with the basis metal.

These coatings increase the durable life of paint films applied to metal products. In addition to increasing the adhesion of the paint, the phosphate coating retards underfilm corrosion and the spread of corrosion wherever the paint film is scratched or abraded.

Organic Films — New organic coatings are available to give more effective and prolonged protection of metal products. Among the newer types of materials for protective coatings are the resins or film formers. These include the alkyds, ureas, melamines, acrylics, silicones, epon resins, vinyls, polystyrene, chlorinated rubbers and others.

Combination of colorability and protectiveness makes organic coatings suitable for many industrial and consumer applications. Alkyd resins are still probably the most useful of the film formers — the real backbone of organic coatings.

Alkyds are specified for the government for use in primers and enamels for tank trucks and other army equipment. U. S. Ordnance specification MIL-E-11237 specifies the use of an alkyd resin in a luster-less olive-drab finish. Federal specification TT-E-489 covers the use of alkyds in some thirty different colors for high gloss. New styrenated alkyds are now specified for fast drying ammunition coatings.

Silicone-alkyd finishes are No. 1 in uses where heat plus corrosion is involved. This finish holds on the metal at temperatures of 400 to 500° F. Combination of durable properties have reached an all time high in various modifications of silicone coatings.

Carbon Steel Specs Charted

Chart with which carbon steel specifications can be identified in seconds to save time sometimes lost hunting through individual specs is offered by Peter A. Frasse Co. Inc. It shows chemical analysis requirements for each of 60 military, army, navy, aeronautical and federal specifications. Also listed are specified forms (sheets, bars, etc.) and nearest corresponding SAE, AISI and AMS type numbers.

Printed on cardboard stock, the chart is regular filecard size and can be used for ready reference. Copies are available on request from the company, 17 Grand St., New York 13.

Machining Study Available

"Relation of Machining Time to Material Cost," an article by E. A. Hoffman, engineering sales manager, La Salle Steel Co., has been prepared for distribution by the company. The author presents an analysis of the cost-time-weight relationship for open-hearth ste bessemer steels, and the free- chining, lead-bearing steels. P ticular problem posed is whet in selecting a new steel, the s ings in machining time will off the extra cost of the steel.

The article includes a compa tive machinability chart on rep sentative grades, a profit selec chart for steel bars and a form to determine equivalent cost part. Reprints can be obtai without charge by writing the co pany, Chicago 80.

Firm Enters Cooler Field

Entry into the central cool unit field is announced by I Fireman Mfg. Co., Cleveland. cording to R. C. Wright, manag research and development engine ing, the company's unit has be especially designed for easy acc to all its elements. Any part can serviced on the job without need for removing the entire u

One feature is inclusion of thermally activated multiple fe expansion valve. The condenser easily cleaned, and can be co nected either to a city water s tem or to a cooling tower. Spri mounted compressor is isola from refrigerant lines by vibrat eliminators to reduce operati noise. Complete protection is f nished by a thermal overload vice and by a high-low press control.

The unit is available in 2 and ton sizes, 22 x 37 x 47 inches. can be installed in any for warm air heating system.

Standard Proceedings Publish

Proceedings of the third Natio Standardization Conference, held conjunction with the Centennial Engineering in Chicago last S tember have been published American Standards Associati Combined with the proceedings the printed booklet are the pri pal addresses presented at the sociation's annual meeting aw luncheon held Nov. 25 in New Yo


Papers feature standardizat experience and practices in ind trial construction, chemicals, sa ty, purchasing, photography, we ing and in the international fi

The booklet is available from association, 70 E. 45 St., New Y 17, for $2.

81 Air Hoists

...selected by Cleveland FORD Foundry


Production lines equipped with Ingersoll-Rand Air Hoists



Closing the molds on the 6-cylinder block line with Size BN Hoists and Pendent Throttle.

End of the line . . . Size LC-2 Hoist with Pendent Throttle speeds the loading of 12 finished blocks on special skids.






The Pendent Throttle for controlling the Size BN Hoist is mounted on this special core setting fixture.

Why production men choose I-R Air Hoists

There are 58 sizes available. Lifting capacities range from 200 lbs. to 20,000 lbs.

PENDENT THROTTLE

The only complete line of air hoists with convenient "one-hand" control



- speeds spotting of loads
- provides "Finger-tip" control over full range of speeds


POINTS OF SUPERIORITY

- **VARIABLE SPEED**—Lifting power ranges from a smooth creep to full speed.
- **OVERLOAD FACTOR**—Air motors cannot be damaged by overloading. More horsepower per pound of weight.
- **SMOOTH CONTROL**—A single rotary valve eliminates jerks and provides the exceptionally smooth power.
- **AUTOMATIC BRAKE**—A positive brake holds the load even though the air supply should fail.
- **POPPET TYPE THROTTLE VALVE**—Prevents air leakage when the hoist is idle.
- **SPOOL DRUMS**—Furnished in place of grooved drums where extra lift is desired.
- **LOW MAINTENANCE**—I-R hoists are universally recognized for their reliability and low maintenance.

Ingersoll-Rand
11 Broadway, New York 4, N. Y.

869-8

measured Quality .....built in!



Through CAMCAR COLD-FLOW

guaranteeing the degree of excellence you require in Fasteners and Special Metal Parts!

Camcar technicians build quality, not inspect it, into parts and fasteners. That's why Camcar developed Cold-Flow processing, to furnish peak control in metal forming.

It's also the reason you can expect top finish, accuracy, grain structure and tensile strength when you use Camcar Cold-Flow parts. Constant quality control checks insure the consistently superior parts produced through Cold-Flow techniques.

When you need Fasteners or Special Metal Parts—

Telephone ***5-9451*** *or Teletype* ***RK 8653***

CAMCAR SCREW & MFG. CORP.
603 Eighteenth Avenue • Rockford, Illinois

"PRODUCTION DESIGNED FOR YOUR ASSEMBLY LINE"

CALENDAR
OF MEETINGS

April 8-10, Society of the Plastics Indus Inc.: Pacific Coast conference, Last Front hotel, Las Vegas, Nevada. Society addre 67 W. 44th St., New York 36. Execut vice president: William T. Cruse.

April 9-10, Malleable Founders' Society: M ket development conference, Illinois Ins tute of Technology, Chicago. Society addre Union Commerce Bldg., Cleveland 14. M aging director: Lowell D. Ryan.

April 9-11, Lead Industries Association: nual meeting for members, The Greenbri White Sulphur Springs, W. Va. Associat address: 420 Lexington Ave., New York Secretary: Robert L. Ziegfeld.

April 12-15, American Supply & Machin Manufacturers Association: Annual meet and conference booth program, Hotel lumbus, Miami, Fla. Association addre 814 Clark Bldg., Pittsburgh 22. Secreta R. Kennedy Hanson.

April 12-16, Electrochemical Society Inc.: nual spring meeting, Hotel Statler, N York. Society address: 235 W. 102nd New York 25. Secretary: Dr. Henry B. I ford.

April 13-15, International Acetylene Asso tion: Annual spring meeting, Hotel Biltm Atlanta. Association address: 30 E. 4 St., New York 17. Secretary: H. F. R hard.

April 13-15, American Society of Lubricat Engineers: Annual meeting and exhi Hotel Statler, Boston. Society address: S. Dearborn St., Chicago 4. Secreta William P. Youngclaus Jr.

April 14-15, Westinghouse Machine Tool E trification Forum: Annual session, H Statler, Buffalo. Information: E. F. Gra technical publicity, Box 2278, Pittsburgh

April 14-16, Conveyor Equipment Manu turers Association and University of Illi Department of Engineering: Conveyor in tute, University of Illinois, Champaign,

April 16-17, American Machine Tool Distri tors Association: Spring meeting, Nether Plaza hotel, Cincinnati. Association dress: 1900 Arch St., Philadelphia 3. Se tary: Thomas A. Fernely Jr.

April 16-17, The Wire Association: Regi meeting, Stacy-Trent hotel, Trenton, N. Association address: 453 Main St., St ford, Conn. Executive secretary: Richar Brown.

April 16-19, Grinding Wheel Institute: Sp meeting, The Homestead, Hot Springs, Institute address: 2130 Keith Bldg., Cl land 15. Manager: Hunter-Thomas As ates, re F. A. Peterson.

April 18-19, Packaging Machinery Manu turers Institute: Spring meeting, Hotel S aton, Chicago. Institute address: 342 M son Ave., New York 17. Secretary: Hele Stratton.

April 19-23, American Hardware Manufac ers Association: Spring meeting, Hotel A phus, Dallas. Association address: 342 M son Ave., New York 17. Secretary: Ar L. Faubel.


April 20-22, Metal Powder Association: nual meeting and exhibit, Hotel Clevel Cleveland. Association address: 420 Lex ton Ave., New York 17. Secretary: Ro L. Ziegfeld.

April 20-22, AIME Blast Furnace, Coke & Raw Materials Committee and Nati Open Hearth Steel Committee: Annual ference, Hotel Statler, Buffalo. Institute dress: 29 W. 39th St., New York 18.

April 20-23, American Management Ass ation: National Packaging Exposition: Pier, Chicago. Association address: 33 42nd St., New York 36. Information: D G. Keen.

April 20-23, National Screw Machine Pro Association: Spring meeting, Hotel St. itz, New York. Association address: E. 130th St., Cleveland 20. Secretary: B. Berntz.

April 22-23, American Institute of Steel struction Inc.: Spring engineering confer Detroit Engineering Society Bldg., Detroit. Institute address: 101 Park Ave., New Executive vice president: L. Abbett Pos



No. 1-B electric vibrating Feeder—for small-capacity operations up to 3500 pounds per hour. Ideal for laboratory use.


VIBRATING EQUIPMENT

FEEDERS COOLERS
DRYERS CONVEYORS
PACKERS SCREENS


A type and size to meet requirements in continuous processing—at low over-all cost.

Absolute control over flow of wide variety of materials.


ULTIMATE IN FLEXIBILITY!



Jeffrey-Traylor No. 4-L Water-cooled Feeder with 10" outside diameter x 4' long water-jacketed deck. For feeding to high temperature furnaces or for handling extremely hot materials.




ey-Traylor No. 3 electric vibrating spark-proof er with 12" x 30" open-pan deck. For feeding ations in hazardous atmospheres or under ex- moisture conditions.




M-V Mechanical Vibrating Conveyor for conveying abrasive, lumpy or rough materials, hot or cold, dry or wet, as well as fine materials. Up to 80' can be operated by one drive unit.

Literature Available




rey-Traylor electric vibrating Spreader Feeder, wide x 70" long with one edge tapered to ad to 55" width.


Right: Jeffrey-Traylor electric vibrating Indirect-type Cooler. Type HI-21F open type 21" wide and 18' long. Has solid plate conveying surface over which material travels while being cooled. Also Direct-type Coolers.



Below: Jeffrey-Traylor Type 450 WAY-TROL, a precision machine for continuous gravimetric feeding, batching and proportioning. The feeder is weight-controlled, delivery of material being automatcally regulated. Accurate and flexible.



Enclosed Pan Conveyor h removable cover and ee feed inlets for receiv- hot discharge of sinter- machines. A No. 5 elec- vibrating type, 25" wide 35' long.



JEFFREY-TRAYLOR DIVISION

CAPACITIES—FROM A FEW OUNCES TO TWO THOUSAND TONS PER HOUR

THE JEFFREY MANUFACTURING CO.

ESTABLISHED 1877

Columbus 16, Ohio

sales offices and distributors in principal cities

PLANTS IN CANADA, ENGLAND, SOUTH AFRICA

IF IT'S MINED, PROCESSED OR MOVED
. . .IT'S A JOB FOR JEFFREY!


the first completely universal....

60-cycle **induction**

BILLET HEATER

THIS Loftus Universal Thermo-Induct
nace is the most flexible 60-cycle billet
ever designed. You can heat every non-
metal, in the same furnace, either consec
or simultaneously, to its respective for
extrusion temperature. The unit maintai
efficiency, constantly, eve
heating **short-length** bille

Loftus Thermo-Induction g
you the most practical, o
able, and efficient met
heating non-ferrous metal
achieve uniform heating in a matter of s
Production is continuous, and complete
matic. The press operator controls the f
Separate, positive control of each coil i
fingertips.






The Loftus 60-cycle Thermo-Inductio
illustrated is designed to heat copp
aluminum, and cupro-nickel for extru
poses. The unit is readily ada
forging and rolling processes.
sible, with this billet heater to 1
dia. Aluminum billet to 800° F., a 8"
brass billet to 1550° F., and a 10" di
nickel billet to 1950° ALL AT THE SA
IN THE ONE FURNACE. Each billet
independently . . . from a single cont

FROM FIRST HEAT TO HEAT TREAT, LOFTUS BUILDS 'EM BETTER

Send Today for Booklet describing Loftus 60 Cycle Induction Heating in Detail



Loftus ENGINEERING CORPORATION

Designers and Builders of Industrial Furnaces

610 Smithfield Street • Pittsburgh 22, Pennsylvania


NEW PRODUCTS and equipment

Reply cards on page 117 will bring you more information on any new products and equipment in this issue

›-Man Shear Line

works coils to 13-gage

ne operator can attend this hine as it decoils, levels, shears stacks automatically. The ma-›e will handle any flat material, ä as steel or aluminum. It ›ks steel coils up to 13-gage; dles widths from 6 to 60 inches.




chine can be set to shear length m 6 to 60 inches, with plus or nus variation of only 1/64-inch. e adjustment is required to ange lengths.

Operating speeds reach 150 linear et per minute, depending on gth of cut. Union Tool Corp., pt. ST, Warsaw, Ind.

MORE DATA—CIRCLE REPLY CARD NO. 1

rinding Wheel Dresser

.gains application flexibility



Universal odel grinding heel dresser n be bolted wn for cutter cylindrical inders or can used on the magnetic chuck for rface grinding. Indicating fur-er flexibility, its shaft can be oped all the way forward or ckward and the dresser wheel it adjusted up or down or made swivel on the shaft depending on angle desired for dressing or trueing the grinding wheel.


The model 6, with manufacturer's N-D1-46 or N-D2-46 wheels provides an excellent diamond wheel dresser. L. Newman, Dept. ST, 1001 24th St., Oakland 7, Calif.

FOR MORE DATA—CIRCLE REPLY CARD NO. 2

Hydraulic Copying Attachment

. . . fits all standard millers

Attachment for milling machine permits machining of complicated shapes such as turbine blades, molded parts, plastic shapes, etc. The attachment is capable of both large and small runs, establishes



uniform machine parts quality and works to close tolerances. It can be installed on all standard milling machines and operated by unskilled labor. Morey Machinery Co. Inc., Dept. ST, 410 Broome St., New York 13, N. Y.


FOR MORE DATA—CIRCLE REPLY CARD NO. 3

Automatic Shell Molder

. . . produces 500 molds per hour

This 12-station machine is capable of producing 500 shell molds per hour. It is automatic, from sand and resin blending to the finished mold. A single workman attends the machine, which rotates counterclockwise through mold forming, curing, to finished mold delivery.

Machine's pattern size is 28 x 22 inches. Pattern plates can be changed quickly, without stopping




the machine, to gain flexibility of production. It can be operated with all patterns producing the same molds or with twelve different patterns. Mechanical Handling Systems Inc., Dept. ST, 4601 Nancy Ave., Detroit 12, Mich.

FOR MORE DATA—CIRCLE REPLY CARD NO. 4

Improved Auto-Collimator

. . . tests to 0.0000025-inch



Auto-collimator is an instrument of the type described in Military Standard 120 for measuring surface plate flatness. The instrument can be described as the equivalent of an independent super-precision level, free from effects of temperature change, normal shop vibration, or wear. It gives readings to 0.0000025-inch per inch in any plane—horizontal, vertical or inclined. Use of an optical right-angle accessory permits checks in a direction perpendicular to its own axis.

An improved filter produces sharper and clearer readings. Sup-

WHY



CASE NO. 69 PORTABLE ELECTRIC DRILL



A switch to aluminum tubing for the housing of this electric drill permitted the manufacturer to capitalize on two important features of aluminum . . . its light weight and its naturally attractive finish.

The savings in weight is a direct selling point since lightness is of utmost importance in a hand tool of this kind. Furthermore, the manufacturer effected important savings in shipping costs.

Production and assembly costs were also cut since aluminum is easily fabricated and requires only simple buffing for finishing.

The manufacturer, Portable Electric Tools, Inc., of Chicago, Illinois, discovered also that aluminum is permanently non-rusting, will neither rust nor corrode should it become nicked or worn.

Perhaps this application of aluminum may suggest to you a similar conversion from other materials. Dollar savings in manufacturing and shipping costs, high corrosion resistance, naturally attractive finish plus added sales appeal are yours with aluminum.

LET ALUMINUM SERVE YOU, TOO


ALUMINUM?

...because it has an ideal combination of advantages found in no other metal!

More aluminum is being specified in designs today because aluminum improves products and increases sales. Let Reynolds Aluminum Specialists help your designers and engineers get maximum benefits from this modern metal. Remember, only aluminum gives you . . .

- ★ **Lightweight with great strength**
- ★ **Consistently low cost**
  no more now than before World War II
- ★ **Natural resistance to rust and corrosion**
- ★ **Attractive appearance**
- ★ **Ease of fabrication by modern methods**

STILL MORE ALUMINUM COMING



The expanding primary aluminum production of Reynolds Metals Company . . . a historic chapter in the company's 33 years of continuing growth. And primary supplies of aluminum ore will be ample for generations.

To the man in charge of production

Acquaint yourself with accepted techniques for fabricating aluminum. Write on your letterhead for aluminum fabrication books listed at right. On special problems consult with Reynolds staff of aluminum specialists. Reynolds Metals Company, 2520 South Third Street, Louisville 1, Kentucky.

Yours For The Asking . . .
REYNOLDS TECHNICAL BOOKS

(please request on business letterhead)

- Aluminum Data Book
  (Aluminum Alloys and Mill Products)
- Aluminum Structural Design
- Aluminum Powders and Pastes
- Designing with Aluminum Extrusions
- Fastening Methods for Aluminum
- Finishes for Aluminum
- Forming Aluminum
- Heat Treating Aluminum Alloys
- Machining Aluminum Alloys
- Welding Aluminum
- Metals Weight Slide Rule

Complete index of all technical literature and films on aluminum design and fabrication also available.

Be sure to see "Mister Peepers" every Sunday night, 7:30 EST, NBC-TV; hear "Fibber McGee and Molly" every Tuesday night, 9:30 EST & PST, NBC

REYNOLDS ALUMINUM

MODERN DESIGN HAS ALUMINUM IN MIND

cold forged metal fasteners



For (√) high quality material, (√) precise machining, (√) fast assembly, and (√) good appearance, specify CHANDLER cold forged metal fasteners. They are manufactured from tested high quality alloy steel by the most modern machinery and methods. Every fastener must pass rigid inspection to make sure it meets your specifications. This uniform high quality makes assembly faster, and smoothly finished heads assure good appearance of the completed assemblies.

Specialists in Alloy Bolts . . . Grinding to close tolerances . . . Drilled heads or shanks. Diameters 1/4" 5/16" 3/8" to 3" in length and diameters 7/16" 1/2" 9/16" to 5" in length.

958-CH



Manufacturers of Place Self Locking Bolts

Chandler Products Corp.

1488 Chardon Road • Cleveland 17, Ohio

ports for leveling screws insu steady positioning in adjustmer Engis Equipment Co., Dept. S 431 S. Dearborn St., Chicago 5, I

FOR MORE DATA—CIRCLE REPLY CARD NO. 5

Toolroom Height Gage

. . . measures critical dimensio

Precise measurement of criti dimensions encountered in to room work is the function of th Airetest indicator. Simple height gage has adequate ampl cation, gives positive repeat rea ings when approached from fro back or either side. Uses in ad tion to height gage work can



found in static strain gages, in namic strain gages with a recor ing unit, and as a center pic up unit in machine tools.

It is also a master testing de ce to determine flatness, parallel n, concentricity and other geometr al features of parts resting on a face plate. Design permits us in holes, slots and grooves impossible with some indicators because o nterference caused by the dial fa e. Sheffield Corp., Dept. ST, Dayton 1, O.

FOR MORE DATA—CIRCLE REPLY CARD NO.

Self-Cleaning Collet

. . . for automatics, lathes

A self-cleaning collet is desi ed for use on automatics, turret la es and other machines where the ol- let is used in a rotating spi dle.

USE A **REPLY CARD**

Just circle the corresponding number of any item in this section for more information.

Yours FOR THE ASKING

TEAR OUT CARD, FILL IN and MAIL TODAY!

Oil, Gas or Stoker Boilers

wanee-Ross Corp.—Square heat R boilers for oil, gas or stoker ; are described and illustrated in e catalog No. 88. Twelve sizes outputs of 216,000 to 1,200,000 per hour are covered. Complete are given on the entire line.

Structural Shapes

ing Bros. Engineering Works—gineered Structural Shapes" is 4- illustrated bulletin which covers shapes as rolled or formed es, beams, channels, bars or rails eel, aluminum or brass. Any size ape can be engineered and pro- d to suit customer's require- s.

Electrical Insulation

ow Corning Corp.—"Specify Class nsulation" is title of 8-page illus- ed bulletin which discusses ad- ages, properties and applications electrical insulating materials e with silicones. Various types of lations and their features are tab- ed.

Trolley Busway Systems

eedrail Corp.—Described and il- rated in 4-page bulletin No. 27 heavy duty trolley busway elec- power distribution systems of 375 and 500 amp; 250 v dc, 575 , single and three-phase.

Paint Spray Booth

uBois Co.—Two illustrated bulle- "Problems of Spray Booth Op- tion" and "Developments in Spray th Operation" deal with common blems and their solution. Also ilable is 4-page bulletin "Recom- ndations for Compounding, Mark- and Purging of Wet Paint Spray ths."

Special Natural Rubber

inatex Corp. of America—Linatex a special form of natural rubber, nufactured in Malaya by a process t preserves the crystal structure imparts additional qualities such as abrasion, corrosion, vibration and chemical resistance. Described and illustrated in 4-page bulletin L-101, it is produced in sheet form in thicknesses of 1/32 to ½ in. Applications are shown.

73. Control Valve Design

Conoflow Corp.—"New Techniques in Control Valve Design" is title of 16-page technical manual which covers in concise language present day pneumatic final control elements and possible design of tomorrow. Many illustrations and diagrams appear.

74. Thread Roller

D. H. Prutton Machinery Co.—Performance data and specifications on the "first machine to roll threads in hollow work on a high production basis" are contained in "Flash" bulletin. Machine has produced as high as 19,440 hollow ½-in.-13 set screws per hour, with production proportionately higher on smaller parts.

75. Hard Facing Alloys

Wall Colmonoy Corp. — Various hard facing alloys produced by this company are covered in catalog No. 77 of 12 pages. Characteristics of iron and nickel base alloys, applications, application methods, etc., are included.

76. Woven Wire Conveyor Belts

Cambridge Wire Cloth Co.—In the 130 pages of illustrated wire-bound catalog you'll find much information on various applications of woven wire conveyor belts. Various weaves are illustrated and specifications are tabulated. Also covered are belt drive construction and roller and detachable belts, among other data.

77. Air & Gas Compressors

Pennsylvania Pump & Compressor Co.—Advanced design class ATCL Oilfreair and Oilfregas compressors are subject of 4-page illustrated bulletin 600. A cross-sectional drawing shows design features and text describes the units which compress gases free of oil and oily vapor.

STEEL 4-6-53

Penton Building, Cleveland 13, Ohio

Please send literature or detailed information on subjects circled at left to—

NAME _____ TITLE _____

COMPANY _____

PRODUCTS MANUFACTURED _____

ADDRESS _____

CITY AND STATE _____

This card MUST be completely filled out. Please TYPE or PRINT

1	11	21	31	41	51	61	71	81
2	12	22	32	42	52	62	72	82
3	13	23	33	43	53	63	73	83
4	14	24	34	44	54	64	74	84
5	15	25	35	45	55	65	75	85
6	16	26	36	46	56	66	76	86
7	17	27	37	47	57	67	77	87
8	18	28	38	48	58	68	78	88
9	19	29	39	49	59	69	79	89
10	20	30	40	50	60	70	80	90

FIRST CLASS
Permit No. 36
(Sec. 34.9 P.L.&R.)
CLEVELAND, OHIO

BUSINESS REPLY CARD

No Postage Stamp Necessary if Mailed in the United States

— POSTAGE WILL BE PAID BY —

STEEL
Penton Building
Cleveland 13, Ohio

Readers Service Dept.

78. Wire Rope Sling Guidance

A. Leschen & Sons Rope Co.—Practical information on selection and use of wire rope slings can be found in 64-page "Sling and Fittings Handbook" FS-52. Charts show size of sling required in a given application, correct sling angles and fitting application procedures.

79. Electronic Recorders

Swartwout Co.—Photos, schematic diagrams showing principles of operation and dimensional sketches are featured in 6-page bulletin A-704 on Autronic Recorders. This miniature all-electronic instrument for use in chemical processing plants, refineries, central stations and industrial plants gives a true linear trace.

80. Industrial Trucks

Lewis-Shepard Products Inc.—In 8 illustrated pages, catalog 34 describes the Jacklift Electric and Master Jackstacker industrial trucks. Engineering and operating features are covered along with drawings, specs and maintenance features.

81. Magnet Disconnect Switch

Electric Controller & Mfg. Co.—Application, operation and features of EC&M disconnect switch for lifting magnets are presented in data sheet 906. Switch not only has high interrupting capacity, but establishes a discharge path if it is opened with magnet energized.

82. Cork Products

Dodge Cork Co.—Revised 4-page bulletin 1h/Do on Dodge industrial cork products includes information on cork structure, natural cork products, cork compositions and physical characteristics. Data is tabulated on density, tensile strength, compression and coefficient of friction.

83. Expansion Joints

Flexonics Corp.—Specs and supporting data on improved Flexon expansion joints, with increased traverse per corrugation, are presented in 16-page illustrated catalog CMH-128. Also covered is information on corrugated and convoluted types of flexible metal hose, couplings, flanges, nipples, etc.

84. Fastener Specialties

Camcar Screw & Mfg. Corp.—Facilities of this company for engineering and producing specially designed cold-headed parts and fasteners are outlined in 8-page illustrated bulletin. Service is in addition to the manufacture of sems, thread cutters, hex head sheet metal screws Phillips head screws in all cold-he ing materials.

85. Industrial Hose Assembli

J. N. Fauver Co.—Descriptions specifications for line of indus hose assemblies, couplings, st swivels and accessories are foun 24-page catalog No. 52. Wide var of hoses is described and moun instructions are given.

86. Presses, Clutches & Brak

Federal Machine & Welder C 12-page illustrated bulletin on Warco straight-side double-c press line and 6-page data folde the Warco pneumatic clutch brake point out design and perf ance features of these machine

87. Worm Gear Reducers

Cleveland Worm & Gear C you specify, purchase or recom machine drives or speed redu you should have 180-page cat 400. It illustrates and describes plete line of worm gear speed r ers with full data on dimens weights and horsepower capaciti



EDITORIA REPRINTS

88. Titanium Cutting

Research project for Kenn Copper reveals definite conclu on titanium machining. The points up need for improveme cutting tools and fluids. V. J. a thier, engineering professor at York University, discusses thes other variables relative to tita in STEEL reprint "Guideposts t tanium Cutting."

89. Induction Heating

"Induction Heating Cuts Cos Many Fronts" is STEEL reprint discusses advantages of moder duction heating techniques t prove quality, increase produ and lower costs in many types erations.

90. The Blast Furnace

Part II of C. E. Agnew's article "Don't Write Off the Furnace" is now available in r form. Author discusses recomm alterations in the design of pr day blast furnaces for purpo employing oxygen enriched bla how these alterations warran study of operating principles. ies and specification.

BUSINESS REPLY CARD

No Postage Stamp Necessary if Mailed in the United States

— POSTAGE WILL BE PAID BY —

STEEL

Penton Building

Cleveland 13, Ohio

FIRST CLASS
Permit No. 36
(Sec. 34.9 P.L.&R.)
CLEVELAND, OHIO

Readers Service Dept.

1	11	21	31	41	51	61	71	81
2	12	22	32	42	52	62	72	82
3	13	23	33	43	53	63	73	83
4	14	24	34	44	54	64	74	84
5	15	25	35	45	55	65	75	85
6	16	26	36	46	56	66	76	86
7	17	27	37	47	57	67	77	87
8	18	28	38	48	58	68	78	88
9	19	29	39	49	59	69	79	89
10	20	30	40	50	60	70	80	90

STEEL

Penton Building, Cleveland 13, Ohio

4-6-53

Please send literature or detailed information on subjects circled at left to—

NAME _____ TITLE _____

COMPANY _____

PRODUCTS MANUFACTURED _____

ADDRESS _____

CITY AND STATE _____

This card MUST be completely filled out. Please TYPE or PRINT

d cleaning feature consists of an ned plane on the following d of each slot face. The angu- urfaces act as fan blades which bly repel foreign matter. Shef- Collet Co., Dept. ST, Traverse , Mich.


ORE DATA—CIRCLE REPLY CARD NO. 7

ch and Die Fastener

buttons metal to metal

wo pieces of metal are fastened ther without any additional ient—no bolts, rivets or welds the Metalacing method. Em- ing a punch and yieldable die, system literally buttons metal netal. An ordinary punch press be converted to the job simply nserting the punch and die.

hree separate operations take e during impact of punch.




nch creates a double incision in two sheets being fastened. Met- between the incisions is pushed wn against the anvil of the die neath the sheets and between the 's movable jaws. There, force impact spreads depressed metal leways, making it a permanent stening wedge. The fastener rks with any metal that can be eared, drawn or upset and has nctioned successfully on a max- um ¼-inch thick steel. Crockatt

USE A **REPLY CARD**

Just circle the corresponding number of any item in this section for more information.

for a fabulous finish...



JEWEL BRAND

Abrasive Belts

for grinding, sanding, polishing — metal, wood, leather, plastics, rubber.

ABRASIVE PRODUCTS, INC.
511 Pearl Street
South Braintree 85, Massachusetts

The trend is to Thomas for PRESSES too






Illustration shows one of many Thomas presses in plant of McKinney Mfg Co., world-famous producers of builders' hardware.




Thomas Horn Type

56 to 106 ton capacities. Horns, special bolsters and swinging bed attachments available.



Open Back Inclinable

Sturdily built for the toughest jobs, in 56, 80 and 106 ton capacities.



Double Crank Straight Side

Handles large jobs economically. Capacities —75 to 0 tons. Bed sizes —30 x 4[illegible] 40 x 120

THOMAS PRESSES are designed and built by the same organization that has, for years, produced the world's leading line of spacing machines, heavy duty shears and other metal-working machinery.

In Thomas Presses you secure the advantage of rugged construction, and the utmost in mechanical efficiency and operating economy. All Thomas Presses are built to operate *continuously* at rated capacity!

• *Let us help you select the press best fitted to your individual needs. Write.*

PUNCHES

THOMAS
MACHINE MANUFACTURING CO.
PITTSBURGH 23, PA.

SHEARS • PRESSES • BENDERS • SPACING TA[illegible]ES

ineering Co., Dept. ST, San
ıcisco, Calif.
ORE DATA—CIRCLE REPLY CARD NO. 8

lraulic Lift Line

manual or battery-operated

ne of 1000-pound capacity
ks that operate manually or
ı battery power is designed to
ease ease and safety in han-
g bulky loads. Straddle type
can be furnished in a range
vidths to 50 inches. Forks are
ıstable in any position, to



ths that provide the best load
port. Swivel casters at rear
roller bearing wheels in front
ord maximum maneuverability
minimum space.

Dual ground gripping brakes,
ed with brake shoes, are oper-
d by a single hand lever. An
ional remote control on battery
dels permits the operator to
vel with the load and converts
lift to a portable elevator. Big
Mfg. Co., Dept. ST, 900 W.
kson Blvd., Chicago 7, Ill.
MORE DATA—CIRCLE REPLY CARD NO. 9

elding Electrode

. *flexibility of application*

Designated as GE type W-610-A,
s general purpose, mild steel
lding electrode is a direct cur-
ıt reverse polarity rod meeting
VS class E-6010 specifications.
facilitates butt, fillet, lap joint
d edge welding in all positions.
ability to take high currents,
gether with freedom from re-
tion pitting, fingernailing, spat-
and blistering of coating
sures a high ratio of inches-of-
lding to inches-of-electrode used.

OUT OUR WAY




Tops the field— in sales and value!

SOL-SPEEDI-DRI

"Dry cleaning" with Sol-Speedi-Dri is industry's favorite way to keep floors clean and slip-proof. Sol-Speedi-Dri is the largest selling oil and grease absorbent in the country. That's because pound for pound, dollar for dollar, it gives you *more for your money*, all factors considered. You can count on consistent quality, too—careful laboratory controls see to that. Send coupon today for free sample and literature.

SPEEDI-DRI CORP. 210 W. Washington Sq., Philadelphia 5, Pa.



Warehouse stocks maintained in principal cities of the United States and Canada.

• • •


Inquirers in New York, New England, and New Jersey should write to Speedi-Dri Corp. Elsewhere in U.S. to Waverly Petroleum Products Co., 1724 Chestnut St., Phila. 3, Pa. In Canada, G. H. Wood & Company Ltd., Toronto. Branches throughout Canada.

FREE SAMPLE Fill out the coupon and mail today for free sample and literature.

*Name*_____

*Address*_____


*City*_____ *State*_____




S-4-53

WOLVERINE will supply you with nonferrous tube fabricated in a variety of forms

Like this . . . IN PLAIN TUBE



Like this . . . IN FINNED TUBE



Call on Wolverine, as tube specialists, to provide you with tubing bent into any form that will best meet your particular requirements. Illustrated above are only a few typical forms.

Whether you require a simple bend, a closely wound coil or a more complex one — whether in plain tube or in the unique Wolverine Trufin* (the integral finned tube), it can be provided by Wolverine to your complete satisfaction.

Think of Wolverine first when you think of tube in any form — straight lengths or fabricated. Our Customer Engineering Service will be glad to help you in selecting the proper tube and tubular form. Send for our booklet, Fabricated Tubular Parts.

* REG. U. S. PAT. OFF.

Wolverine Trufin and the Wolverine Spun End Process available in Canada through the Unifin Tube Co., London, Ontario.

WOLVERINE TUBE DIVISION
of CALUMET & HECLA, INC.

ESTABLISHED 1916

Manufacturers of Tubing Exclusively

1439 CENTRAL AVENUE • DETROIT 9, MICHIGAN

Plants in Detroit, Mich. & Decatur, Ala. *Sales offices in Principal Cities*

Export Department, 13 E. 40th St., New York 16, N. Y.

Other Wolverine Products


CAPILATOR* —the capillary tube restriction purpose
COMMERCIAL TUB
AUTOMOTIVE TUB
CONDENSER TUBE
COPPER WATER TUBE (
ELECTRIC WELDED STEEL TUBE
FABRICATED TUBUL PARTS
WOLVERINE TRUFIN —the integral finned
REFRIGERATION AND AIR CONDITIONING TU (Plain or Tin Plate
S.P.S. PIPE
SPUN-END TUBE†

*Reg. U.S. Pat. Off.
† A Patented Process RE

SPECIFY

ORDER

Wolverine Electric Welded Steel Tube



—the dependable tube made by tube specialists

One of the best decisions you could make when ready to buy steel tubing for your condenser, heat exchanger and boiler installations is to specify Wolverine Electric Welded Steel Tube.

Here is a tube that is made by specialists—by skilled men who are devoting their entire working time to the development and production of tube—at it since 1916.

By consulting our Customer Engineering Service you can avail yourself of a vast background of tube experience that can help you with the selection of the right tube to meet your particular operating conditions. We invite your correspondence or call.

In all diameters from 1/4" to 3" O.D. in the following analyses: SAE 1010, SAE 1015, SAE 1020, SAE 1025, and SAE 1030.

ESTABLISHED 1916

WOLVERINE TUBE DIVISION
of CALUMET & HECLA, INC.

Manufacturers of Tubing Exclusively

1439 CENTRAL AVENUE • DETROIT 9, MICHIGAN

Plants in Detroit, Mich. & Detmur, Ala. Sales offices in Principal Cities

Export Department, 13 E. 40th St., New York 16, N. Y.

General Electric Co., Dept. ST, Schenectady 5, N. Y.

FOR MORE DATA—CIRCLE REPLY CARD NO. 10

Antirust Paints

. . . available in colors

Rustrem antirust paints are available in red, gray and green in addition to the standard black, aluminum and clear. For use on all metals, both indoors and out, the colors are said to eliminate the necessity for a clear base coat except where other paints are desired as finish coats. Paint can be applied over rust without wire brushing, scraping or sandblasting. Speco Inc., Dept. ST, 7308 Associate Ave., Cleveland 9, O.

FOR MORE DATA—CIRCLE REPLY CARD NO. 11

Neoprene Coating System

. . . cuts maintenance paint costs

Neoprene coating system is reported to gain savings up to 50 per cent per square foot in ma tenance painting and coating cos The special formulations added the manufacturer's corrosion sistant line are called NeoCoat a NeoPrime A for all surfaces exc concrete.


NeoCoat is a plastic, involvi polymerization, in which the celerator is included in the pr uct. This eliminates necessity mixing on the job. Polymerizati takes place after the coating applied. Pennsylvania Salt M Co., Dept. ST, 1000 Widener Bl Philadelphia 7, Pa.

FOR MORE DATA—CIRCLE REPLY CARD NO. 12

Sheet and Strip Handler

. . . supports long, narrow pie

Long narrow strips are suppo ed during cutting operation by t sheet and strip handling machi The Coilveyor can handle strips to 6 feet long and from 20 to inches wide. Air-operated plu



ers support the ribbon as it b against a stop acting as a b gage.

As shear cut is completed, cut ribbon or strip is lowere the machine's conveyor belts carried away. Plungers autom cally return to support the cut. Fried Steel Equipment Corp., Dept. ST, 528 E. 119th New York 35, N. Y.

FOR MORE DATA—CIRCLE REPLY CARD NO.

Wet Blasting Machine

. . . built to clean small piec

Small pieces that can be dled manually are cleaned finished with precision by model 30 Liquamatte blasting chine. Machine has a 30- square and 2-foot, 7-inch blasting compartment. A 15- diameter rotating work holds the work in the bla compartment. Small portable



Just because that bathing suit is proper at the beach, she shouldn't assume it's proper for the classroom, too!

And just because one bearing is best lubricated by one particular grade of oil, you shouldn't assume that the same oil is best for *all* bearings on that machine. In many cases it isn't.

OIL CUPS permit you to lubricate each bearing with the oil best suited to that bearing—thus prolonging bearing life, reducing maintenance costs, cutting down-time, boosting production. And oil cups fortunately *cost very little.*

Gits oil cups have been the standard for industry for more than 40 years. Gits Bros. has the largest selection of oil cups available anywhere. Call on Gits Bros. for a prompt, efficient solution to your lubrication problems.


Write for free Catalog No. 60-A

GITS BROS. MFG. CO.


1844 S. Kilbourn Ave. • Chicago 23, Illinois


Alive with
Action
omplete Production and
ngineering Facilities
t each plant —
WALLACE BARNES COMPANY
BRISTOL, CONNECTICUT
THE WILLIAM D. GIBSON COMPANY
1800 CLYBOURN AVE. CHICAGO 14,
RAYMOND Manufacturing COMPANY
CORRY, PENNSYLVANIA
BARNES-GIBSON-RAYMOND
40300 PLYMOUTH RD. PLYMOUTH, MICH.
B-G-R COOK PLANT
ANN ARBOR MICHIGAN
F. N. MANROSS AND SONS CO.
BRISTOL CONNECTICUT
OHIO DIVISION
1712 EAST FIRST ST. DAYTON, OHIO
DUNBAR BROTHERS COMPANY
BRISTOL, CONN.
MILWAUKEE DIVISION
341 E. ERIE ST. MILWAUKEE, WIS
SEABOARD Coil Spring Div.
435 E. WASHINGTON BLVD. LOS ANGELES 15,
IN CANADA - The WALLACE BARNES CO., LTD.
top 10 SOURCES for Mechanical Springs
DIVISIONS OF ASSOCIATED SPRING CORPORATION


PAXSON GIVES YOU THE EDGE




SLITTERS




PAY-OFF REELS



COILERS





SCRAP WINDERS
&
ROTARY SCRAP
SHEARS



PUT IT UP TO PAXSON FOR YOUR URGENT *Slitting Needs*

Paxson Slitting Lines are giving top performance for leading manufacturers—coast to coast. Both heavy duty and general duty lines are custom built to meet specific needs . . . Capacities up to 40,000 lb. coils . . . Various power for any required total metal thickness up to 1½".

Do You Fly?

2800 ft. E.W. runway and club house, private field 2 miles west of Salem, maintained for your convenience. Wire or phone arrival time. We will meet your plane.

PAXSON MACHINE CO.

SALEM • OHIO

Engineers and Builders of Cold-Rolled Strip-Mill Equipment

SPECIALIZING IN SLITTING LINES

REMEMBER, ALL PAXSON LINES ARE CUSTOM BUILT

y tanks receive parts from blast chamber for rinsing. lat surfaces, knurling, thin- ed sections and other vulner- areas remain unchanged. rances of 0.0001-inch can be




ntained where necessary. shbutton controls are located one central control panel con- ient to the work station. erican Wheelabrator & Equip- nt Corp., Dept. ST, 1157 S. rkit St., Mishawaka, Ind.

MORE DATA—CIRCLE REPLY CARD NO. 14

mming Press Line

. box-type crown construction

Streamlined box-type crown nstruction and a design that ovides rigidity and operating ietness are features of this mming press line. The single- ared presses provide four-piece me welded steel construction th twin herringbone driving




ars running in oil and rim-type, tight gear guards. Model has counterbalance concealed in e uprights, automatic lubrication d the manufacturer's friction- pe clutch.

Press operates at 35 strokes per nute, with 440-ton ram capa-

Whether you make precision micrometers . . .






. . . or complex mechanical units, you can

Wrap Out Rust

-with **NOX-RUST Vapor-Wrapper**

New *Chemically Active* Paper Blocks Rust in One Simple Operation!



Vapor-Wrapper makes rust-proofing of metal products faster, easier and less costly than ever! Easy to use as wrapping paper, this remarkable rust preventive paper protects everything from delicate instruments to huge printing presses...cuts costs while delivering products "factory fresh," ready for use!

Vapor-Wrapper ends troublesome dipping with messy rust preventives . . . eliminates costly cleaning and degreasing. The chemical *within* Vapor-Wrapper—an exclusive development of NOX-RUST laboratories—makes moisture-laden air noncorrosive... *without the need for an air-tight package*... without deposits forming on the metal.

Many companies have discovered the advantages of using NOX-RUST Vapor-Wrapper. Cut costs and improve service in *your* business with this new, *proven* rust preventive method.

Vapor-Wrapper conforms to Military Specification MIL-P-3420, Packaging Materials, Volatile Corrosion Inhibitor Treated.

Write for full details on Vapor-Wrapper today!

NOX-RUST VAPOR WRAPPER

NOX-RUST
Chemical Corporation
2427 S. Halsted Street
Chicago 8, Illinois
Offices in Principal Cities




NOX-RUST Chemical Corporation
2427 S. Halsted, Chicago 8, Illinois
Please send me your booklet on Vapor-Wrapper, the rust preventive paper that *wraps out rust.*

Name.....*Title*.....
Firm Name.....
Address.....
City.....*Zone*....*State*.....

MAIL TODAY

FOR PRECISION PLUS PRODUCTION . . .

PRECIS-O-NIZING



OLD mass production methods are not enough to satisfy a market that's demanding both *quality* and *lower prices.*

Only through modern precision-production techniques can a manufacturer hope to use this two-edged sword to his own advantage!

Because of this need for a productive method of generating precision . . . the Microhoning process was evolved. For a quarter of a century the Micromatic Hone Corporation, working with industry, has led the honing field in the development of equipment that would productively finish parts within the ever-shrinking tolerances of new designs and standards.

This applied precision-adeptness of the Microhoning process is "PRECIS-O-NIZING".

In one economical operation Microhoning abrades stock rapidly and efficiently with a minimum of heat to generate—

—bores that are round and straight
—accurate diametric size
—a functional characterized (cross-hatch pattern) surface finish that is free of smeared or distorted material.

The processing of sewing machine parts is an example of PRECIS-O-NIZING.

Shown are typical industrial sewing machine parts that are Microhoned. Total tolerance for size, roundness and straightness is held to .0003 inches, or less.

The shaft bushings (needle, presser, eccentric, hook . . .) are specific applications of functional Microhoning.

The characterized cross-hatch pattern and the precision of Microhoning enable these rotating and reciprocating bushings to retain minute reservoirs of lubricating oil. At the same time, they maintain such precise fit with their shafts that a working seal is formed and there is no leakage of oil.

Similar parts are interchangeable; selective fitting of components is no longer necessary.

Microhoning equipment is available to handle all kinds and sizes of parts . . . from soft non-ferrous metals to hardened steel and special alloys . . . from .078 to 60 inches in diameter and from ¼ inches to 75 feet in length.

MICROHONING = STOCK REMOVAL + GEOMETRY + SIZE CONTROL + SURFACE FINISH

PRECISION PRODUCTION THROUGH MICROHONING
MICRO MATIC
TRADE MARK

MICROMATIC HONE CORPORATION • 8100 Schoolcraft, Detroit 4, Michigan

MICROMATIC HONE CORP.
MICRO-MOLD MFG. DIV.
Boston Post Road
Guilford, Connecticut

MICROMATIC HONE CORP.
614 Empire Building
206 So. Main Street
Rockford, Illinois

MICROMATIC HONE LTD.
330 Grand River Avenue
Brantford, Ontario, Canada

MICROMATIC HONE CORP.
1535 Grande Vista
Los Angeles 23, California

MICROMATIC HONE CORP.
MICRO-MOLD MFG. DIV.
231 So. Pendleton Avenue
Pendleton, Indiana

REPRESENTATIVES: Overgard Machine Tool Company, 234 Commonwealth Bldg., Denver 2, Colorado
Hallidie Machinery Co., 2726 First Ave., South Seattle, Wash. • REPRESENTATIVES IN ALL PRINCIPAL COUNTRIES

Friction clamp slip-type ckout prevents accidental die kage. E. W. Bliss Co., Dept. Canton, O.


MORE DATA—CIRCLE REPLY CARD NO. 15

ntable Deburring Machine

. holds accurate diameters

urntable-deburring machine duces rapid deburring of com- sor stator rings, half rings or er jet turbine ring sections. ions are held to accurate di- ter during deburring operation nterchangeable holding fixtures different workpiece diameters. ifications can be adapted read- for deburring other circular es.

b records indicate a complete



le time of 1 minute for loading, urring and unloading a pair of inch diameter aluminum half gs. This is important, since ne previous hand methods re- ired an 8-hour shift to complete e set of 24 half rings. Grinding Polishing Machinery Corp., Dept. , 2530-G Winthrop Ave., Indian- olis 5, Ind.

MORE DATA—CIRCLE REPLY CARD NO. 16

ofile Template

. profiles quickly obtained

Both male and female profiles e obtained quickly with the Ajus- profile template. It is composed a number of hard brass strips, ch one 0.007-inch thick, which permits close adjustment to practically any profile. Toolcraft Mfg. Co., Dept. ST, 6619 S. Dorchester Ave., Chicago 37, Ill.

FOR MORE DATA—CIRCLE REPLY CARD NO. 17

Elapsed Time Indicator

. . . for limited panel space

HM2ET elapsed time indicator is designed for use where panel space is limited. The motor will start readily and operate continuously at temperatures ranging from minus 55° C to 85° C. The hermetically sealed device is available registering in tenth hour steps to 9999.9 or hour steps to 99,999. Marion Electrical Instrument Co., Dept. ST, Manchester, N. H.

FOR MORE DATA—CIRCLE REPLY CARD NO. 18


Tool Post

. . . fits all lathes

This tool post fits all lathes regardless of style of compound rest top. It is provided with five

New Way

to wrap metal parts!



SHERMAN SPOT-SEAL IS THE FASTEST WRAP KNOWN FOR PARTS OR ASSEMBLIES!

Goes on more easily than any other wrap, too. That's because Spot-Seal is a specially coated wrap that sticks only to itself. Wrap it around the part, press the sheet together . . . the part is sealed!

Spot-Seal answers the need for a quick, water-repellent, dust-proof, tamper-proof wrap, for one part or a whole assembly. Spot-Seal is ideal for assemblies like micro switches requiring dust protection, or loose parts which need a loss-proof wrap. Because Spot-Seal sticks only to itself, it will not mar finishes, requires no fastenings.

Switch to labor-saving Spot-Seal for convenient, protective packaging of metal parts, for shipping or storing. Write for free samples today, Dept. K. See for yourself the protection and quick-wrapping Spot-Seal gives.


Sherman PAPER PRODUCTS CORPORATION
NEWTON UPPER FALLS, MASS.
CHICAGO LOS ANGELES NEW YORK

bryant
internal grinding




no. 1309-W

Finishes 2 bores and a taper straight and concentric. 2 wheelheads are used on this semi-automatic. Max. traverse stroke, 6". Max. grinding length, 3½".




no. 1109

For high production small bores where accuracy of size and finish are required. Max. traverse stroke, 6". Max. grinding length, 3½".



no. 2209

For precision and high production grinding of ball bearing races, gears, rolls, bushings, etc. Max. traverse stroke, 6". Max. grinding length, ¾".




no. 1116

A general purpose tool grinder for tool room, small shop, or general production. Maximum traverse stroke, 20". Maximum grinding length, 8".



no. 1416

Specially designed for grinding bores in long work, such as machine tool spindles. Maximum traverse stroke, 20". Maximum grinding length, 8".




no. 1209

A fully automatic, high production machine for small and medium bore grinding. Max. traverse stroke, 6". Max. grinding length, 3".




no. 1460

For production or single piece hole grinding on parts up to 60" diameter. Max. traverse stroke, 21". Max. grinding length, 16".



"Alignment for Better Internal Grinding", a new, sound color moving picture is available for free showing to engineering groups. Write for descriptive booking form.



IT is generally believed in internal grinding that once the grinding wheel passes the diamond, the form of the wheel will be a perfect cylinder. In our illustration the wheel is tipped as it passes the diamond and an hourglass form is generated on the wheel. This condition is not peculiar to an internal grinder. The same form is generated in turning an O.D. on a lathe if the tailstock is either high or low.

The path of the diamond is a straight line across the surface of the wheel, but the wheel will not contact the work on the same straight line. Contact may be at a point on each end of the wheel. Since the wheel does not contact across its full face, wheel wear will be excessive and the wheel will act soft.

The geometry of the hole may be upset as in the illustration, with the result that the back of the hole will be tight. Neither turning the workhead nor changing the length of traverse will correct this error. Because the wheel is contacting at either one or two points, instead of a straight line, the surface finish will be poor. The remedy is to correct the alignment by bringing the wheel center line "a" parallel with the path of the wheel and in plane with the work center line "b".

Bryant Chucking Grinder Company
Springfield, Vermont, U. S. A.

Internal grinders • Internal & External thread gages



You're looking at a polished section cut from a Duraspun Centrifugal Casting...a casting with 12-14% chromium. It tells better than words of the high quality of Duraspun Centrifugal Castings.

You get a fine, dense, uniform grain structure. Possible air pockets and blow holes are eliminated. Tensile strength is higher than with static castings.

Order Duraspun if you need pipe or tubing. Sizes run up to 15 feet in length; up to 32 inches OD; and down to ¼ inch wall thickness. Odd shaped pieces can be produced providing a circular hole passes uniformly down the center. These, of course, require specially designed casting forms.

If, before ordering or asking us to quote, you would like to know more about our work and facilities, send for our Catalog 3150.

THE DURALOY COMPANY

Office and Plant: Scottdale, Pa. · Eastern Office: 12 East 41st Street, New York 17, N.Y.

Detroit Office: 23906 Woodward Avenue • Pleasant Ridge, Mich.

Atlanta: J. M. TULL Metal & Supply Co. · Chicago: F. O. NELSON 322 S. Michigan Avenue · San Francisco: JOHN D. FENSTERMACHER 1241 Taylor Street

METAL GOODS CORP.: Dallas • Denver • Houston • Kansas City • New Orleans • St. Louis • Tulsa

interchangeable tool holders ... turning, threading, drilling, cutt... off and boring. Tool bits can ... resharpened right in the hol... A stud screw is provided on e... holder for precision height adju... ments. Posts are made with ... bit capacities ranging from ¼... 1-inch and those of boring b... from ¼ to 1½ inches. Aloris To... Co. Inc., Dept. ST, 80-82 Fou... Ave., New York, N. Y.

FOR MORE DATA—CIRCLE REPLY CARD NO. ...

Foundry Service Truck

. . . expedites sand transfer

Small Hydroelectric model t... expedites sand transfer betw... two foundry machines. The t... will operate in very limited a... ways and promises minimum ... ital expenditure with relatio...



rider type cantilever trucks in ... service.

Truck capacity is 1000 pou... its total lift is 120 inches. ... is powered by a 12-v battery ... two motors, one for lifting the other for the drive wheels. Lift Trucks Inc., Dept. ST, Cincinnati 14, O.

FOR MORE DATA—CIRCLE REPLY CARD NO. ...

Torque Limiting Wrench

. . . releases automatically

Precision torque limiting w... releases automatically at p... setting. The wrench is not to... indicating, so requires no ... pointers, scales or sound indic... It employs a fully-enclosed ... sion spring under compressi... as the principal torque-contr... element, using accurate mic... ter-type adjustment.


Models with a built-in rev... ratchet head are available ... do...


FIVE ANSWERS TO SPEED REDUCER PROBLEMS





Unit with pinion on extended shaft supported by outboard bearing.




Horizontal Right Angle Unit


Heavy Duty Single Reduction Unit

Farrel speed reducers are made in a number of different types, with a wide range of ratios and capacities. Designs include single, double and multiple reduction units, speed change units having two or more selective speeds, right angle drives, and drives to meet special requirements.

All units are supplied with precision gears, generated by the famous Farrel-Sykes process for smooth, quiet, efficient power transmission; shafts and bearings factored to safeguard against interruption of vital processes; gear cases proportioned to withstand repeated heavy peak loads; joints sealed to prevent entrance of dirt.

Send for further details of these designs. Ask for a copy of Bulletin 449 — no cost or obligation.

FARREL-BIRMINGHAM COMPANY, INC., ANSONIA, CONN.


Plants: Ansonia and Derby, Conn., Buffalo, N.Y.

Sales Offices: Ansonia, Buffalo, New York, Boston, Pittsburgh, Akron, Detroit, Chicago, Minneapolis, Portland (Oregon), Los Angeles, Salt Lake City, Tulsa, Houston, New Orleans

FB-745


Farrel-Birmingham

Designed and made for SPECIAL JOBS



● Circle Ⓑ special fasteners can give you plenty of product design and production advantages . . . simplified design, extra holding strength, easier and faster assembly, lower unit cost.

Made by modern methods to meet volume demands, Circle Ⓑ fasteners are designed to your individual requirements by specialists who can demonstrate the practical advantages of calling in Buffalo Bolt. It will cost you nothing to get the facts. Simply write us.



● To simplify specifying and ordering standard fasteners . . . write for Catalog No. 51.

BUFFALO
BOLT COMPANY
Division of Buffalo-Eclipse Corporation
North Tonawanda, N. Y.
Sales Offices in Principal Cities

PRODUCERS OF CIRCLE Ⓑ PRODUCTS — BOLTS • NUTS • RIVETS AND SPECIAL FASTENERS

work of both ratchet and torq wrench. Plomb Tool Co., divis of Proto Tools, Dept. ST, Washi ton & Santa Fe, Los Angeles Calif.

FOR MORE DATA—CIRCLE REPLY CARD NO. 2

Large Wirebound Containers

. . . overcome size, weight lim

Heavy-duty wirebound conta ers overcome former size weight limits for shipping lar heavy items. Illustrated is a we bound container designed to ca



about 3000 pounds of equipm and weighing 35 pounds less ta the former nailed-wood crate.


In addition to weight and t saving in construction, conta simplifies packing, unpacking, l dling and storage. American Co., Dept. ST, 1900 W. 3rd Cleveland, O.

FOR MORE DATA—CIRCLE REPLY CARD NO.

Vertical Drum Lifter

. . . handles open, closed dr

This vertical drum lifter, de signed as a plant space save capable of handling open or cl




drums. Its features include a saf ty barrel grip and all-steel con struction with heavily welded cha The model can be used for whe high or low ceiling condi ons Palmer-Shile Co., Dept. ST, 1023 Fullerton, Detroit 27, Mich.

FOR MORE DATA—CIRCLE REPLY CARD NO 3




Bulletin 705 Reversing Switch for small a-c and d-c motors



Bulletin 801 Rotating Adjustable Cam Limit Switch. Heavy duty




Bulletin 850 Motor Driven Timer for automatic process control




Bulletin 290R D-C Reduced Voltage, Reversing Starter for marine service



Bulletin 852 Electronic Time Delay Relay for precision timing



Bulletin 704 Nine-pole Permanent Magnet Contactor. Noiseless



Bulletin 205 Size 1 Reversing Switch for direct current motors



Bulletin 350 Drum Switch for reversing small a-c and d-c motors



Bulletin 365 Drum Controller for multispeed a-c motors

Some Useful Units in the

ALLEN-BRADLEY LINE

The standard Allen-Bradley line includes a wide range of solenoid operated across-the-line starters, combination starters, reversing switches, reduced voltage starters, and multispeed controls . . . not to mention an extensive variety of relays, contactors, and accessories.

And that is not all!

It also includes many other useful items . . . a few of which are shown here. They find application in the process industries, in marine service, in laundries, and in many other industries. All are designed for long, trouble free life and built to the widely recognized QUALITY standards that apply to the entire Allen-Bradley line.


If you use motor controls . . . it will pay you to become acquainted with the latest Allen-Bradley Catalog. May we send you a copy?

Allen-Bradley Co.
1316 S. Second St. • Milwaukee 4, Wisconsin

A-B Quality

ALLEN-BRADLEY
MOTOR CONTROL


2-53-MR




Bulletin 470 Graphite Disc Rheostat for laboratories




Bulletin 500 Knee and Foot Controllers for sewing machines



Bulletin 802 Foot Switch for heavy duty, rough service



Bulletin 410 Graphite Disc Rheostat for stepless control



Bulletin 809 Instantaneous Current Jam-type Relay




Bulletin 802 Limit Switches with various operating levers




Bulletin 600 Switch with overload breaker and pilot light




Bulletin 848 Dashpot Timing Relay. Maximum interval 30 sec.




Bulletin 860 A-C Solenoid supplied in variety of ratings




Bulletin 849 Pneumatic Timers for machine tool service




Bulletin 202 D-C Contactors for applications up to 150 amperes



Bulletin 600 Watertight Starting Switch with pilot light



Bulletin 840 Float Switch operated by float and chain



Bulletin 800T Oiltight Push Buttons for machine tools



Bulletin 801 Rocker Arm Limit Switch for reversing service



Bulletin 808 Zero Speed Plugging Switch with magnetic lockout

Popular Accessories

in THE ALLEN-BRADLEY LINE



Look for the A-B trademark.
It is a guarantee of Quality

Above are shown a few Allen-Bradley control accessories The variety of these units reveals the wide scope of the complete Allen-Bradley line. To machinery designers and plant engineers, the Allen-Bradley Catalog is a treasure house of standard control accessories which can be used in innumerable combinations to solve virtually any control problem. May we send you a copy of this Handy Catalog?


Allen-Bradley Co., 1316 S. Second St., Milwaukee 4, Wis

ALLEN-BRADLEY

MOTOR CONTRO

QUALITY

2-53-MR



mination of gate lock and die runout table make this nonferrous extrusion ss unusually compact for its 1250-ton capacity and give it rigidity

xtrusion Experience Yields New Design

Compactness, rigidity and quick die change are features of unit designed for handling softer aluminum alloys. The tougher alloys require slight reduction in billet size

RST job to be performed by the rusion press designed by Lake ie Engineering Corp., Buffalo, a southwestern plant will be the trusion of softer aluminum alloys e 61S for architectural use. It ll handle billets 5 or 6 inches in ameter and 24 inches long. With slight reduction in billet size the 50-ton unit can handle the tough- alloys as well.

The press represents the com- nation of experience gained in nferrous extrusion with the re- ed fields of hot and cold steel trusion. Its compact design rmits a reduction in floor space quirements and increased rigidity e to shorter columns required. ldditional advantages of the short- er stroke are increased speed and reduced maintenance.

No Delay—A swinging die arm makes possible the quick changing of dies by bringing the die to the front of the press. The die proper together with its backup block is enclosed in the die holder which is held in position in a horseshoe type construction at the end of the swinging arm. This design plus accessibility makes die change possible in a few seconds.

Main ram is connected to the moving platen which in turn carries the extrusion stem. The stem is carried on a vertical slide for moving out of the way during loading.


Two forged steel pullback cylinders are arranged with a double acting piston for the rapid advance of the main ram in addition to its return. The piston rams are fastened directly to the moving platen.

Sturdy Construction — At the other end of the press is the die platen connected to cylinder platen by means of four large columns. It carries the backup blocks to resist the pressure of the dies. Fastened to the top of the die platen is the vertical shear which has a downward motion to push off the butt end of the billet together with the dummy block at the completion of the working stroke.


Container holder is split horizontally to permit easy removal of the container with its inserted liner. The container holder is mounted on angular guide surfaces which in turn rest on the two lower columns. Angular guide surface intersects the center of the press so that any expansion of the container will not affect the centering of the container on the centerline.

Mechanical Handling — Billet loader consists of a V-block mounted on an arm pivoted on the vertical centerline of the press. After the billet and dummy block pass into the V-block the arm is rotated, presenting the load to the centerline of the container. Another rotating arm pushes the dummy block and billet into the container and the loader is rotated out of position for the next billet.


Tools consist of a container with its liner, the extruding stem die holder and backup block. The container is arranged with special electrical heating device to not only heat the container when starting a shift but also to maintain temperature as desired. Heating is by means of cartridges inserted in holes in the container proper.



Quick acting loader shown pushing billet and dummy lock into container. Extrusion stem is in raised position



Swinging arm carrying die and die holder in out position ready for die change. Design cuts time required for job



Comparison charts show the wide differences in mechanical and physical properties of stainless and carbon steels

Welding Stainless Steels Has Its Problem

But with proper regard for the metallurgical and mechanical peculiarities of the alloys, troubles can be minimized. Here are some of the practical considerations

By W. G. BLACKWELL
Welding Department
General Electric Co.
Fitchburg, Mass.

SUBJECTING the various stainless steels to the heat of welding arcs poses some much-discussed problems. With mild or low-carbon steel, the welder's chief concern is the mechanical and physical properties. Welding of stainless steel includes not only these factors, but the task of preserving corrosion resistance and metallurgical stability.

You often hear men say that they must use lower heat or current when welding with stainless steel electrodes. They will also say that stainless steel plates buckle or warp much easier than plain steels. Why is this true?

Mechanical Properties—As the accompanying chart shows, electrical resistance of stainless steels is much greater than that of mild steels. The more resistance, the quicker the metal will melt. Therefore, less amperage is needed. Melting points of stainless steels are also somewhat lower, which also means less heat or amperage need be applied.

Another fundamental difference is in the matter of heat transfer. Being faster for plain carbon steels means that stainless steels retain heat for longer periods of time. Coefficient or magnitude of expansion for austenitic (chrome-nickel) stainless is much greater than that of plain carbon steel, so warpage or buckling may be worse. Expansion of straight chrome (ferritic or martensitic) stainless steels, however, is very similar to that of plain steel.

Metallurgical Changes — Carbide precipitation is the predominant metallurgical headache encountered when welding austenitic stainless steels. Stated briefly, the carbide precipitation causes the stainless to lose its corrosion resisting properties in the area of the weld. These heat-affected zones have, in effect, been robbed of their chromium. Extent of carbide precipitation is determined by the amount of carbon in the base metal or the weld metal and by the length of time the metal is held in the critical temperature range of 800 to 1550° F.

Three possible ways of reducing or eliminating carbide precipitation are recommended. First, use of stabilized base plate material and electrodes with added stabilizing elements prevents carbide formation. Another method is to use extra low carbon base plates and electrodes, and the third means volves increasing the cooling r of the weld zone through the p cipitation temperature range.

Stabilizing Materials — Colu um and titanium both have a strong affinity for carbon; th they tie up the carbon pres and leave the chromium distrib ed throughout the alloy. Col bium, though in short supply n this country, is used to stabi e electrodes because titanium ill not transfer across the welding c.

Base plates and electrodes w h extra low carbon (ELC) cont ts are also available. The theory h e is that with less carbon to be in with, there is less likelihood of trouble from formation of chro i- um carbide and subsequent los of corrosion resisting abilities.

Controlled Cooling—Remem r- ing that the amount of carbide e- cipitation formed is directly o- portional to the length of he time spent in the tempera re range of 800 to 1500° F, aiding he stainless to pass rapidly thro h this range is important. This an be done by using small diam er electrodes, lowest current poss le, by making stringer beads ins ad of weaves, and by using chill rs

holding fixtures. These practices will keep welding temperatures to a minimum.

Immediately after welding and while weld deposit is still above 1000° F, use air or water to cool metal to below 800° F. If facilities for post-heating the manufactured part are available, carbon can also be dissolved by heating to above 1000° F, followed by a fast quench to below 800° F. This latter method can be used any time it is necessary to remove a carbide precipitation.

Straight Chrome Different—Effects of heat on the straight chromium stainless steels (where chromium is the principal alloy metal) is quite different than it is in the austenitic stainless steels. First, they are not subject to carbide precipitation; thus their ability to resist corrosion is not affected by the heat of the welding arc.

Breaking down the straight chrome stainless steels into groups according to their chromium content, they fall into the following classifications:

I. 3 to 14 per cent Cr —Martensitic
II. 14 to 18 per cent Cr —Martensitic or Ferritic
III. 18 to 30 per cent Cr —Ferritic

The metallurgy of these three is difficult to cover in detail in a discussion of this type, but we can list the things that are known about them.

Martensitic Group — This group is not subject to carbide precipitation, but does experience grain growth at welding temperatures. The resulting brittleness can be overcome by post heat treating. Heat treating is the usual course, though, since alloys in this category will air harden intensely.

Preheats and post-heats are used to slow down the cooling rate and avoid excessive hardening and prevent cracking. Because they do respond to heat treating, a considerable range of properties can be obtained from the same metal. Steels containing 2 to 9 per cent chromium are most used in applications requiring high strength at high temperatures.

Intermediate Group—Metallurgical reactions of this group depend on the exact relationship between the chromium and the carbon present. Those low in chromium and high in carbon would probably exhibit martensitic properties and, for all fabrication purposes, be considered martensitic. The higher chromium and lower carbon variety would probably be considered ferritic. Those that exhibit a balance between the two are sometimes preferred, as the soft ferritic constituents may reduce the cracking tendencies of the hard martensitic constituents when used in certain applications.

In the field it will be difficult to determine, even though you have the correct analysis, if the steel is martensitic or ferritic. If there is any doubt, your steel supplier will be able to tell you which of these intermediate steels you have purchased.


Ferritic Group—These steels are soft and ductile in the normal, or annealed, condition, but when subjected to the welding temperatures they can become very brittle. Cooling rate has little or no effect on ultimate hardness. On the other hand, they are not subject to carbide precipitation.

Welding temperatures above 1600° F and slow cooling below 1200° F will result in grain growth and brittleness. Once formed, the grain growth cannot be restored; but it can be minimized by low heat input and avoiding excessive heat buildup. Preheat of minimum 300° F must be used as weld zones and beads of ferritic steels are very brittle below this temperature.

The volume of straight chromium stainless used in industry is much smaller than that of austenitic or chrome-nickel steels. From the foregoing discussion, it is easily seen that fabrication problems of straight chrome stainless make it less desirable in most applications where a choice can be made.

EFFECTS OF WELDING HEAT ON STRAIGHT CHROMIUM STAINLESS STEELS

Characteristics	METALLURGICAL STRUCTURE — Martensitic 4% to 14% Chromium	Martensitic-Ferritic 14% to 18% Chromium	Ferritic 18% to 30% Chromium
CORROSION RESISTANCE	Not susceptible to loss of corrosion-resistance through intergranular carbide precipitation.		
HARDENING CHARACTERISTICS	Hardens in weld zone when cooled in air after welding.	Characteristics of this class fall on or between those listed for the other two classes depending on the comparative amounts of carbon and chromium present.	Do not harden even when cooled rapidly.
DUCTILITY OF METAL	Reduced by welding. Improved by heat treatment.		Reduced by welding. Improved some by annealing, depending on chromium content.
RESPONSE TO HEAT TREATMENT	Wide range of mechanical properties obtainable under heat treatment.		No range of properties obtainable by heat treatment.
EFFECTS OF WELDING ON GRAIN OF METAL	Subject to grain growth, causing brittleness. *Can be* restored by heat treatment.	Subject to grain growth, causing brittleness. *May be* restored, *may partially* be restored or *may not* be restored, according to metallurgical structure.	Subject to grain growth, causing brittleness. *Cannot* be restored. Must be minimized by low heat input. Employ fast cooling rate from 1200° F. to below 800° F.
COEFFICIENT OF EXPANSION	Same or slightly less than that of plain carbon steel.		
HEAT CONDUCTIVITY	Varies from 70 to 40% of common steel, depending on chromium content.		
ELECTRICAL RESISTANCE	Varies from three to six times that of plain carbon steel, depending upon chromium content.		
MELTING POINT	Slightly less than that of plain carbon steel.		
WELDING	Use preheat and post heat treatments when welding.		
AWS ELECTRODE TYPES	AWS—E410-15 AWS—E502-15 AWS—E505-15	AWS—E430-15	AWS—E446-15



New Welder Hits Stride at Douglas

Jaws of this Taylor-Winfield 800-kva welding machine clamp tightly around a 12-inch metal tube during operating tests. Built according to Douglas Aircraft Co. specifications, the unit is being tested at that firm's Long Beach Division. Work will be on steel landing gear parts and struts for the Globemaster

How To Choose Proper Wire Sling

User must consider more than size of the load and length of the sling. Proper type can give longer life, better efficiency, and be easier and safer to handle

By WALTER C. RICHARDS
Chief Engineer
A. Leschen & Sons Rope Co.
St. Louis

HAVE YOU ever wondered whether the types of slings you have in use are exactly what you should be using? Even a sling user of long experience may become confused occasionally with the wide selection of slings available by types, constructions, sizes and makes.

A basic question is, of course, should a chain sling or wire rope sling be used. Both have their merits. Chain slings have historical precedence in many applications, but the use of wire rope slings has been steadily increasing in recent years. Use of one type or the other should not be based on precedent or habit alone.

Consider These—If it is determined that a wire rope sling will do a better job, there are six factors to consider before the type, size and length of sling can be specified:

1. Object of load—size, weight, shape, etc.
2. Working area—i.e., amount of headroom
3. Size and description of crane hook
4. Angle of inclination—vertical lift, or otherwise
5. Location and description of lifting lugs, if any
6. Plane of attachment of fittings.

With this information documented, your sling supplier can be of greater help in recommending the sling that will give the best possible service.

Types of Slings—Most common type is the standard single-part wire rope sling, suited for liftings (large or small) where the sling is attached to fixed rings or lugs and where sharp bends in the sling are not major considerations. They are available generally in siz from ⅜-inch to 2-inch diamete with various combinations of e fittings such as thimbles, loo hooks, sockets, swaged sleeve loo inlaid spliced loops and others.

Continuous strand or gromm slings are made of single leng strand laid in place around itself form a round 7-strand endle sling. Available in sizes from ½ inch to 2¼ inches in diameter, th are generally more efficient th spliced-endless single slings l- cause of the short lengths in whi these slings are ordinarily us. Frequently grommet slings can a used without the need of formi loops or attaching fittings; th are ideal for sling hitches of va ous types. It is economical to ha grommet slings available beca of their ease of handling a variety of purposes.

Multiple Part Slings—Instead using a single wire rope as e body of the sling, the principle h is to lace or braid ropes of smal diameters into strong, flexi e slings. One type is the flat-la d which is what its name implie several parts of wire rope la together to form a smooth, f bodied sling. Load pressure is s tributed over a greater area, ca sequently these slings have str g gripping power with less wear n the sling and less marking of n ished load surfaces.


Braided slings consist of sev l parts of wire rope assembled to a round-bodied braid. Because f the braiding, there is less kinki g tendency and internal tension n the sling is at a minimum. It wr ps around a load easily and secur y, without becoming "set" or de formed. Advantages of this t e, and the flat-laced sling, are g at load carrying capacity and fl i-bility for easy handling.

Check Economics — Stan rd wire rope slings cost less than he multiple part slings, but th gh you may find that you can use is lower-cost standard sling, st should not be the determining fac- tor. Longer wear, easier hand ng and greater safety can often r an greater long-range economy.

If you have any questions reg rd- ing the length or diameter of s gs to be used, your supplier can el if he has all the details.

WILLIAMS-WHITE DOUBLE-END PUNCHES

Speed Production of John Deere Farm Machinery



BUILT TO YOUR REQUIREMENTS

Typical of WILLIAMS-WHITE Punches and Shears are the ones shown above and at left, with heavy box-section frames that insure minimum deflection under the heaviest loads. Note these features: A — Air counter balance; B — Semi-automatic lubrication; and, C — Foot-button control.

WILLIAMS-WHITE Punches and Shears are regularly built in various capacities and throat depths, single or double-end. They can be equipped with plain or architectural table, and to accommodate standard or special tools.

We will be glad to quote on Punches and Shears for special use, in which ram and table construction, die space and stroke meet your particular specifications. See our representative nearest you or write us direct. No obligation on your part, of course.

WILLIAMS-WHITE REPRESENTATIVES

A. L. BECHTEL & SON
Cleveland, Ohio

CHAS. F. RYMAN
Pittsburgh, Pa.

DAVIES & SON, INC.
Los Angeles, Calif.

SEIFREAT-ELSTAD MACH'Y CO.
Cincinnati,
Columbus and
Dayton, Ohio

IRVING R. GARD & CO.
Seattle, Wash.

EDWARD A. LYNCH MACH'Y CO.
Wynnewood, Pa.

E. E. WOOD MACH'Y CO.
Detroit, Mich.

PAGEL MACH'Y COMPANY
Milwaukee, Wis.


GEO. E. ZWEIFEL & CO.
Portland, Ore.

WILLIAMS-WHITE & CO., Chicago, Office:
J. E. Maynard, Mgr.
53 W. Jackson Blvd.

BUILDERS OF QUALITY PRODUCTION MACHINES SINCE 1854

WILLIAMS-WHITE & CO.

MOLINE, ILLINOIS



First commercial hydraulic roll lathe of a newly developed design for installation at Fairless Works, United States Steel Co., Morrisville, Pa.

Hydraulic Roll Lathe

Saves Time in Rough Machining

Infeed, traverse of tool and tail stock movement are controlled hydraulically to relieve operator of heavy manual work and reduce machining time 75 per cent

A NEW 60-inch hydraulic roll lathe, the first and largest thus far produced commercially, is to be installed at the new Fairless Works of the United States Steel Co., Morrisville, Pa. It was developed and built by Blaw-Knox Co.'s Lewis Foundry & Machine Division, Groveton, Pa. The machine is equipped with a 60-hp main drive motor with variable speed from 300 to 1200 rpm, and a separate motor for the hydraulic pumps. The latter are designed to maintain a pressure of 1000 pounds in each cylinder.


Use of hydraulic lathes has produced time savings up to 75 per cent in roll machining where substantial rough machining is required.

Reduces Manual Work—The infeed or bite of the cutting tool, the lateral movement or traverse of the tool, and the movement of the tail stock are controlled by hydraulic pressure. These features relieve the lathe operator of much heavy manual work, increase the consistency and uniformity of the cutting operation and produce savings in time. The new lathe has adjustable neck bearings, which make the bearing adjustment more true and reduce the demands on driving equipment, spindles and neck bearings.

Chief saving in time is achieved by converting the roll machining operation from what is essentially a manual, intermittent task to something approaching continuous flow. Roll lathes normally employ the plunge cut. After the tool is set up, the operator forces it into the face of the revolving roll with a feed screw; the pressure is maintained manually and enough revolutions are made until the desired depth of cut has been reached. The operator must make repeated measurements and control wedges at the side of the cutting tool to maintain squareness. Then the tool is retracted, moved over to its next position, and another plunge cut taken. The hydraulic lath is equipped with a tool traverse r riage that introduces a contin as spiral, or what is known as a t verse cut. This not only elimin es considerable setup time, but e pressure is constant, thus mini ing variation and the need for d justments.

Minimizes Shock Impact — ue width of cut can be increased a maximum of about 5 inche manual roll lathes to as muc 8 inches in some cases. The in or depth of cut can be increase long as the tool material can it." This is because the hydr pressure is predetermined and stant, eliminating wobble; the stancy of infeed pressure re the hazard of shock impact th so destructive to some of the ern cutting tools, such as the sten carbide tipped tools. The speed of cutting, that is, th revolving rate of the roll, can b creased where certain modern materials such as the carbide

Enough said...



...it's a PHILLIE GEAR®

OVER 60 YEARS IN ONE LINE OF BUSINESS

Philadelphia Gear Works, INC.



ERIE AVE. AND G ST., PHILADELPHIA 34, PA.

NEW YORK • PITTSBURGH • CHICAGO • HOUSTON • LYNCHBURG, VA.

Industrial Gears and Speed Reducers
LimiTorque Valve Controls

now . . immediate delivery!

LINDBERG G-10 BOX FURNACES



Maximum heating temperature . . 3000° F.

Continuous Operation . . 2500° F.

Expanded plant capacity now enables us to put the "immediate delivery" tag on the popular Lindberg G-10 Laboratory Box Furnace.

Now is the time to order *your* Lindberg G-10 . . it's just the thing for today's complete and ultra-modern laboratory! Check these features of the G-10 . . features that make it a versatile, rugged and dependable unit.

Precision heating . . The model G-10 reaches and holds selected temperatures within plus or minus 1° F. at higher temperatures. Control is by a Lindberg "Lab-type" indicating controller pyrometer . . it's entirely automatic . . operates electronically.

Fast heating . . The 3000° F. top heating capacity provides any lower operating temperature desired (300° F. minimum), quickly and positively.

Uniform heating . . Heat is evenly distributed by 10 silicon carbide Globar heating elements . . equally spaced at top and bottom of the work chamber.

Compact, Self-contained . . The Lindberg G-10 is a "package" unit . . all you have to do is hook it up. All controls and equipment are in the furnace housing. Work chamber dimensions are 6″ wide x 12″ deep x 4¾″ high. And overall measurements are only 27″ from front to back . . 24″ wide . . and 56″ high.

The G-10 can also be used as a muffle furnace, or with carbon blocks for nonoxidizing atmospheres.



The Lindberg G-10 is a natural for your laboratory! For detailed information call your laboratory equipment dealer, or write Lindberg Engineering Co., 2450 West Hubbard St., Chicago 12, Illinois
Ask for bulletin No. 1000.

LINDBERG LABORATORY EQUIPMENT

Lindberg Engineering Company, 2441 West Hubbard Street, Chicago 12, Illinois

oyed. Use of hydraulic pres- will permit the rough machin- of certain hard surface rolls; erly, such rolls had to be sub- d to rough grinding, a costly ation.

e hydraulic lathe makes it ble to operate several cutting simultaneously, perhaps one ach side of the roll or two tools ting at opposite ends on the side of the roll. The traverse age operates both from left to , and right to left, again sav- tool setup time. The roll is orted in the hydraulic lathe djustable neck bearings, elim- ng the weight on the centers. reduces center wear thus ling any recentering, and also need for excessive grinding or ning to achieve trueness. More- , the hydraulic control of the stock saves manual effort, re- s crane service, and contrib- to safety.

bide Injection Summarized

ooklet discussing calcium car- injection is offered in reprint by Air Reduction Sales Co., sion of Air Reduction Co. Inc., York.

he 18-page article traces this allurgical process for treating als in the molten state through gressive stages of development he laboratory and in customers' nts. Text is supplemented with grams, photographs, test curves tables.

opies of the reprint, ADR 81 be obtained free from the pany's sales offices or from the ces at 60 E. 42nd St., New k 17.


iler Tube Purchase Aid

data card, designed to help in purchase of welded carbon steel er tubing and cost estimation equipment using this material, been issued by Tubular Prod- s Division, Babcock & Wilcox

he card tabulates present prices 100 feet of electric-resistance- ded boiler tubing in various ntity brackets. Seventy-seven ular sizes are shown in the le.

Copies are available upon request the division sales offices at iance, O.

TWO MILLION WITHOUT A FAILURE!



parts: small connecting rods

alloy: "600" series metal, a high strength bearing bronze that contains no tin

quantity to date: over 2,000,000

number of failures: none

forged by: Mueller Brass Co.

advantages: no bearing insert is necessary on either the wrist pin or crankshaft end because each rod acts as its own bearing. Dense homogeneous grain structure, close dimensional tolerances and high mechanical properties often permit redesigning for weight savings as high as 15% to 25%. "600" alloys have low coefficient of friction, high resistance to corrosion and tensile strength 2½ times greater than cast phosphor bronzes.

uses: compressors, outboard motors, small high speed gasoline engines. Best results are obtained if they operate against hardened, ground and polished shafts.

"600" SERIES ROD is produced in standard 12-ft. mill lengths and a wide range of sizes and special shapes. This rod has a fine, uniform grain structure and the mechanical properties are rigidly controlled in the cold drawing process. Scrap loss is greatly reduced in machining operations because of the complete absence of defects. For complete information, write us today.



104

MUELLER BRASS CO.
PORT HURON 19, MICHIGAN

Don't Write Off the Blast Furnace

Successful application of oxygen-enriched air in blast furnace practice is effected by recognizing variations in raw material thermal requirements and adjustment in operating practice

Part IV

By CHARLES E. AGNEW
Consultant
Blast Furnace and Sintering Plant Operations
Cleveland

INTRODUCTION to United States Patent No. 2,593,257, which was issued to J. M. Bradley and H. J. Ogorzaly, Apr. 15, 1952, gives the following details concerning the invention:

"The present invention relates to improvements in blast furnace operation. More specifically, the invention relates to the use of oxygen-steam mixtures of air for the blast of blast furnaces used for the production of pig iron from its oxides."

Production of furnace gas containing high percentages of carbon monoxide and hydrogen which may be used for synthesis hydrocarbon processes, or for other commercial purposes, is the admitted purpose of the invention:

"In accordance with the present invention, the blast furnace is charged in a substantially conventional manner with iron oxides, carbonaceous solids and limestone. The carbonaceous material is charged in a substantially higher proportion relative to the weight of the iron oxide, than corresponds to conventional blast furnace practice. For example, the amount of carbonaceous material charged may be about 150 to 300 per cent or more by weight of the iron content of the charge assuming a high quality ore which would normally require a carbonaceous charge amounting to about 85 to 100 per cent by weight of the iron. Quite generally the carbonaceous charge in accordance with the invention may amount to about one and one-half to three times, or more, of that used in conventional blast furnace operations. The blast consists of a mixture of oxygen, preferably about 95 per cent pure, with steam in a ratio of about 0.5 to 2.0 molecules of oxygen per molecule of steam.

"The oxygen reacts at the tuyere level and slightly above with a portion of the carbon[4] to form CO. The heat released by this extremely exothermic reaction exceeds by far the amount of heat required to heat the charge to the reduction and melting temperatures required for efficient pig iron formation. This excess heat supports the endothermic reaction between the remainder of the carbon and the steam to form substantial amounts of H_2 and additional CO. Thus an excess of reducing gases is formed over and above that required for iron oxide reduction and a gas rich in CO and H_2 enters the upper and cooler portions of the charge."

Includes Iron Oxide Addition — The remainder of the patent specifications describes the conception of using iron oxide in the top of the furnace as a catalyst for the production of hydrocarbons, and combining the production of pig iron with the production of gas to be used for other special purposes:

"It will be appreciated that this technique combines synthesis gas generation, hydrocarbon synthesis and pig iron production in one vessel, and since catalyst poisoning can be tolerated, it eliminates the necessity for apparatus to remove the sulphurous compounds in the gas and at the same time elim ates the energy losses attend with such purification steps. Th fore, instead of having a steel c pany pay for a blast furnace make pig iron and an oil comp pay for equipment to produce bon monoxide and hydrogen, purify it, and to synthesize hy carbons from the purified gas, invention permits all this to be complished in a single piece equipment. Even if the blast nace is so operated that hydro bon synthesis does not take p in the blast furnace, both hydro bon synthesis gas and pig iron be produced in only one vessel."

With all due respect to the cerity of belief in benefits expe from union of the two operati the inevitable ill-effects to pig production reactions, and to cost of production, which woul company such union appear preclude any possibility of ei technical or commercial suc with practical application of conception.

Ignores Certain Reactions— cifically, the presentation of t mochemical reactions, which o in blast furnace operation, as scribed in the patent specificat are confined to iron oxide redu only, with total disregard fo the other reactions of raw mat preparation and smelting, w are just as necessary but mor ficult to effect than reductio iron oxide.

Because of the complex natu the various thermal, chemical mechanical reactions effecte blast furnace operation, it is cult to conceive their succe

[4] This probably is a typographical error because it has been proved that C at tuyere level is first burned to CO_2 and then reverts to CO.

Lee Wilson

ANNEALING FURNACE DATA SHEET
NUMBER EIGHT

PORTABLE BASE
SINGLE-STACK

Lee Wilson

ANNEALING FURNACE DATA SHEET
NUMBER SEVEN

PORTABLE BASE
SINGLE STACK

Lee Wilson

ANNEALING FURNACE DATA SHEET
NUMBER SIX

BASIC ADVANTAGES OF LEE WILSON SINGLE-STACK PORTABLE BASE FURNACES:
1 BETTER QUALITY 4 LOWER FIRST COST
2 HIGHER PRO

Lee Wilson

ANNEALING FURNACE DATA SHEET
NUMBER FIVE

Lee Wilson

ANNEALING FURNACE DATA SHEET
NUMBER FOUR

Lee Wilson

ANNEALING FURNACE DATA SHEET
NUMBER THREE

Wilson

ANNEALING FURNACE DATA SHEET
NUMBER TWO

Wilson

ANNEALING FURNACE DATA SHEET
NUMBER ONE

BASIC ADVANTAGES OF LEE WILSON SINGLE-STACK PORTABLE BASE FURNACES:
1 BETTER QUALITY 4 LOWER FIRST COST
2 HIGHER PRODUCTION 5 LOWER
3 LOWER FUEL COSTS 6 LOW

-STACK PORTABLE BASE FURNACE IMPROVES PRODUCT QUA

design permits Single-Stack Portable Base Furnaces
a job of annealing unsurpassed by any other
od. The surfaces of coils in larger multiple-stack fur-
s are necessarily at varying distances from the heat
ce. Tube radiation is limited to but two sides of the
rge whether the tubes are along the walls or across
furnace between the coils. (See Figures 1 and 2.)

ORE UNIFORM HEATING AND COOLING

An ideal situation is to have the heat source a uniform
distance from the entire surface



Fig. 1

Here's news about the greatest advancement in steel coil annealing — the Lee Wilson Portable Base Single Stack Annealing System — in a collection of data sheets now ready for you.


LEE WILSON has developed the first truly portable base system that works. This has put an entirely new outlook on annealing quality, times and cost. With this system, expensive pits and base supporting structures are eliminated. Uniformity of metal structure never before accomplished is obtained—at speeds that make obsolete most existing equipment. And maintenance and operating costs are reduced.

During the past year, we told the story in monthly installments that created an active interest throughout the steel industry.

Now here's the whole story, neatly packaged for your files. So if steel strip coil annealing is a part of your operations, you'll want to have all of this information about the Lee Wilson Portable Base Single Stack Annealing System.

Lee Wilson

ANNEALING FURNACE
Data Sheets
№ 1 to № 8
SINGLE STACK • PORTABLE BASE
Furnaces



Lee Wilson

NEERING COMPANY, INC.
EST LAKE ROAD • CLEVELAND, OHIO
Telephone ED-1-6600
FURNACES ★ RADIANT TUBE HEATING ★ ANNEALING PROCESSES

Write Lee Wilson Engineering Company, Inc., 20005 West Lake Road, Cleveland 16, Ohio, and a copy will be sent to you immediately.

consummation in the orderly manner, which is necessary for successful furnace operation, if they are combined with reactions of another distinct operation which apparently are as complex as the furnace reactions.

Because of the relation of coke cost to total pig iron production cost the conception of deliberately reducing the ore/coke burden ratio to the low ratio recommended in the patent specifications, and acceptance of the inevitable increase in slag production, in order to produce more gas, is not reasonable economically.

Because of the limited heat volume (Btu) produced from coke carbon combustion in a blast furnace (approximately 1/3 the potential) it is difficult to conceive of sufficient gas credits to justify acceptance of the inevitable high fuel rate which would accompany the recommended ore/coke burden ratio.

Expectation of passing the excessive weight and volume of gas, which would be produced with the recommended ore/coke burden ratio, upward through the light burden stock column, without prohibitive losses in flue dust and sensible heat with gas leaving the furnace top, is not reasonable, mechanically.[3]

Reaction at the tuyeres of the oxygen-steam blast, and dissociation of steam, described in the patent specifications, conforms to the proved principles of that reaction but they are not complete in description of ultimate thermal effects upon furnace operation.

How Carbon Reacts—As previously described, carbon at the tuyeres is first burned to CO_2 an exothermic reaction generating 14,580 Btu/lb C, which then reverts to CO, an endothermic reaction consuming 10,210 Btu and leaving 4370 Btu/lb C available to the furnace. Dissociation of water vapor (H_2O) consumes 2868 Btu/lb H_2O[3]. The patent specifications imply that the consumption of heat for steam dissociation is supplied from the CO_2 division of the combustion reaction, but actually, so far as thermal effect upon furnace operation is concerned, it lessens the Btu available to the furnace after reversion of CO_2 to CO.

As described in the patent specifications, H_2 and CO are formed with H_2O dissociation, thus increasing iron oxide reducing capacity. However, since every blast furnace operation generates CO in excess of its iron oxide reducing needs any addition to it would not have value in the furnace operation. Consumption of heat for the dissociation of water vapor contained in natural air or added to blast as steam, reduces the amount of heat available to the hearth. Since each pound of H_2O delivered to the furnace consumes 2868 Btu for dissociation the pounds of coke consumed per ton of iron for effecting the reaction can be calculated for any given blowing rate and coke of known fixed carbon content. In normal natural air furnace operations the detrimental thermal effect from dissociation of the variable water vapor content of natural air can be counter-acted with use of blast temperature so long as the amount of vapor to be dissociated does not exceed the reserve blast heating capacity. However, the deliberate increase of water vap content to the degree recommend in the Bradley specifications wou be beyond the capacity of bla heat to counter-act and would i stitute a direct charge agair thermal economy. Since the d sociation reaction does not conf any benefit to furnace operati the cost of coke consumed in effe ing it would be a direct char against pig iron production cost.

Assuming some of the heat co sumed for H_2O dissociation is r turned to the furnace in the sha with reassociation there of the w ter vapor components (H_2 and C it could not confer benefit to fu nace operation because inevitab the delivery of heat from the bo to the shaft by the great weight gas produced with the light or coke burden would be far in exce of the shaft operation needs; co sequently, any heat restored fro the reassociation of water vap components would not only be de rimental to shaft operation b would add to the loss of sensib heat with top gas.

Viewpoints are Compared—T manner in which occupation inf ences thought is well illustrated comparison of viewpoints and pu poses in the Bradley patent and United States Patent No. 783,0 issued to J. E. Johnson, in 19 The Bradley patentees are engag in the oil refining industry and viously look upon blast furnace g as a new source of hydrocarbo which is their major interest. serve that interest they propose increase the CO, and H_2, conte of gas leaving the furnace witho giving proper consideration to fects from it upon the fuel rate quired for the production of p iron, or other ill-effects to furna operation.

Johnson, who was a blast fu nace operator, looked upon the p duction of pig iron with the low possible fuel rate as his major terest. In his patent specificati he conceived a means for filling furnace in a manner which wo keep the hot bosh gas, rich in C away from contact with coke in shaft and force it to pass throu ore and stone only. With t means he visualized a reduction the fuel rate by consuming tually all the CO contained in




Production Dry Cleaning

Shown above is a section of the Cottrell precipitation plant at the Copper Cliff, Ont., smelter operated by International Nickel Co. Inc. Dust, containing small amounts of nickel and copper, is recovered at a rate of hundreds of tons daily and turned back into production. The 550-foot stack is one of two that height at Copper Cliff

[3] "Use of Carbon in the Blast Furnace and Heat Balances." by T. L. Joseph and Kurt Neustaetter, *Blast Furnace and Steel Plant*, July 1947.

holding hydraulic fluid temperatures in check

in this new 1000 ton Lake Erie die casting machine



. . . 2 ROSS EXCHANGERS*

By "stepping up hourly production 15% to 25%" — this new Lake Erie 1000 ton Cold Chamber Die Casting Machine is reportedly setting new standards for low finished-casting costs.

To hold hydraulic fluid temperatures in check under all conditions — *to prevent overheating* — Lake Erie Engineering Corp. furnishes 2 Ross Exchangers: One serving the 1000 lb. pumping system at the die closing end (left, above) and the other serving the 2000 lb. pumping system at the shot end (indicated on right). *No lost capacity through pump slippage here!*

The same features that make Ross Type BCF Exchangers the choice for Lake Erie die casting machines make them the choice for hydraulic machinery of other leading manufacturers: Ruggedness . . . durable all-copper and copper alloy construction . . . a large selection of pre-engineered, fully standardized designs to meet most requirements.

For more facts, request Bulletin 1.1K5.

KEWANEE-ROSS CORPORATION
DIVISION OF AMERICAN RADIATOR & STANDARD SANITARY CORPORATION
1431 WEST AVENUE • BUFFALO 13, N. Y.
In Canada: Kewanee-Ross of Canada Limited, Toronto 5, Ont.



KEWANEE-ROSS PRODUCTS

home and industry: AMERICAN-STANDARD • AMERICAN BLOWER • CHURCH SEATS & WALL TILE • DETROIT CONTROLS • KEWANEE BOILERS • ROSS EXCHANGERS

P&H OVERHEAD CRANES



Only P&H BUILDS

COMPLETE ELECTRICAL EQUIPMENT

— designed specifically for Crane Service

You'll find a big difference in the crane electrical equipment built by P&H and that assembled from various sources. P&H designs it specifically for the severity of crane service. General purpose motors are not used. P&H has learned how to build crane motors through more than 50 years!

You'll find a big difference in performance—the entire crane is designed and built as a coordinated unit. P&H understands how to give you the utmost in faithful performance.

And you'll find a big difference in service when you need it. For only in this way can you put *all* the responsibility in the hands of *one dependable source*. There's no buck-passing among suppliers—no confusion or delays. P&H service is complete—reliable—alert. It will save you time and money. It's good reason for insisting upon P&H equipment throughout.

P&H ***MAGNETORQUE*®** **AC Crane Control** . . . an exclusive P&H development which provides speed-load characteristics not excelled by any other type of control. You should have all the facts about it. Write us.

P&H OVERHEAD CRANE DIVISION

HARNISCHFEGER CORPORATION

Milwaukee 46, Wisconsin

the P&H *Line*



as for the reduction of iron thus greatly increasing the ntent in top gas leaving the e. Since the top gas then have virtually no calorific he proposed to use oxygen blast to increase the heat ation at the tuyeres as com- ion for the loss of blast heat se there would not be any stible gas available for heat- oves.

e Johnson's conception oc- l long before the U. S. Bureau nes research proved the coke n combustion reactions at the s his misconception of pos- ies there is understandable. nportance of the observation t in 1905, when the cost of was relatively low in com- n with iron-bearing mate- production of pig iron with west possible fuel rate was an of primary interest to the furnace operator. In 1952 interest is magnified because ost of coke is now relatively in comparison with iron-bear- naterials.

tus of Credits — Monetary ts from by-products processed ately from furnace operation lways most acceptable but the erate increase of by-product uction within the furnace is acceptable.

cause of the obvious ill-effects rnace operation from an op- ng conception embodied in the ley patent specifications, the f oxygen in the manner advo- could not have practical val- r pig iron production.


ecifications and claims in Unit- ates patent No. 2,602,027, is- to B. S. Old, July 1, 1952, are upon the use of oxygen-en- d blast in conjunction with top pressure furnace opera- wherein the psi top pressure sed to control gas velocity gh the furnace to a prescribed of linear feet per second. ns are based upon the use of containing oxygen in a range oximating 25 to 40 per cent en by volume. Obviously, the of oxygen in the percentage e cited would have the same upon the stock travel rate, consequently would effect sim- operating phenomenon, as de- ed in the Totzek operation.

High-top pressure operation would not alter the basic principles which govern coke carbon combustion at the tuyeres. Whether or not it has any effect upon the heat absorption rate of stock is open to question. It does not change thermal requirements for preparation of raw materials for smelting, or for the smelting. With a check in the gas velocity through the furnace less flue dust will be produced. To the extent of this reduction the ore/coke burden ratio is increased, with ability to carry the increase being determined by the capacity of the shaft to prepare more stock and the capacity of the bosh and hearth to smelt more prepared material.

Using this statement of operating principles as a premise it is reasonable to say that pressure operation cannot change the effects from the use of oxygen-enriched air compared to like effects with the use of natural air; therefore, the use of oxygen with high-top pressure, in the oxygen percentage range specified, would have the same effect as described for the Totzek operation.

Analysis on Negative Side—The foregoing analysis of patent specification theories is negative insofar as indicating any method favorable to the successful use of oxygen-enriched blast. The fact that there has been no publication of data proving the success from the experimental tests which have been made at full scale furnace operations in the United States and in Europe, is cited as supporting the correctiveness of the analysis.

Thermochemical reactions of blast furnace operation are many, each having their respective requirements of heat volume (Btu) and temperature (Btu concentration). Despite this proved truth all the theories analyzed overstress the relative importance of the iron oxide reduction reaction and entirely disregard all other reactions which also must be effected with iron oxide reduction in a blast furnace. All of them emphasize effects of oxygen enrichment upon heat generation but none give consideration to the means for heat distribution, or to change in the means for heat distribution when oxygen-enriched air is substituted



There's MONEY in the air!

In the average plant, materials handling accounts for 20% of the total cost of the product. How about your operation? Are skilled workers wasting your time and money being load-lifters? There's a better way —

Handle it "thru-the-air" FASTER—FOR LESS!


P&H can help you cut costs, with swift, safe movement of loads above floor congestion. There's a P&H Electric Hoist to suit your needs exactly; the Zip-Lift for loads up to 1 ton—the Hevi-Lift for loads up to 15 tons—available with hook, jib or trolley mounting. A P&H representative can show you where and how to save money.

Call your P&H Dealer

P&H ELECTRIC HOIST DIVISION

HARNISCHFEGER CORPORATION

MILWAUKEE 46, WISCONSIN




Sheet Metal Fabrication

BY KIRK AND BLUM




Contract Manufacturing Facilities



Whatever your requirements in sheet, plate and alloy fabrication, Kirk & Blum can produce for you . . . economically and quickly.

Complete facilities to ½" capacity for square and rotary shearing, braking, forming, rolling, punching, riveting, welding, grinding, drilling, and finishing sheets and light plates and structurals. For complete details, write for literature on fabrication facilities and experience or send prints to:

The KIRK & BLUM MANUFACTURING CO.
3226 Forrer Street Cincinnati 9, Ohio



- Tanks
- Spare Parts Boxes
- Panel Boards
- Machine Bases, Pedestals and Frames
- Hoppers
- Electrical Enclosures
- Guards
- Rolled Steel Rings
- Racks ● Pans
- Stampings
- Louvre Panels
- Cabinets

Write for NEW BULLETIN

This 40 page comprehensive booklet shows typical examples of Kirk & Blum fabrication, complete facilities of plant and equipment for jobs ranging from one unit to thousands.



KIRK AND BLUM
METAL FABRICATION



Cooling off a Hot Spot

Cleveland Works, Jones & Laug Steel Corp., used a crane cab co to cut cab temperatures from 15 to 80-85° in summer; 68-72° in ter. The Dravo Corp. cooler i split type because of limited space the overhead bridge. Conditio filters air, reduces fumes and h or cools cab to the operator's n

for natural air, or to the vital r for equitable division of heat ume between the low-tempera reactions of raw material prep tion and the high-temperature actions of smelting. None of t recognize or give consideratio the vital relationship between rates of heat generation, s travel, and heat absorption by stock. When consideration is en to these features of furnace eration it becomes readily appa that the successful use of oxy enriched air for the blast is tingent upon the use of percent of enrichment which can facil the application of basic blast nace operating principles wit distortion to the vital relations between the numerous neces reactions embodied in those ciples.

Specifically, authoritative search has isolated the zone the furnace where the respe reactions occur, and has n ured the respective heat vol and temperatures necessary t fect them. Because of these pr facts it should be obvious tha successful use of oxygen-enri air for blast furnace operati




Read why you should buy your special steels from Jessop

Basically there are two reasons—good quality and good service. Because Jessop is a fine name in special steels dating back to 1724, you might expect it to be covered with moss, but it isn't. Jessop is a youthful, eager team with a keen desire to produce for you better steels at a better delivery schedule than you have ever known before. Take saw steels, for example. Jessop is in the process of greatly expanding and improving its facilities in this field. It is doing so in the name of better service, but it will need more customers to keep its equipment busy. This urgency will become your profit if you order your saw steels from Jessop now. One more thing. If you are now a customer of Jessop you will agree with the statements made herein. If you are not, and have some doubts, just ask a Jessop customer. *He'll vouch for the things we say.*

HIGH SPEED STEELS • HIGH SPEED BITS • PRECISION GROUND FLAT STOCK • HIGH SPEED AND ALLOY SAW STEELS • HOT WORK DIE STEELS • COLD WORK DIE STEELS • CARBON AND ALLOY STEELS • STAINLESS AND HEAT RESISTING STEELS • VALVE STEELS • STAINLESS-CLAD STEELS • CAST-TO-SHAPE STEELS • COMPOSITE TOOL STEELS • ARMOR PLATE

JESSOP

STEEL COMPANY · WASHINGTON, PENNSYLVANIA



AUTOMATIC PLATING IN A JOB SHOP?

"I'LL SAY SO! WE'VE FOUND STEVENS EQUIPMENT ENABLES US TO TAKE ON ALMOST ANY JOB."

That's what Mr. Louis S. Morse, Jr., president of Detroit Plating Industries, says about Stevens machines used in his modern plating shop.

Detroit Plating Industries has four Stevens machines in operation. Three are full automatic rack type, and one is a Stevens Automatic Barrel machine. With this equipment, Detroit Plating Industries get precise control of plate thickness – they handle a diversified group of products – and they can quickly shift from one order to the next.

Let Stevens show you how to up production . . . cut costs . . . in your job shop. Write FREDERIC B. STEVENS, INC., Detroit 16, Michigan.

FREDERIC B.
STEVENS
INCORPORATED
EVERYTHING FOR METAL FINIS
DETROIT 16, MICHIGA

BRANCHES: BUFFALO • CLEVELAND • INDIANAPOLIS • NEW HAVEN
IN CANADA: FREDERIC B. STEVENS OF CANADA, LTD., TORONTO • WINDS

STE

be consummated with a
e in furnace design but
gh the recognition of dif-
es in thermal requirements
ifferent classes of raw ma-
s, and through the adjust-
in operating practice meth-
n order to serve the different
al requirements in furnaces
esent design. By so doing the
d advantages of the present
n for serving basic operating
ples when using natural air,
e enhanced with the use of
en-enriched air, and overall
ting economy will benefit
by.

portance of Processing—Ob-
ly, the faster stock can be
ssed through the furnace the
er the production will be in
en unit of time. As actual
ation conclusively proves, the
ence in the rate of processing
een a theoretical ideal blow-
ate and a rate in excess of it
n will permit controlled opera-
does not exceed 5 to 10 per
With the excess blowing rate
crease in flue dust production
an increased loss of sensible
with top gas leaving the fur-
must be accepted. Although
e is always an economic limi-
on to the acceptance of these
es they are incidental to the
c limitation caused by the re-
on between the stock travel rate
the stock heat absorption rate,
e beyond a critical point reduc-
in the burden/fuel ratio will
correct the fault; only a check
ne stock travel rate will suffice.

nce each 1 per cent substitu-
of oxygen for nitrogen in na-
l air blast increases the coke
on combustion at the tuyeres
ck travel) 4.34 per cent, a 2
cent addition of oxygen would
ease it 8.68 per cent. There-
, with the use of the theoreti-
ideal natural air blowing rate
2 per cent oxygen enrichment
production advantage from
imum possible stock travel,
rwise obtained only with a rate
xcess of the theoretical ideal,
be had without sacrifice in the
es of excess flue dust produc-
and in the excess sensible heat
with top gas disposal.


ecause of the limitation to
k travel rate as determined
stock heat absorption rate, an



IMPACT for Chucking

GREER ACCUMULATORS
deliver hydraulic SURGE on
multiple-spindle machines





Greer Accumulators deliver the hammer-like blow on the chuck jaws required to seize and release work on automatic multiple spindle machine tools. In the above simplified, schematic diagram the Greer Accumulator not only supplies power for actuating the chucks but also maintains line pressure for holding the work securely. A low-volume, high-pressure pump charges the accumulator during intervals between chucking. Without the accumulator, a pump to deliver the required surge of fluid would have to be so large and costly as to be economically impractical.

Let us help you to reduce the size, cost, and complexity of your equipment. No obligation. Write or phone.

Functions Performed by
GREER ACCUMULATORS


1. PRESSURE STORAGE CHAMBER to provide
   a. Main source of hydraulic power.
   b. Auxiliary power source.
   c. Emergency power source.
2. PRESSURE-VOLUME COMPENSATOR for
   a. Leakage compensation.
   b. Temperature compensation.
3. DISPENSER OF FLUIDS and Lubricants.
4. TRANSFER BARRIER for Fluids and Gases.
5. SHOCK ABSORBER to
   a. Absorb line shocks.
   b. Reduce pump pulsations.

GREER
ACCUMULATORS
U. S. PATENTS UNDER OLEAR LICENSES

Greer Hydraulics, Inc.
450 18th Street,
Brooklyn 15, N. Y.


Sales Representatives in Principal Cities
District Offices: 407 So. Dearborn St., Chicago 5 • 2832 E. Grand Blvd., Detroit 11
Manufactured and distributed under license in Great Britain by Finney Presses Ltd., Berkeley St., Birmingham 1, England.

They're "pay-off" wheels for the grinding department!



SIMONDS ABRASIVE CO.

Grinding Wheels







Better output . . . bigger "take-home"! That's the "cause-and-effect" performance of Simond's wheels! *Everything* that goes into their making . . . materials, engineering skill, accuracy of specifications . . . assures you of wheels that withstand the test of production grinding, give micro-inch finishes, fast stock removal, cool sharpening and superior polishing. Complete line has everything you need.

Write for data book and name of your nearest distributor.

SIMONDS ABRASIVE CO., PHILADELPHIA 37, PA. BRANCH WAREHOUSES: CHICAGO, DETROIT, BOSTON

DISTRIBUTORS IN PRINCIPAL CITIES

Division of Simonds Saw and Steel Co., Fitchburg, Mass. Other Simonds Companies: Simonds Steel Mills, Lockport, N. Y., Simonds Canada Saw Co, Ltd., Montreal, Que. and Simonds Canada Abrasive Co., Ltd., Arvida, Que.



Solution for Light Meta

Heat treating installation made Lanly Co., Cleveland, can be bro to 980°F operating temperatur 15 minutes, quenched in 8 seco Work in the vertical aluminum e sion solution furnace is attache a special cat head. Electric raises and lowers the charge. C city reaches 700 pounds per ch

oxygen enrichment of 2 per ce the approximate limit which be used with the ideal natura blowing rate. However, by creasing the natural air blo rate substantially below the rate and enriching the decr rate with oxygen to the proper centage, the maximum po stock travel rate can be reta with a reduction in the weig gas produced, a reduction in loss of sensible heat with to disposal, and an increase in raw material preparation cap because of reduction in gas w and volume to be handled th the shaft and increased opp nity for heat recovery from gas.

Amount of Blast Requi Weight of natural air blas quired to produce a ton of pi varies with the character o materials used but it will a be 45 per cent or more of the weight of materials charge the furnace, and the weight produced with it will alwa 65 per cent or more of the weight of materials disch from the furnace. The adva

erating economy from the re-
on in those weights, when they
e effected without sacrifice of
ction, are obvious. The rather
ion belief that certain air and
olumes are necessary in order
ld the stock column in some
e of suspension is fallacious
se of the frequently proved
with slow blowing practice
g the business depression of
1930's when many furnaces
successfully operated on one-
to three-fourths of their norm-
owing rates. With the reduced
ing rates the burden ratios
ed were as heavy and some-
s heavier, as with the normal
ing rates. Generally, the fuel
were lower. Thus the degree
ock suspension, which accom-
es fast blowing rates, is a con-
n which can be accepted with-
injury but it is not a necessity.

uring the past quarter century
etion of the better grades of
ral raw materials (Lake ores
good coking coals) in the
ted States has forced wide-
ad adoption of an operating
tice which, although effective
increasing production, is un-
rable to operating and thermal
omy.

last furnace operators with 20
rs or more experience can re-
nber when it was the rule, not
exception, to carry ore-coke
den ratios of 10 to 15 points
her than are carried at present.
o decades ago the ratio to each
er of slag forming constituents
nost Lake ore burdens permitted
formation of slag having chem-
composition not far from the
oretical ideal—SiO_2 35.00, Al_2O_3
00, CaO 42.00, and MgO 5.00 per
t. Tapping slag having the
mical composition cited will
e mineral composition in its
pective stages of formation
ich causes a relationship of
rmal conditions in the hearth
l bosh (development of temper-
ire head) which is favorable to
smelting reactions and there-
e permits carrying the burden
ios cited. The truth of this
tement may be verified at any
nace plant where past practice
ta are available for reference.

Resorts to Blending—With de-
etion of the better grades of
ke ores the lower grade ores

DIFFERENTIALS by

FAIRFIELD



—a plus value in any product!

ROAD GRADERS . . . Lift Trucks . . . Power Shovels . . . Tractors . . . Street Sweepers . . . Road Rollers . . . Trucks and Buses all benefit from Fairfield's 34 years of specialized experience in building complete *differential gear units* for powered vehicles.


If you use DIFFERENTIALS in the product you build, we believe it will pay you as it has others to check with Fairfield on all of your requirements. Fairfield offers (1) Mass Production Economy, (2) Unexcelled Quality, (3) Dependable Service, (4) Expert Engineering Recommendations. YOUR INQUIRY WILL RECEIVE PROMPT ATTENTION. *Send for illustrated brochure, describing Fairfield's facilities.*



FAIRFIELD MANUFACTURING CO.

For FINE GEARS

2313 South Concord Road, Lafayette, Indiana



Power Booster for Consolidated Edison

Worthington Co., Harrison, N. J., is constructing this steam condenser to serve a 180,000-kw turbine generator Consolidated Edison operates at its East river station in New York. In this type of installation, a generator exhausting to the 125,000-sq ft condenser produces about 35 per cent more power

have been blended with better grades, or beneficiated through various means, in order to maintain a desirable iron content. Consequently, over the last quarter century, the iron content of ore shipped has not changed greatly but since equal consideration has not been given to the ratio of slag forming constituents contained in the ores, the chemical and mineral composition of slag produced in the furnace operation has progressively varied farther from the ideal composition. With the change in slag composition the relationship between thermal conditions created in the bosh and hearth are not as favorable to the smelting reactions as the ideal conditions; consequently, less burden can be carried. As previously mentioned, present ore/coke ratios of 10 to 15 points less than formerly carried are common. To compensate for the necessary use of lower burden ratios the practice of faster blowing has been generally adopted in order to increase stock travel through the furnace and so maintain desirable production rates.

As described, the advantage of the ideal slag composition is reflected in the thermal conditions which accompany it, or are created in the furnace with it. Where the beneficiation of low-grade ore to a chemical composition, which will permit the formation of slag to give the preferred thermal relationships, cannot be justified because of limitations of beneficiation processes and/or monetary cost, it is obvious if the ideal thermal conditions can be created through other means that the ideal slag chemical composition is not a necessity. Therefore, the ability to carry the 10 to 15 points of burden which has been lost with the deterioration of the ore-chemical composition, can be restored, with a proportionate increase in iron production and reduction in the fuel rate. It is this phase of furnace operation which appears to offer the best opportunity for the successful use of oxygen-enriched air.[5]

Theory, based upon proved practice phenomenon, indicates that the several factors of furnace operation involved in the problem, such as stock travel, heat transfer, r eral composition of slag, equit division and consumption of volume, and ratio of prepara to smelting capacities, as effe with the use of oxygen-enri air, can be corrrelated without flicting with basic principles blast furnace operation.

Applicable to All Ores—Cha in chemical composition of I ores of the United States been used for illustration but principles involved would a with equal force to European or to ores from any other sourc

Since heat is the agent w effects all thermochemical react of blast furnace operation any templated change in furnace de must recognize and consider basic advantage to thermal nomy which is embodied in th stage principle of operation, the furnace design which favo

Since reactions of the raw terial preparation stage ca effected at temperatures lower are required for the smelting reactions, they are effected substantial degree by waste salvaged from the smelting which otherwise would be lo the atmosphere through radia Any change from this basic vantage is a backward step in u nace design and should serv a warning to American ironma not to tinker with the necessar lationship between raw ma preparation and smelting c ities.


Machine Line Expanded

Announcement is made of new automatic machines add its line by Warner & Swasey Cleveland.

Small six-spindle automatic chine will be furnished only bar machine according to pr plans. Basic principles of the line of five-spindle machine incorporated in the new d Standard attachments for th chine will also be available

Second of the new machines is 2-AC single spindle chucking Its design is based on that 1-AC single spindle automati as the number implies, it will a larger capacity. New m will take either a 10 or 1 chuck.

[5] Application for patent has been filed covering means for correlating blast furnace reactions with the use of oxygen-enriched air.



National Bearing Castings Help Cool "Cat" Engines

National Bearing Division's foundry skill permitted a new design in pump efficiency and compactness.

This extremely compact 170 horsepower Marine Diesel Engine, with special coolant pump, is a new design in efficiency by Caterpillar Tractor Co., Peoria, Illinois, makers of famous "Caterpillar" Diesel Engines, Tractors, Motor Graders, and Earthmoving Equipment.

Unusual size restrictions were specified in the coolant pump housing. It had to be of tough, durable bronze, highly resistant to corrosion by raw sea water, and painstakingly cast as the housing component for a very compact coolant pump, capable of delivering 100 gallons per minute. The housing casting design was unusually intricate, with wall thicknesses exactly ¼" in some areas, 7/32" in others. The mold for each casting required *14 cores*—all perfectly positioned, as the slightest misalignment would be ruinous. And, housings had to be cast to minimize machining.

"Caterpillar" selected National Bearing Division to provide these special bronze pump housings. We were chosen for proven ability to produce top quality castings, our unique core facilities, and our experience in applying over 50 years of specialization to customers' problems.

Our bronze pump housing castings met—and continue to meet — "Caterpillar's" specifications for quality, tolerance, and minimum machining in every respect.

If your product includes copper, bronze, or other copper-base castings, it will be worth your while to investigate National Bearing Division. We produce copper-base castings, large or small, with any degree of finish, to precision specifications. And, because we are set up for production runs, we can probably save you dollars.

Write to National Bearing Division for complete information and your copy of our catalog.

Brake Shoe

NATIONAL BEARING DIVISION

4925 Manchester Avenue • St. Louis 10, Mo.

PLANTS IN: ST. LOUIS, MO. • MEADVILLE, PA. • NILES, OHIO • PORTSMOUTH, VA. • ST. PAUL, MINN. • CHICAGO, ILL.

No Edge Preparation

Fillet and butt joints, square without edge, are welded by manual hidden arc

WATER TANK dimensions that precluded indoor assembly proved an opportunity for demonstrating the merit of hidden arc welding without edge preparation when Optenberg Iron Works moved the job outside. The tank is 17 feet 4 inches diameter, 11 feet 9 inches high, one of three nonpressure types Wisconsin Power & Light Co. will use for storing distilled water at its Edgewater Power station in Sheboygan.

After various sections were formed they were joined by tack welding, then placed on rolls to permit downhand welding of all joints on top or inside the tank.

A 400-amp welding generator stationed on the ground near the tank served the dual purpose of providing power for preliminary tack welding and subsequent shielded arc seam welding.

No Edge Preparation—Steel used in the tank is SAE 1020—the bottom head ½-inch thick, shell and top ⅜-inch. Fillet and butt joints were square without edge preparation, welded from both sides with Lincoln Electric equipment.

High current density makes a penetrating arc that left all welds with complete penetration. Outside bead seams were welded first. Design that permitted a 5/16-inch fillet weld on both sides made joint preparation unnecessary. Head diameter was larger than circumference of the shell.

Interior Procedure—To weld the inside head seams, workmen lowered a complete welding unit through a manhole to the tank interior. One man handled the equipment, another acted as operator as the tank turned through the rolls at 20 ipm. They worked in 5-foot stretches, the operator simply holding his gun and moving along as the tank turned. At the end of each 5-foot stretch, work stopped while the operator moved up for another run. Shielded arc equipment rolled along the tank curvature and no difficulty was met from having the automa head at close range.

Center butt seam was welded a similar manner, except the side pass was made first beca of poor fit-up.

Stationary Positioning — Ha out of the tank, the welding u



HIDDEN ARC GOES OUTDOC
. . . tank turns at 20 ipm

was positioned on top, simply h ing from a gin pole. By layi ladder across the tank and se ing it to a supporting beam tank could roll in either direc while the operator sat on the der and remainded stationary.

Fillet welding rate reached t normal hand welding speed; seams on the shell were comp five times faster.

Air Press Hole Sizing

Mead Specialties Co., Chic reports Atlas Metal Stamping Philadelphia, has devised are fective method to size three ll in a gear box and cover plate ing two Mead model 122 a presses. First step in the o tion calls for placing the c plate or gear box in a regis position in a jig. Hardened bearings are then placed in re tive plate or box holes.

When ram decends, pins in upper half of the fixture forc balls through the holes, brin holes up to true diameter. drop into slots in the lower a of the fixture, ready for the cycle.

KRANE KAR CAN CLEAR LOW SHOP DOORS!

SWING-BOOM CRANE


VERSATILE YARD CRANE LIFTS, SWINGS, AND SPOTS MATERIALS— INDOORS AND OUTDOORS



Carrying Large Gear Through Shop Door at Bucyrus-Erie Plant, Hibbing, Minn.

1½, 2½, 5, 10, & 12½ Ton Cap.

Powerful, compact ***KRANE KAR*** moves materials through doors 8 ft. high, 8½ ft. wide! Amazingly flexible, reaches for loads behind stockpiles, over walls and sides of RR cars, below ground-level, more than 30 ft. high. Simultaneously travels, swings boom, raises/lowers load. Combined with many safety features, stability without stabilizers, superb traction on all types of terrain, ***KRANE KAR*** is the most economical Yard Crane you can buy. One manufacturer reports Monthly Savings of $478.03. *Ask for Bulletin No. 79A.*



Gas or diesel, 9 to 37 ft. booms or adjustable telescopic booms, pneumatic or solid rubber tires; clamshell buckets, electric magnets, all-weather cabs, and other accessories.

USERS: Republic Steel, American Steel & Wire, Carnegie-Illinois Steel, Lima Locomotive, Food Machinery, etc.

Pioneer Mfrs. of Heavy Duty Materials-Handling Equipment . . . LIFTRUK Fork Lift Trucks, KARRI-GO Front-Boom Cranes . . . Cranes for Motor Trucks . . . Capstans and Single and Double Drum Winches.

SILENT HOIST & CRANE CO. 849 63rd ST., BROOKLYN 20, N.Y.



You know his first concern is you...


CONFIDENCE is born in one look at the eyes... the set of the shoulders..."the cut of his jib". In a second, you *know* he's had years of training and weathered it well. You know you couldn't be in better hands... and if anyone can get you there, *he will.*

Yes, it takes years to build confidence like this, in any line. And the whole organization of Bristol Brass... young yet experienced... is keyed to keep the confidence that any promised shipment of Bristol Brass sheet, rod, or wire will get there at the promised time, if it's humanly and mechanically possible to do so. In fact, that's what "Bristol-Fashion" means... a term still in use that came to be first applied to the old clipper ships out of Bristol, England... always shipshape, correctly manifested, *and right on time.*


. . .

The BRISTOL BRASS CORPORATION, makers of Brass since 1850 in Bristol, Conn. Offices or warehouses in Boston, Chicago, Cleveland, Dayton, Detroit, Los Angeles, Milwaukee, New York, Philadelphia, Pittsburgh, Providence, Rochester.

"Bristol-Fashion" means **Brass at its Best**



"Stretching" Human Ribs for Better Surgery



*Another example of how Carpenter *Application Engineering Service is working for industry*

Look down a long hospital corridor late at night. A soft light gleams over the operating room. Inside, skilled hands, working with modern instruments, are prolonging another life. And one of the instruments often in use is a rib spreader . . . employed to separate ribs in the human body during a chest operation. A vital part of the spreader is the rack that supports the two jaws. It must have strength to remain rigid when the patient breathes heavily under anaesthesia. Its finish must be bright, smooth, sanitary. Above all, it must be *available* to meet the needs of many hospitals.

The manufacturer first tried an ordinary Type 416 Stainless Steel to make the rack. But because of difficulties in machining, he couldn't produce the spreader fast enough to fill critical orders. Here is how Carpenter **A**pplication **E**ngineering **S**ervice paid off. Carpenter Stainless No. 5, Type 416, was recommended . . . a *free-machining* Stainless invented by Carpenter some years ago. With No. 5 the manufacturer stepped up production *25%* and obtained more uniform hardening qualities in heat treatment.

Here is just one more case wherein industry has found a way to make better products and hold down costs . . . with the help of Carpenter **A**pplication **E**ngineering **S**ervice. A.E.S. is yours to profit by when you do business with Carpenter. THE CARPENTER STEEL CO., 139 W. Bern St., Reading, Pa.

Carpenter STEEL

Tool, Alloy and Stainless Steels

Pioneering in Improved Tool, Alloy and Stainless Steels Through Continuing Research

The Market Outlook

DEMAND for steel, as a whole, is strong, but there are some exceptions worth watching. It's impossible to say now whether they are merely isloated instances and temporary or whether they are forerunners of things to come.

WATCH WAREHOUSES—Segment of the steel business where they are most in evidence is the warehouses. While they haven't been able to get as much steel as they would like, they have fared pretty well under the government's Controlled Materials Plan. Also, with warehouse prices for steel being higher than mill prices, some mill quantity buyers who have been going to warehouses for additional supplies are calling there less frequently. Now, Boston warehouses are not placing orders to extent of their allotments on some products, including small cold-finished bars, strip, light plate and wire, and a wider range of alloys. On more and more products, inventories of Boston warehouses are coming into balance.

In the New York area, warehouses are taking in an increasing volume of steel.

INVENTORY-CONSCIOUS—At St. Louis, warehouse inventories, now estimated at 60 per cent of capacity tonnagewise, are the best rounded since World War II. Deliveries from mills are improving, while demand at warehouses is softening. Warehousemen and consumers are watching inventories.

In the San Francisco area, warehouse stocks, although far below normal, are in better balance than they were.

In Seattle, warehouse competition is increasingly keen. Although inventories are unbalanced they are building up.

SHUTS SHOP—Reflecting the improved position of warehouses, the National Production Authority's warehouse section closed.

As warehouses' needs of steel become filled, the pressure on mills will lessen and steel for other buyers will be more readily available.

Among the things to watch is a slackening of demand in the Boston area for large diameter bars. They have been in exceptionally tight supply, largely because of the shell program.

STEADY—While demand for structural steel still exceeds supply, the Pittsburgh area is experiencing no appreciable increase in tonnage inquiries for that product. In the Boston area, structural fabricating shops are increasingly successful in obtaining fill-in sizes of structurals from premium price mills, warehouses or importers.


For some time, tin plate has been in adequate supply, and can makers don't think they'll need much more of this product than they have been taking. Giving tin plate strong competition as a canmaking material are glass and plastic materials.

BIG PUSH—In contrast to the instances of market softening is the continued heavy push from the automobile industry for steel. Also exerting substantial pressure are the appliance and farm equipment industries. As a result, demand for the light forms of steel, particularly cold-rolled carbon sheets, exceeds the big supply rolling off mills. Everyone's watching the automobile industry for a clue as to how long there'll be a heavy demand for steel. The auto industry is the master key to this secret.

INTERRUPTION—Delaying the day when steel supply will be in complete balance with demand, an interruption in steel production in the Pittsburgh area occurred last week. As a result, the national rate of production of steel for ingots and castings in the week ended Apr. 4 dropped from the preceding week's 101 per cent of capacity to 95 per cent, lowest level since the week ended Aug. 16 when the industry was recuperating from a strike.

The two-fisted blow in the Pittsburgh area was the shutdown of an open-hearth shop at U. S. Steel Corp.'s Homestead Works for inspection, and a strike on a railroad serving U. S. Steel plants. The open-hearth shop was closed Mar. 28 and will remain inoperative until the plant is determined safe to operate or repaired so it is safe.

NATIONAL STEELWORKS OPERATIONS



DISTRICT INGOT RATES

(Percentage of capacity engaged at leading production points)

	Week Ended Apr. 4	Change	Same Week 1952	Same Week 1951
Pittsburgh	76.5	—30*	103	101.5
Chicago	104.5†	— 1.5*	104	108.5
Mid-Atlantic	97	0	99	100.5
Youngstown	106	0	103	104
Wheeling	100.5†	0	100	96
Cleveland	99†	— 4	99	98.5
Buffalo	106.5	0	104	104
Birmingham	99	+ .5	102	100
New England	92†	+ 7	75	87
Cincinnati	97†	— 1	94	106
St. Louis	81	— 1	86.5	90.5
Detroit	107	— 2	107.5	103.5
Western	112	+ 3*	105	106
Estimated national rate	95	— 6	102	103

*Change from preceding week's revised rate.
†Estimated rates are based on Jan. 1, 1953 capacities; others on Jan. 1, 1952 capacities.
Weekly steelmaking capacity is estimated at 2,254,459 net tons in 1953; 2,077,040 tons in 1952; 1,999,034 tons in 1951.

The Metalworking Outlook—p. 51 Production-Engineering News—p. 101

Composite Market Averages

FINISHED STEEL PRICE INDEX: Bureau of Labor Statistics	Mar. 31 1953	Mar.24 1953	Month Ago	March Average
1947-1949=100)	130.7	130.7	130.6	130.7

AVERAGE PRICES (BUREAU OF LABOR STATISTICS)
Week Ended Mar. 31, 1953

Units are 100 lb except where otherwise noted below in parentheses. For complete description of products see insert following p. 28, STEEL, Sept. 8, 1952.

Rails	$3.775	Sheets, C.R. carbon	$5.275
Track spikes	6.650	Sheets, galv.	6.765
Track bolts	9.953	Strip, C.R., carbon	5.100
Tie plates	4.775	Strip, C.R. stainless (lb)	0.333
Joint bars	4.925	Pipe, black, buttweld (100 ft).	7.090
Plates, carbon	4.150	Pipe, galv., buttweld (100 ft).	8.778
Structural shapes	4.200	Boiler tubes (100 ft)	31.663
Bars, tool steel (lb)	1.576	Tin plate (100 lb base box)	8.950
Bars, 3120 alloy	6.685	Terne plate (100 lb base box).	7.750
Bars, stainless (lb)	0.153	Wire, carbon, merchant	6.075
Bars, carbon	4.100	Wire, fence, galv.	6.425
Bars, reinforcing	4.050	Nails (100 lb kegs)	7.410
Bars, C.F. carbon	5.925	Wire, barbed (80 rod spool)	5.880
Sheets, H.R. carbon	4.125	Woven wire fence (20 rod roll)	13.629

FINISHED PRICE INDEX, Weighted:
Calculated by STEEL*

	Apr. 2 1953	Week Ago	Month Ago	Year Ago	5 Yrs. Ago
Index (1935-39 av.=100)	181.31	181.31	181.31	171.92	135.91
Index in cents per lb.	4.912	4.912	4.912	4.657	3.682

ARITHMETICAL PRICE COMPOSITES:
Calculated by STEEL*

	Apr. 2 1953	Week Ago	Month Ago	Year Ago	5 Yrs. Ago
Finished Steel NT	$110.98	$110.98	$110.98	$106.32	$81.14
No. 2 Fdry, Pig Iron, GT	55.04	55.04	55.04	52.54	39.65
Basic Pig Iron, GT	54.66	54.66	54.66	52.16	39.18
Malleable Pig Iron, GT	55.77	55.77	55.77	53.27	40.26
Steelmaking Scrap, GT	43.75	44.17	45.00	43.00	40.42

* For explanation of weighted index see STEEL, Sept. 19, 1949, p. 54; of arithmetical price composite, STEEL, Sept. 1, 1952, p. 130.

Comparison of Prices

Comparative prices by districts, in cents per pound except as otherwise noted. Delivered prices based on nearest production point.

FINISHED MATERIALS	Apr. 2 1953	Week Ago	Month Ago	Year Ago	5 Yrs. Ago
Bars, H.R., Pittsburgh	3.95	3.95	3.95	3.70	2.90
Bars, H.R., Chicago	3.95	3.95	3.95	3.70	2.90
Bars, H.R., del Philadelphia	4.502	4.502	4.502	4.223	3.356
Bars, C.F., Pittsburgh	4.925	4.925	4.925	4.55	3.55
Shapes, Std., Pittsburgh	3.85	3.85	3.85	3.65	2.80
Shapes, Std., Chicago	3.85	3.85	3.85	3.65	2.80
Shapes, del., Philadelphia	4.13	4.13	4.13	3.918	2.968
Plates, Pittsburgh	3.90	3.90	3.90	3.70	2.95
Plates, Chicago	3.90	3.90	3.90	3.70	2.95
Plates, Coatesville, Pa.	4.35	4.35	4.35	4.15	3.45
Plates, Sparrows Point, Md.	3.90	3.90	3.90	3.70	2.95
Plates, Claymont, Del.	4.35	4.35	4.35	4.15	3.65
Sheets, H.R., Pittsburgh	3.775	3.775	3.775	3.60–75	2.80
Sheets, H.R., Chicago	3.775	3.775	3.775	3.60	2.80
Sheets, C.R., Pittsburgh	4.575	4.575	4.575	4.35	3.55
Sheets, C.R., Chicago	4.575	4.575	4.575	4.35	3.55
Sheets, C.R., Detroit	4.775	4.775	4.775	4.55	3.71
Sheets, Galv., Pittsburgh	5.075	5.075	5.075	4.80	3.95
Strip, H.R., Pitts.	3.975-4.225	3.975-4.225	3.975-4.225	3.75-4.00	3.05
Strip, H.R., Chicago	3.725	3.725	3.725	3.50	2.80
Strip, C.R., Pittsburgh	5.10-5.80	5.10-5.80	5.10-5.80	4.65-5.35	3.80
Strip, C.R., Chicago	5.35	5.35	5.35	4.90	3.65
Strip, C.R., Detroit	5.30-6.05	5.30-6.05	5.30-6.05	4.85-5.60	3.71
Wire, Basic, Pitts.	5.475-5.225	5.475-5.225	5.475-5.225	4.85-5.10	3.775
Nails, Wire, Pittsburgh	6.35	6.35	6.35	5.90-6.20	5.20
Tin plate, box, Pittsburgh	$8.95	$8.95	$8.95	$8.70	$6.70
SEMIFINISHED					
Billets, forging, Pitts. (NT)	$70.50	$70.50	$70.50	$66.00	$54.00
Wire rods, 7/32-⅜", Pitts.	4.425	4.425	4.425	4.10–30	3.175
PIG IRON, Gross Ton					
Bessemer, Pitts.	$55.50	$55.50	$55.50	$53.00	$40.996
Basic, Valley	54.50	54.50	54.50	52.00	39.00
Basic, del, Phila.	59.25	59.25	59.25	56.61	42.004
No. 2 Fdry, Pitts.	55.00	55.00	55.00	52.50	40.496
No. 2 Fdry, Chicago	55.00	55.00	55.00	52.50	39.00
No. 2 Fdry, Valley	55.00	55.00	55.00	52.50	39.50
No. 2 Fdry, del. Phila.	59.75	59.75	59.75	57.11	42,504
No. 2 Fdry, Birm.	51.38	51.38	51.38	48.88	37.88
No. 2 Fdry (Birm.) del. Cin.	58.93	58.93	58.93	55.49	42.23
Malleable, Valley	55.00	55.00	55.00	52.50	39.50
Malleable, Chicago	55.00	55.00	55.00	52.50	39.50
Charcoal, Lyles, Tenn.	68.50	68.50	68.50	66.00	55.00
Ferromanganese, Etna, Pa.	228.00	228.00	228.00	188.00	151.00*

* F.o.b. cars, Pittsburgh.

SCRAP, Gross Ton (including broker's commission)

No. 1 Heavy Melt, Pitts.	$44.00	$44.00	$44.00	$44.00	$40.25
No. 1 Heavy Melt, E. Pa.	44.50	46.00	48.50	42.50	39.00
No. 1 Heavy Melt, Chicago	42.75	42.50	42.50	42.50	39.00
No. 1 Heavy Melt, Valley	44.25	44.25	45.25	44.00	40.25
No. Heavy Melt, Cleve.	44.25	44.25	44.25	43.00	39.75
No. 1 Heavy Melt, Buffalo	47.00	47.00	42.75	43.00	43.00
Rails, Rerolling, Chicago	56.00	56.00	52.50	52.50	49.50
No. 1 Cast, Chicago	44.00	44.00	43.00	49.00†	66.00

† F.o.b. shipping point.

COKE, Net Ton

Beehive, Furn, Connlsvl.	$14.75	$14.75	$14.75	$14.75	$12.50
Beehive, Fdry, Connlsvl.	17.00	17.00	17.00	17.50	14.875
Oven Fdry, Chicago	24.50	24.50	24.50	23.00	19.25

PIG IRON

F.o.b. furnace prices as reported to STEEL. Minimum delivered are approximate and do not include 3% federal tax. Key to prod companies on pages 184-185.

PIG IRON, Gross Ton	Basic	No. 2 Foundry	Malle-able	Be m
Bethlehem,Pa. B2	$56.50	$57.00	$57.50	$5
NewYork, del.	....	60.78	61.28	
Newark, del.	59.52	60.02	60.52	6
Philadelphia, del.	59.25	59.75	60.25	6
Birmingham District				
AlabamaCity,Ala. R2	50.88	51.38	....	
Birmingham R2	50.88	51.38	....	
Birmingham S9	....	51.38	....	
Woodward,Ala. W15	50.88	51.38	....	
Cincinnati, del.	....	58.93	....	
Buffalo District				
Buffalo R2	54.50	55.00	55.50	
Buffalo H1	54.50	55.00	55.50	
Tonawanda,N.Y. W12	54.50	55.00	55.50	
No.Tonawanda,N.Y. T9	....	55.00	55.50	
Boston, del.	65.15	65.65	66.15	
Rochester,N.Y., del.	57.52	58.02	58.52	
Syracuse,N.Y., del.	58.62	59.12	59.62	
Chicago District				
Chicago I-3	54.50	55.00	55.00	5
Gary,Ind. U5	54.50	....	55.00	
IndianaHarbor,Ind. I-2	54.50	....	55.00	
So.Chicago,Ill. W14	54.50	55.00	55.00	
So.Chicago,Ill. Y1	54.50	55.00	55.00	
So.Chicago,Ill. U5	54.50	....	55.00	5
Milwaukee, del.	56.67	57.17	57.17	5
Muskegon,Mich., del.	....	61.30	61.30	
Cleveland District				
Cleveland A7	54.50	55.00	55.00	5
Cleveland R2	54.50	55.00	55.00	
Akron,O., del. from Cleve.	57.11	57.61	57.61	5
Lorain, O. N3	54.50	....	....	5
Duluth I-3	....	....	55.00	
Erie,Pa. I-3	54.50	55.00	55.00	5
Everett,Mass. E1	....	59.50	60.00	
Fontana,Calif. K1	60.50	61.00	....	
GraniteCity,Ill. G4	56.40	56.90	57.40	
St. Louis, del. (inc. tax)	57.15	57.65	58.15	
Ironton,Utah C11	54.50	55.00	....	
Geneva,Utah C11	54.50	55.00	....	
LoneStar, Tex. L6	50.50	*51.00	51.00	
Minnequa,Colo. C10	56.50	57.50	57.50	
Rockwood,Tenn. T3	....	....	58.50	
Pittsburgh District				
NevilleIsland,Pa. P6	....	55.00	55.00	5
Pitts.,N.&S. sides, Ambridge				
Aliquippa, del.	....	56.37	56.37	5
McKeesRocks, del.	....	56.04	56.04	5
Lawrenceville, Homestead,				
Wilmerding, Monaca, del.	....	56.66	56.66	5
Verona, Trafford, del.	....	57.19	57.19	5
Brackenridge, del.	....	57.45	57.45	5
Bessemer,Pa. U5	54.50	....	55.00	5
Clairton,Rankin,So.Duquesne,Pa. U5	54.50	....	....	
McKeesport,Pa. N3	54.50	....	....	5
Monessen,Pa. P7	56.50	....	....	
Sharpsville,Pa. S6	....	....	55.00	5
Steelton,Pa. B2	56.50	57.00	57.50	5
Swedeland,Pa. A3	58.50	59.00	59.50	6
Toledo,O. I-3	54.50	55.00	55.00	
Cincinnati, del.	59.97	60.47	....	
Troy,N.Y. R2	56.50	57.00	57.50	
Youngstown District				
Hubbard,O. Y1	54.50	55.00	55.00	
Youngstown Y1	54.50	55.00	55.00	
Youngstown U5	54.50	....	....	
Mansfield,O., del.	59.15	59.65	59.65	

*Low phos, southern grade.

PIG IRON DIFFERENTIALS

Silicon: Add 50 cents per ton for each 0.25% Si or percentage over base grade, 1.75-2.25%, except on low phos iron on whic is 1.75-2.00%.
Phosphorus: Deduct 38 cents per ton for P content of 0.70% an
Manganese: Add 50 cents per ton for each 0.50% manganese o or portion thereof.
Nickel: Under 0.50% no extra; 0.50-0.74%, incl., add $2 per t each additional 0.25%, add $1 per ton.

BLAST FURNACE SILVERY PIG IRON, Gross Ton
(Base 6.0-6.50% silicon; add $1.50 for each 0.5% Si)

Jackson,O. G2, J1	
Buffalo H1	

ELECTRIC FURNACE SILVERY PIG IRON, Gross Ton
(Base 14.01-14.50% silicon; add $1 for each 0.5% Si to 18%; each 0.5% Mn over 1%; $2 per gross ton premium for 0.045%

NiagaraFalls,N.Y. P15	
Keokuk,Iowa, Openhearth & Fdry, frt. allowed K2	
Keokuk, OH & Fdry., 12½ lb piglets, 16% Si, frt. allowed K2	
Wenatchee, Wash., OH & Fdry., frt. allowed K2	

CHARCOAL PIG IRON, Gross Ton
(Los phos semi-cold blast; differential charged for silicon ov base grade; also for hard chilling iron Nos. 5 & 6)

Lyles,Tenn. T3	

LOW PHOSPHORUS PIG IRON, Gross Ton

Cleveland, intermediate, A7	
Steelton,Pa. B2	
Philadelphia, delivered	
Troy,N.Y. R2	

(Material in this department is protected by copyright and its use in any form without permission is prohibited)

NONFERROUS METALS

(Cents per pound, carlots, except as otherwise noted)

mary Metals

r: Electrolytic 30.00c-34.50c, Conn. Val- Lake 33.25c, delivered; Foreign electro- del. 33.00c-36.50c.

Ingots: 85-5-5-5 (No. 115) 29.50c; -2 (No. 215) 41.75c; 80-10-10 (No. 305) c; No. 1 yellow (No. 405) 24.00c.

Prime western 11.00c; brass special c, intermediate 11.50c; East St. Louis; grade 12.35c, and special high grade c delivered.

: Common 13.30c; chemical 13.40c; cor- g, 13.40c, St. Louis.

ary Aluminum: 99% plus, ingots 20.50c, 19.50c. Base prices for 10,000 lb and Freight allowed on 500 lb or more but n excess of rate applicable on 30,000 lb rders.

dary Aluminum: Piston alloys 24.00- ; No. 12 foundry alloy (No. 2 grade) -24.00; steel deoxidizing grades, notch granulated or shot: Grade 1, 24.00-25.50; 2, 23.00-24.00; grade 3, 22.50-23.50; 4, 22.00-23.00.

esium: Commercially pure (99.8%) stand- ingots, 10,000 lb and over 27.00c, f.o.b. ort, Tex.

Grade A, prompt 118.50c-121.50c nom.

mony: American 99-99.8% and over but neeting specifications below 34.50c; 99.8% over (arsenic 0.05% max., other impuri- 0.1% max.) 35.00c; f.o.b. Laredo, Tex., bulk shipments.

el: Electrolytic cathodes, 99.9%, base sizes refinery, unpacked, 60.00c; 25-lb pigs, 6c; "XX" nickel shot, 63.65c; "F" nickel or ingots, for addition to cast iron, 60.00c. es include import duty.

cury: Open market, spot, New York, $199- per 76-lb flask.

llium-Copper: 3.75-4.25% Be, $37.72 per f contained beryllium, f.o.b. Reading, Pa.

nium: "Regular" straight or flat forms, el; special or patented shapes $2.15.

alt: 97.99%, $2.40 per lb for 500 lb (kegs); 2 per lb for 100 lb (case); $2.47 per lb r 100 lb.

: U. S. Treasury, $35 per ounce.

m: Open market, New York 85.25c per oz.

dium: $90-$93 per ounce from refineries.

adium: $23-$24 per troy ounce.

um: $175-$185 per troy ounce.

nium (sponge form): $5 per pound.

lled, Drawn, Extruded Products

COPPER AND BRASS

nts per pound, f.o.b. mill, effective Apr. 1953. Listings are lowest quotations.)

et: Copper 50.48; yellow brass 42.87; com- cial bronze, 95% 49.89; 90% 48.76; red s, 85% 47.11; 80% 45.99; best quality, 3; nickel silver, 18%, 59.84; phosphor- ze grade A, 5%, 70.49.

: Copper, hot-rolled 46.83; cold-drawn 8; yellow brass free cutting, 36.68; com- cial bronze 95% 49.58; 90% 48.45; red s 85%, 46.80; 80%, 45.68.

nless Tubing: Copper 50.42; yellow brass 3; commercial bronze, 90%, 51.32; red s, 85%, 49.92.

: Yellow brass 43.16; commercial bronze, , 50.18; 90%, 49.05; red brass, 85%, 0; 80%, 46.28; best quality brass, 44.72.

(Base prices, effective Apr. 1, 1953)

per Wire: Bare, soft, f.o.b. eastern mills, 000 lb lots, 37.46; 30,000 lb lots, 37.58; 38.08, Weatherproof, 100,000 lb, 37.85; 00 lb, 38.10; l.c.l., 38.60. Magnet wire 15,000 lb or more 43.93; l.c.l., 44.68.

ALUMINUM

(30,000 lb base; freight allowed on 500 lb or more, but not in excess of rate applicable on 30,000 lb c.l. orders, Effective Jan. 22, 1953.)

Sheets and Circles: 2s and 3s mill finish c.l.

Thickness Range Inches	Widths or Diameters, In., Inc.	Flat Sheet Base*	Coiled Sheet Base	Coiled Sheet Circle† Base
0.249-0.136	12-48	32.9	...	...
0.135-0.096	12-48	33.4	...	...
0.095-0.077	12-48	34.1	31.8	36.3
0.076-0.061	12-48	34.7	32.0	36.5
0.060-0.048	12-48	35.0	32.2	36.8
0.047-0.038	12-48	35.5	32.6	37.1
0.037-0.030	12-48	35.9	33.0	37.8
0.029-0.024	12-48	36.5	33.3	38.3
0.023-0.019	12-36	37.1	34.0	39.0
0.018-0.017	12-36	37.9	34.6	39.9
0.016-0.015	12-36	38.8	35.4	41.1
0.014	12-24	39.8	36.4	42.4
0.013-0.012	12-24	40.9	37.1	43.4
0.011	12-24	41.9	38.3	45.0
0.010-0.0095	12-24	43.1	39.4	46.6
0.009-0.0085	12-24	44.3	40.7	48.5
0.008-0.0075	12-24	45.8	41.9	50.3
0.007	12-18	47.3	43.4	52.6
0.006	12-18	48.9	44.8	57.6

* Lengths 72 to 180 inches. † Maximum diameter, 26 inches.

Screw Machine Stock: 5000 lb and over.

Dia. (in.) or distance across flats	—Round— 17S-T4	Hexagonal 17S-T4
0.125	56.8	...
0.156-0.188	48.0	...
0.219-0.313	45.3	...
0.375	43.7	52.4
0.406	43.7	...
0.438	43.7	52.4
0.469	43.7	...
0.500	43.7	52.4
0.531	43.7	...
0.563	43.7	49.2
0.594	43.7	...
0.625	43.7	49.2
0.688	43.7	49.2
0.750-1.000	42.6	46.4
1.063	42.6	44.8
1.125-1.500	41.0	44.8
1.563	40.5	...
1.625	39.8	43.2
1.688-2.000	39.8	...

LEAD

(Prices to jobbers f.o.b. Buffalo, Cleveland, Pittsburgh) Sheets: Full rolls, 140 sq ft or more $18.00 per cwt; add 50c cwt 100 sq ft to 140 sq ft. Pipe: Full coils $18.00 per cwt. Traps and bends: List prices plus 43%.

ZINC

Sheets 23.00c, f.o.b. mill 36,000 lb and over. Ribbon zinc in coils, 19.50-20.50c, f.o.b. mill, 36,000 lb and over. Plates, not over 12-in., 20.75-21.75c; over 12-in., 20.75-21.75c.

"A" NICKEL

(Base prices f.o.b. mill, effective Mar. 9, 1953) Sheets, cold-rolled 86.50c. Strip, cold-rolled 92.50c. Rods and shapes, 82.50c. Plates, 84.50c. Seamless tubes 115.50c.

MONEL

(Base prices f.o.b. mill, effective Mar. 9, 1953) Sheets, cold-rolled 67.50c. Strip, cold-rolled 70.50c. Rods and shapes, 65.50c. Plates 66.50c. Seamless tubes, 100.50c. Shot and blocks, 57.00c.

MAGNESIUM

Extruded Rounds 12 in. long, 1.31 in. in diameter, less than 25 lb 58.00c-65.00c; 25 to 99 lb, 48.00c-55.00c; 100 lb to 5000 lb, 44.00c.

TITANIUM

(Prices per lb, 10,000 lb and over, f.o.b. mill) Sheets, $15; sheared mill plate, $12; strip, $15; wire, $10; forgings, $6; hot-rolled and forged bars, $6.

DAILY PRICE RECORD

	Copper	Lead	Zinc	Tin	Aluminum	Antimony	Nickel	Silver
1-2	30.00-34.50	13.30	11.00	118.50-121.50	20.50	34.50	60.00	85.25
25-31	27.50-34.50	13.30	11.00	121.50	20.50	34.50	60.00	85.25
12-24	27.50-34.00	13.30	11.00	121.50	20.50	34.50	60.00	85.25
9-11	27.50-33.00	13.30	11.00	121.50	20.50	34.50	60.00	85.25
2-6	27.50-32.00	13.30	11.00	121.50	20.50	34.50	60.00	85.25
25-28	27.50-28.50	13.30	11.25	121.50	20.50	34.50	60.00	85.25
3-24	24.50	13.30	11.50	121.50	20.50	34.50	60.00	85.25
2	24.50	13.30	12.00	121.50	20.50	34.50	60.00	85.25
27-31	24.50	13.80	12.00	121.50	20.50	34.50	60.00	85.25
22-26	24.50	13.80	12.50	121.50	20.50	34.50	60.00	85.25
16-21	24.50	13.80	12.50	121.50	20.00	34.50	60.00	85.25
15	24.50	13.80	12.50	121.50	20.00	34.50	60.00	84.75
14	24.50	13.80	12.50	121.50	20.00	34.50	60.00	84.25
13	24.50	13.80	13.00	121.50	20.00	34.50	56.50	83.75
12 ..	24.50	13.80	13.00	121.50	20.00	34.50	56.50	83.25
1953 Avg.	30.51	13.30	11.00	121.50	20.50	34.50	60.00	85.25
1953 Avg.	25.136	13.30	11.431	121.50	20.50	34.50	60.00	85.25
1952 Avg.	24.50	18.80	19.50	121.50	19.00	50.00	56.50	88.00

E: Copper: Electrolytic, del. Conn. Valley; Lead, common grade, del. St. Louis; Zinc, prime ern, E. St. Louis; Tin, Straits, del. New York; Aluminum primary ingots, 99%, del.; Antimony, f.o.b. Laredo, Tex.; Nickel, electrolytic cathodes, 99.9% base sizes at refinery unpacked. er, open market, New York. Prices, cents per pound; except silver, cents per ounce.

Plating Materials

Chromic Acid: 99.9% flakes, f.o.b. Philadelphia, carloads 27.00c; 5 tons and over 27.50c; 1 to 5 tons, 28.00c; less than 1 ton 28.50c.

Copper Anodes: Base 2000 to 5000 lb; f.o.b. shipping point, freight allowed: Flat, rolled, 42.18c; oval 41.68c.

Nickel Anodes: Rolled oval, carbonized, carloads, 78.00c; 10,000 to 30,000 lb 79.00c; 3000 to 10,000 lb 80.00c; 500 to 3000 lb 81.00c; 100 to 500 lb, 83.00c; under 100 lb, 86.00c; f.o.b. Cleveland.

Nickel Chloride: 37.35c in 100 lb bags, 1 to 3 bags; 3 to 99 bags 35.35c; 34.85c over 10,000 lb, f.o.b. Cleveland, freight allowed on 300 lb or more.

Sodium Stannate: 25 lb cans only, less than 100 lb to consumers $1.10 per lb; 100 or 350 lb drums only, 100 to 600 lb 71.60c; 700 to 1900 lb, 69c; 2000 to 9900 lb, 67.3c. Freight allowed east of Mississippi and north of Ohio and Potomac rivers.

Tin Anodes: Bar, 1000 lb and over, $1.42; 500 to 999 lb, $1.425; 200 to 499 lb, $1.43; less than 200 lb, $1.445. Freight allowed east of Mississippi and north of Ohio and Potomac.

Zinc Cyanide: 100 lb drums, less than 10 drums 54.30c, 10 or more drums, 52.30c, f.o.b. Niagara Falls, N. Y.

Stannous Sulphate: 100 lb kegs or 400 lb bbl, less than 2000 lb $1.11; more than 2000 lb, $1.09. Freight allowed east of Mississippi and north of Ohio and Potomac rivers.

Stannous Chloride (Anhydrous): In 400 lb bbl, $1.25; 100 lb kegs $1.26, f.o.b. Carteret, N. J., freight allowed on 100 lb or more.

Scrap Metals

Brass Mill Allowances

(Prices in cents per pound for less than 20,000 pounds, f.o.b. shipping point; on lots over 20,000 pounds at one time, of any or all kinds of scrap, add 1 cent per pound. Prices effective Apr. 1, 1953)

	Clean Heavy	Rod Ends	Clean Turnings
Copper	28.625	28.625	27.875
Yellow Brass	21.375	21.125	19.625
Commercial Bronze			
95%	27.250	27.000	26.500
90%	26.125	25.875	25.375
Red Brass			
85%	25.125	24.875	24.375
80%	24.125	23.875	23.375
Best Quality (71-80%)	22.500	22.250	21.750
Muntz metal	20.000	19.750	19.250
Nickel silver, 10% ..	25.250	25.000	12.625
Phos. Bronze, A	30.625	30.375	29.375
Naval Brass	20.000	19.750	19.250
Manganese Bronze ..	20.000	19.750	19.250

REFINERS' BUYING PRICES

(Cents per pound, delivered refinery, carload lots)

No. 1 copper 26.50c; No. 2 copper 25.00-25.50c; light copper 23.50c; refinery brass (60% copper) per dry copper content 25.00.

INGOT MAKERS' COPPER AND BRASS SCRAP BUYING PRICES

(Carlots, delivered)

No. 1 copper, nom. 27.00c; No. 2 copper, nom. 25.00c; light copper, nom. 23.50c; No. 1 composition borings, 22.00c; No. 1 composition solids, 22.50c; radiators, 17.00c; heavy yellow brass solids, 16.50-17.00c; yellow brass turnings, 16.00-16.50c.

SMELTERS' BUYING PRICES FOR SCRAP ALUMINUM

(Carlots, delivered)

2S aluminum clippings, 17.00-17.50c; mixed clippings, 15.50-16.00c; old aluminum sheet, 14.50-15.00c; old aluminum cast, 14.50-15.00c; borings and turnings, 14.50-15.00c.

DEALERS' BUYING PRICES

(Cents per pound, New York, in ton lots)

Copper and brass: Heavy copper and wire, No. 1 24.00-24.50; No. 2 22.00-22.50; light copper 20.50-21.00; No. 1 composition red brass 20.00; No. 1 composition turnings 19.00; mixed brass turnings 13.50; new brass clippings 19.50; No. 1 brass rod turnings 18.50; light brass 12.50; heavy yellow brass 14.50; new brass rod ends 18.25; auto radiators, unsweated 15.00; cocks and faucets 17.50; brass pipe 18.00.

Aluminum: Clippings 2S 13.00; old sheets 10.00; crankcase 10.00; borings and turnings 8.00; pistons and struts 6.50.

Tin: No. 1 pewter 70.00; block tin pipe 100.00; No. 1 babbitt 60.00.

Lead: Heavy 10.25-10.75; battery plates 5.25-5.50; linotype and stereotype 12.00-12.50; electrotype 10.25-10.50; mixed babbitt 13.75-14.00.

Zinc: Old zinc, 5.00; new die cast scrap, 5.00; old die cast scrap, 4.00.

Nickel: Sheets and clips 58.00-60.00; rolled anodes 58.00-60.00; turnings 58.00-60.00; rod ends 58.00-60.00.

Monel: Clippings 33.00; old sheet 30.00; turnings 25.00; rods 33.00.

30-cent mark is where top U. S. companies think copper price will settle when a one-price level returns. It may take some time, however, to get foreign prices that low

THIRTY CENTS is the magic word in copper today. That's the place top U. S. companies are betting copper will settle when a one-price level emerges.

If a world copper price is established at 30 cents, it will end the multiple pricing setup that arose when the State Department and defense agencies agreed to let Chile charge 3 cents a pound more than domestic companies. It will also mean that fabricators won't be as bad off as they reckoned when controls went off and prices skyrocketed. Before decontrol, users were paying 29.30 cents a pound for their mixture of domestic metal at 24.50 and foreign at 36.50. At 30 cents, and it will take some time to bring foreign prices that low, buyers won't be thinking of Ft. Knox when they place orders.

Join the Party—Phelps Dodge was the first to price its domestic output at 30 cents. A week later, in rapid-fire succession, Anaconda snipped its tags by 2 cents and Kennecott, realizing the futility of attempting to maintain a conservative 27.50, tacked another 2.5 cents on its quotations.

With the big three in accord pricewise, about three-fourths of U. S. mine output is at the one level. Customer smelters would like to join the party too, but say they can't get scrap dealers to co-operate with their prices, and those of other domestic primary producers are currently in the 33 to 34.50-cent range. Pressure has been put on scrap dealers to bring prices down, but to no avail. Custom smelters posted lower buying prices, dropped prices of top scrap grades in a start toward cutting price of their products. Ingot makers' buying prices are now nominal, but brass mills set a one-price level above former low quotations.

Bargain Counter — The present trend means Chile and other high-priced foreign suppliers will feel a pinch. Added to the crowd of foreign suppliers descending on the American market like women on a bargain counter are South Africa, Sweden and Australia.

They're shading the Chilean quotations now; at the end of April, Chile will find unsold metal on its hands. Alternatives will be to let metal pile up or to get prices in line. Both prospects are distasteful because they mean a loss of coin to a government supported primarily by copper revenues.

Brass Spread Narrows—One reason behind the adjustments in primary copper is an attempt to get brass and wire mill prices more competitive. American Brass Co. and Anaconda Wire & Cable Co., which take Anaconda's entire domestic output, now are closer to the rest of the industry pricewise.

The wire company reduced prices 1.70 cents on bare and magnet wire, 1.27 cents on weatherproof. Kennecott's Chase Brass Co. and Kennecott Wire & Cable Co. moved their quotations up from a base of 32.10 cents to 32.60 cents for copper and down from 12.58 to 12.08 for zinc.

Tin Price Shaky

Tin price is about to take the long-awaited tumble, if present trends are any indication. Today you can get tin from dealers up to 3 cents under RFC price; futures are down several cents and headed lower as Singapore and London markets have taken sharply in the past week. Unwritten verification that another surplus will pile up this year came when the International Tin Study Group omitted its usual estimate of world tin consumption and production. RFC today is in the position of supporting the world price, rather than holding a ceiling.

STEEL'S Metal Price Averages for March, 1953

(Cents per pound)

Electrolytic Copper, del. Conn.	30.51
Lead, St. Louis	13.30
Prime Western Zinc, E. St. Louis	11.00
Straits Tin, New York	121.50
Primary Aluminum Ingots, del.	20.50
Antimony, f.o.b. Laredo, Tex.	34.50
Nickel, f.o.b. refinery	60.00
Silver, New York	85.25

High Spots from Metal Companies' Annual Report

Company (Including Subsidiary)		Sales	Federal Income Taxes	Net Income (After Taxes)	Earnings per Share of Common
Alcoa	'52	$577,753,399	$48,600,000	$43,527,142	$8.
	'51	534,514,905	76,500,000	39,301,308	7.
Reynolds	'52	234,738,789	19,726,149	14,731,071	8.
	'51	215,704,848	32,288,822	15,837,846	9.
Kennecott	'52	471,551,697	73,580,488	86,150,718	7.
	'51	451,192,197	83,035,765	91,347,153	8.
Phelps-Dodge	'52	262,915,557	29,300,000	35,026,550	3.
	'51	258,162,394	43,800,000	42,077,434	4.
Calumet & Hecla	'52	50,816,934	1,600,000	1,837,778	0.
	'51	44,578,149	2,520,000	2,450,565	1.
American Smelting & Refining	'52	476,208,489	26,460,948	31,635,814	5.
	'51	530,817,779	40,274,880	39,742,313	6.
Revere	'52	187,771,607	18,600,000	6,790,913	5.
	'51	180,864,236	16,100,000	6,935,083	5.
Bridgeport Brass	'52	126,766,676	8,300,000	4,023,523	4.
	'51	101,710,809	6,845,000	3,860,998	4.
Scovill Mfg.	'52	94,282,288	2,101,118	2,620,068	1.
	'51	118,484,161	10,923,255	5,566,825	4.
Mueller Brass	'52	51,383,284	5,860,363	3,024,331	5
	'51	42,542,798	4,625,000	2,276,763	4.
General Cable	'52	116,351,809	11,100,000	5,283,230	2
	'51	not available	11,800,000	5,506,949	2
National Lead	'52	358,048,435	25,326,109	23,060,054	2
	'51	389,941,313	36,613,823	22,993,717	2
St. Joe	'52	105,211,886	5,667,894	9,638,455	3
	'51	110,834,083	13,819,817	13,577,236	5
American Zinc, Lead & Smelting	'52	79,793,391	2,195,000	2,657,618	3
	'51	79,769,875	4,250,000	3,394,884	4
International Nickel	'52	314,228,747	43,598,993	58,891,282	3
	'51	286,785,241	48,148,718	62,875,571	4



CHASE WIRE can help keep your production costs down

You cut down rejects when you use Chase Brass and Copper Alloy Wire.

Chase mills inspect every coil of wire produced. No scratches, no slivers, spills, or laps! Chase wire is of uniform temper and grain size, uniform in surface texture and color, accurate in gauge. It comes to you clean and bright.

Chase wire is available in a wide variety of alloys, shapes, sizes and tempers.



Write today for free folder "Chase Cold-Heading Extruded Brass and Copper Alloy Wire."

Chase BRASS & COPPER

WATERBURY 20, CONNECTICUT • SUBSIDIARY OF KENNECOTT COPPER CORPORATION

The Nation's Headquarters for Brass & Copper

Albany †	Cleveland	Kansas City, Mo.	New York	San Francisco
Atlanta	Dallas	Los Angeles	Philadelphia	Seattle
Baltimore	Denver †	Milwaukee	Pittsburgh	Waterbury
Boston	Detroit	Minneapolis	Providence	
Chicago	Houston	Newark	Rochester †	(† sales
Cincinnati	Indianapolis	New Orleans	St. Louis	office only)



AMERICAN CANCER SOCIETY

Will you help them grow up in a safer world?

Ask a man if he loves his child, and you know the answer before he gives it. Yet no child today is safe from cancer—some time during his life.

Cancer can kill children—*no* age is free from this terrible scourge. Cancer can rob them of the love and care of a mother—a father—or both.

Won't you help us in the fight against this terrible scourge?

The American Cancer Society needs money. Money to aid doctors in problems of diagnosis and treatment, to provide for costly research, to ease the suffering of cancer victims.

Our weapons are your dollars and cents; the victory is a better world for all our children.

Send a contribution today to Cancer, c/o your Local Post Office. Thank you.

CANCER STRIKES 1 IN 5

STRIKE BACK—GIVE TO CONQUER CANCER!

mand Pressure for Sheets Undiminished

Little open-end tonnage seen in second quarter with makers entering period with substantial order carryovers. Strong demand into fourth quarter generally expected

eet and Strip Prices, Page 185 & 188

veland — Sheetmakers continue pressure from the automobile ers and appliance manufactur- Both hot and cold-rolled sheets n strong demand and carryover first to second quarter leaves penings in schedules for the sec- quarter. Shipments from some are reported as much as 1½ hs behind schedule.

en galvanized sheets, which in recent past have been moving ishly, are showing more life, such specialties as electrical es and enameling stock are mov- riskly.

a general thing the sheetmak- nticipate no letup in consuming ure until well along toward the of the year. In hot and cold- d sheets the mills could now through third quarter were they sposed, so strong is the pressure onnage.

litary requirements will continue et priority after controls are re- ed, and barring unforeseen eas- off in the defense program, it is ated the military tonnage will large in the distribution picture months to come.

moval of price controls has not followed by any move on the of sheetmakers to increase es. However, some advances are cted should coming wage nego- ons result in further increase in r rates.

ast week the Container Division, s & Laughlin Steel Corp. raised es on some steel drums and pails tive Apr. 1. Increases vary with different items and points of pro- ion. They reflect increased man- turing costs, the greatest of h resulted from the 1952 steel e settlement. According to the pany's announcement, the price ease permitted by OPS on drums pails following the wage settle- t last year was only enough to pensate for the higher cost of l.

oston—Narrow cold-rolled strip ers for second quarter for the t part are covered with tickets ough there are scattered open- for June in carbon grades. ets, notably cold-rolled, are in ter supply than strip, and, on the le, open-end tonnage is far less n had been expected, including e coils for slitting. Stamping s, with limited inventory for au- obile parts, are being forced to into their reserves to meet de- ries. Hot-rolled carbon grades in heavier gages, Nos. 10 and 12, sold out through second quarter h some tickets unplaced. Straight omium stainless is being booked July shipment.

incinnati — Consumer pressure sheets is strong. One mill is l out through third quarter and ects strong demand through 1953. lers indicate that there is no in- tory building of any consequence. Automotive, appliance and farm equipment manufacturers are providing the bulk of demand which is believed to be as great as it has ever been.

Philadelphia — Except for galvanized, all major grades of sheets are in tight supply, and even galvanized sheets are not particularly easy to obtain at mill level. Producers of hot and cold-rolled sheets declare third quarter allotments will be no heavier than during the current quarter. This also will be true with regard to electrical sheets, enameling stock and certain other specialties. Continuation of full government control over nickel bearing steels will strengthen demand for straight chromium material over coming months.

St. Louis—Sheet mills report more interest in conversion steel, especially from the automobile and appliance industries. Inquiries are up sharply and mills are booked through the third quarter on conversion stock. Third quarter books on finished steel will open probably next week. Granite City Steel Co. will book only a part of the period's capacity. Its sheet output will cease after four to six weeks following Apr. 10 for installation of new rolling and finishing equipment.

Youngstown—Steel business here is holding up well and mill executives are putting back further into the future the date when they expect supply to catch up with demand. The automobile industry is making big demands on the local mills for more steel. Motor executives are continually flying here to confer on additional tonnage. Indications are increasing that there won't be any immediate price increases on most steel products. Some may come this summer, however, following wage settlements with the union.

New York—While some consumers of hot and cold-rolled sheets have been warned to look elsewhere for tonnage in the third quarter, there will not be too much of this for a while. Some large producers say that, despite the lifting of most government controls by that time, there should be little variation in their customers for some time to come. They do not expect to drop many who have been on their books. Nor do they expect to accommodate many, if any, who haven't been—at least with the market as active as it

(*Turn to page* 172)



Warehouse business expected to double as . . .

Crucible Opens New Unit at Los Angeles

MODERNIZATION and expansion of its warehouse distribution system is paying off for Crucible Steel Co. of America, New York. "Every time a branch warehouse has been improved, the business has doubled," says W. H. Colvin Jr., president.

Mr. Colvin expects the same thing to happen in Los Angeles where Crucible opened a new warehouse at 3338 Malt Ave. in the Central Manufacturing District. It has 12,000 square feet of warehouse space, 3200 feet of office space. P. F. Harris is district manager.

Millions for Improvement — Since 1946, Mr. Colvin says, his company has spent $2,275,000 on its warehouse program. For over-all plant expansion and rehabilitation, Crucible is laying out $105 million, of which $7.25 million remains to be spent.

Crucible also has new warehouses at Chicago, Philadelphia, Detroit and Indianapolis. Coming up are modernized warehouses at Milwaukee and Buffalo scheduled for completion in 1953. New Haven will be added to the schedule later.

Builds, Sells, Leases—As new warehouses are completed, Crucible sells them to investors and then rents them back on long-term leases. Crucible also maintains three mill warehouses at Syracuse, Harrison, N. J. and Pittsburgh. These carry pool stocks which each of the 26 branch warehouses can draw on for fast replenishment. Mr. Colvin remarked that total stocks now are up to $46 million from $29 million in 1929.

Business Outlook—Mr. Colvin thinks steelmaking operations will go below 100 per cent of capacity in third quarter of this year and will be still lower in fourth quarter. This slowdown, he feels, will be healthy for the nation as it has been operating under forced draft since June, 1950. "Business will still be good," he said.

WAREHOUSE STEEL PRODUCTS

(Representative prices, cents per pound, subject to extras, f.o.b. warehouse. City delivery charges are 20 cents per 100 lb except: New Y cents; Philadelphia, 25 cents; Birmingham, Cincinnati, San Francisco, St. Paul, 15 cents.)

	SHEETS			STRIP		BARS			Standard Structural Shapes	PLATES	
	H.R. 18 Ga., Heavier*	C.R.	Gal. 10 Ga.†	H.R.*	C.R.*	H.R. Rds.	C.F. Rds.‡	H.R. Alloy 4140††§		Carbon	F
Baltimore	5.81	7.17	8.32	6.42	...	6.41	7.18	11.17	6.47	6.47	
Boston	6.51	7.35	8.39	6.55	...	6.42	7.49	12.37	6.56	6.80	
Buffalo	5.80	6.65	8.31	6.21	...	5.90	6.95	11.07	6.08	6.30	
Birmingham	5.80	6.65	7.70[2]	5.80	...	5.80	7.85	...	5.95	6.10	
Chicago	5.80	6.65	7.90	5.83	...	5.83	6.80	10.65	5.95	6.00	
Cincinnati	6.13	6.72	8.21	6.14	...	6.13	7.16	10.97	6.42	6.47	
Cleveland	5.80	6.65	8.04	6.00	...	5.89	6.90	10.79	6.28	6.17	
Detroit	6.23	6.46	8.44	6.08	7.495	6.12	7.10	10.92	6.42	6.47	
Houston	6.74	...	8.67	6.89	...	6.98	...	...	6.82	6.78	
JerseyCity,N.J.	6.26	7.27	8.32	6.56	...	6.59	7.53	9.54	6.39	6.60	
Los Angeles	6.60	8.45	9.50	6.75	11.20	6.60	8.65	12.05	6.60	6.70	
Milwaukee	5.97	6.82	8.07	6.00	...	6.00	7.07	10.82	6.12	6.17	
Moline, Ill.	6.16	7.00	8.30	6.19	...	6.18	6.91	...	6.30	6.30	
New York	6.26	7.37	8.32	6.56	...	6.69	7.63	11.14	6.49	6.70	
Norfolk, Va.	7.60	...	...	...	...	6.44	8.70	...	7.25	6.64	
Philadelphia	6.16	7.18	7.70	6.50	8.30	6.47	7.50	10.89	6.22	6.29	
Pittsburgh	5.80	6.65	7.90	5.97	...	5.83	6.90	10.65	5.95	6.00	
Portland, Oreg.	7.80	9.05	9.75	7.60	...	7.35	9.40	...	7.30	7.30	
Richmond, Va.	6.14	6.95	8.68	6.53	...	6.30	7.63	...	6.58	6.68	
St. Louis	6.10	6.94	8.20	6.14	...	6.13	7.20	10.95	6.35	6.35	
St. Paul	6.47	7.31	8.61	6.50	...	6.49	7.32	...	6.61	6.61	
San Francisco	6.85	8.15	9.45	6.70	...	6.60	8.65	12.00	6.45	6.70	
Seattle-Tacoma	7.36	8.24	9.40	7.40	...	7.08	9.37	12.00	6.83	7.19	
Spokane (city)	7.80	9.40	10.15	7.15	...	7.10	9.70	11.90	7.00	7.10	
Washington	6.31	7.61	8.90	6.89	...	6.90	8.03	...	6.93	6.95	

Prices do not include gage extras; † prices include gage and coating extras, except Birmingham (coating extra excluded) and Los Angel extra excluded); ‡ includes 25-cent special bar quality extra; § as rolled; †† as annealed. Base quantities, 2000 to 9999 lb except as note rolled strip, 2000 lb and over; cold-finished bars, 2000 lb and over; [2]—500 to 1499 lb; [5]—1000 to 1999 lb.

Warehouse . . .

Warehouse Prices, Page 170

New York—Sheets in all gages and sizes are in short supply with warehouses, demand far exceeding supply. Larger volume of steel is being taken in by distributors, but not in sizes to balance inventories. Cold finished bars illustrate this point. Small sizes are plentiful, but over 1-inch racks are lean. A like situation prevails in plates. Structural stocks are low with no early improvement in inventory indicated. For June delivery, more alloy tonnage is offered, notably electric furnace grades.

Boston—On some products warehouses are not placing orders to the extent of allotments. Small cold-finished bars, strip light plates, wire, and a wider range of alloys are in this category. Products in tightest supply at warehouse are heavy bars and plates, cold-rolled sheets and wide-flanged beams. Warehouses are filling up on more products to the point where inventories are balanced. Butt-weld pipe is in this category. Demand for steel from warehouse continues brisk.

Philadelphia — Warehouse business in March was the best so far this year and prospects are that April trading will be equally as good. Demand is especially active for sheets, plates, shapes and bars. An exception in this respect is galvanized sheets with further weakness in prices indicated. General inventories are heavier but still unbalanced.

Cleveland — District steel distributors are meeting with increasing difficulty in getting sufficient sheet tonnage to care for their customers' pressing demands. One large warehouse reports its sheet shipments from the mills are running 2½ months behind shipment dates.

Meanwhile, consuming demand never was greater with automotive and appliance manufacturers scouring the market for tonnage.

Generally, warehouse stocks are much improved over six months ago but they are still highly unbalanced. Small bars are in increasing supply but it is difficult to obtain large sizes. The same is true with plates, light gages are in fair supply, but the heavy sizes are extremely scarce.

March order volume of the warehouses here showed improvement over that of February, and a further gain is anticipated in April with building steel requirements expanding seasonally.

Cincinnati — Distributors in this area have been doing a good volume of business. Stocks are sketchy with many sizes out of balance. The building product lines including wire mesh, reinforcing and structurals have started to pick up. Large diameter bars, sheets, and large tubing are as tight as they have been at any time.

Chicago — Because nickel-bearing stainless steel is under such stringent restrictions as regards use, warehouses find the material somewhat slow to move. Production is at a good clip and stocks over-all are comparatively good. Problem is to find a sufficient number of eligible consumers, for example, those holding tickets. This accomplished, size requirements and inventories frequently do not match.

St. Louis—Warehouse inventories, now estimated at 60 per cent of capacity tonnagewise, are the best rounded since the war. Deliveries from mills are picking up while demand softens. Heavy rounds, heavy plates and light flat cold-rolled sheets are in less than ample supply but most other items are comfortable, although spotty size-wise. Galvanized sheets are in unusuall supply. Consumers and ware men both are watching inve closely.

Birmingham—Warehouses s fretting over inability to bu inventories satisfactorily and demand for most items is on the increase. A great wanted items still are comple of stock.

Los Angeles—Distributors' for hot-rolled carbon sheets a 5 cents to $6.90 per 100 pound hot-rolled supplies tighter tha offerings of hot-rolled at $9 being made by premium "warehouses" to fabricators good volume acceptance.

San Francisco—Distributo not lifted prices since rem government ceilings. As far be ascertained, there are no p a general boost. Some selle cede, however, there may b changes later. Mill trends ar watched closely. Meantime, are in better balance, but s from normal. Tending to un the inventory are the lack of hot-rolled sheets, structura other items.

Seattle—Warehouse execut serve that competition is ke conditions swing into a buye ket. Inventories are building continue unbalanced. Heavy and large rounds are the items. Cold rolled sheets ar tighter, attributed to the h from auto manufacturers. for all items continues stron expected to increase as the advances.

Pittsburgh—The Dumas St is opening a new steel pr warehouse at Marietta, Ga. tions were scheduled to start

(*Turn to page* 172)



One Operator Plus One DELTA Set-Up

HOLLOW MILLS, DRILLS, TAPS AND COUNTERSINKS

AT SKILLMAN HARDWARE

e pieces per hour with less labor cost—that's what
man Hardware Manufacturing Co., Trenton, N. J.,
by locating inexpensive Delta tools in groups so
related machining operations can be done by a
e operator.

hough Delta tools are inexpensive, they are produc-
machine tools—as accurate as tools costing many
s as much.

ere's the testimony of John Strasenburgh, Skillman
luction foreman: "Of course, since we build locks,
precision standards are very high, and we work as
e as .0005", but our Delta tools are accurate, de-
dable and easy to operate."

These are some of the ways Skillman groups Delta tools:

- . . . two Delta drill presses side by side; one drills, the other taps.
- . . . three Delta drill presses together to drill, tap and counter sink.
- . . . four Delta drill presses—to hollow mill, drill, tap and counter sink.
- . . . two 17" Delta drill presses mounted on single column with opposing spindles drilling and reaming same hole in one set-up.


Light, mobile, dependable Delta tools are easily adapted to hundreds of production jobs. There's a wealth of such performance data available to you. Ask your Delta dealer—he's in your Classified Phone Book under "Tools," "Machinery" or write for Catalog AB52 to Delta Power Tool Division, Rockwell Manufacturing Co., 638 D N. Lexington Ave., Pittsburgh 8, Pa.

DELTA quality power tools

Another Product of Rockwell

CLASS AA HOBS

INFLUENCE GEAR TOOTH ACCURACY



Give You a Maximum Degree of Precision in Finish Gear Hobbing

For extra precision in gear hobbing, Barber-Colman Engineers have developed Class AA hobs. They are made to consistently closer tolerances than any other hobs, helping to provide the finest in gear accuracy. In addition, they are available with taper bores to further control the accuracy of the gears. The taper bores make it easier to true the hob and eliminate the possibility of an increase in runout during the cutting operation.

Barber-Colman Class AA Hobs have proved themselves in actual production for many years. They are recommended wherever the utmost accuracy is required if other conditions warrant the use of such a fine tool.

In many cases, your gear requirements may not demand this degree of precision control. But whatever your hobbing problems may be, Barber-Colman Engineers will be glad to help you solve them.

Send For Your Copy of Hobbing Notes . . . "Hobbing Accurate Gears"



COLMAN

Barber-Colman Company

GENERAL OFFICES AND PLANT, 774 ROCK STREET, ROCKFORD, ILLINOIS, U.S.A.

Sheets, Strip . . .

(*Continued from page* 169)

is. It appears at the moment third quarter allotments will about the same as in the first second quarters.

Pittsburgh—Demand is expecte hold strong through third quarter both hot and cold-rolled sheets. If weakness shows up in demand, not expected much before that t Should no weakness develop be that time, it is generally assu that supply will be balanced with mand some time during third qua This balance could occur at an ea date. Much will depend upon how automotive labor problem resolve self, and ability of auto builder sustain high level production.

Chicago — Sheetmakers op their books Apr. 1 as required third quarter military and at energy tonnage. For civilian req ments, producers will be oblige assign quotas as in the past. It be mid-April before these quotas be announced. Hope is that th lotments will be equal to tho second quarter, but it will hing the amount of carryover. Third ter does not promise lessened mand.

Birmingham — Considerable c over is likely in sheets as things look for third quarter. Not a deal of open-end flat tonna available in the district, accordi informed quarters, and probably not be for some months.

Los Angeles—Supply situati hot-rolled sheets is worsening. I cators' requirements are intens stocks of flat-rolled are low in sizes. Some fabricators are stocked with material not in useable gages or widths pur previously.

Warehouse . . .

(*Continued from page* 170)

At the start it will process an ket sheet and tin mill produc cluding hot and cold-rolled shee galvanized carbon steel sheet strip. When conditions perm line will be expanded to include products, such as hot and cold strip, hot-rolled bars and bar light structurals and plates. Clauser, formerly in charge company's Jersey City ware in charge of the new operati cilities include a shear and slitter. The company, which o warehouses in Pittsburgh, C and Jersey City, is headed by Dumas, president.

Tubular Goods . .

Tubular Goods Prices, Page 18

Seattle—The cast iron pip ket is beginning to develop s activity. Three local impro jobs, two near Seattle, the o Astoria, Oreg., involve abo tons, sub-awards pending. Bids at Alderwood Manor, Wash., unstated tonnage of steel pip eral Supply Service, Seatt called bids on 25,000 feet ste two schedules, bids Apr. 6 respectively.



WHAT *Life-Line*, REALLY DELIVERS
IS MORE SERVICE . . . LESS SERVICING

Life-Lines are pre-lubricated . . . need no further lubrication. Write for "Facts on Pre-lubricated Bearings" B-4378. Westinghouse Electric Corporation, P. O. Box 868, Pittsburgh 30, Pa.

J-21695-A

YOU CAN BE **SURE**...IF IT'S


Westinghouse



Like the works of a fine watch . . .

STEELMAKING, TOO, REQUIRES THE UTMOST PRECISION

Whatever your requirements for formability, uniformity, or drawing qualities, you'll find J&L Sheet & Strip . . . accurately and faithfully produced to meet your specifications. Complete understanding of the end-use of the sheet or strip you order is a rigid requirement of J&L production. You can depend upon J&L products to fit your production line.



J&L STEEL

JONES & LAUGHLIN STEEL CORPORATION
PITTSBURGH

CURRENT FERROALLOY QUOTATIONS

Prices as reported to STEEL, Apr. 2, 1953; changes shown in *italic*.

MANGANESE ALLOYS

S eleisen: (19-21% Mn, 1-3% Si). Carlot p: ross ton, $85, Palmerton, Pa.; $85, Pitts- n and Chicago; (16% to 19% Mn) $1 per t lower.

S dard Ferromanganese: (Mn 78-82%, C 7% ox.) Carload, lump, bulk $225 per gross t of alloy, c.l. packed $237; gross ton lots, p ed, $252; less gross ton lots, packed S f.o.b. Sheridan, Pa., Alloy, W. Va., Ni- a Falls, N. Y., Ashtabula, Philo or ietta, O., Lynchburg, Va. Base price: $227, J stown, Pa.; $228, Etna, Pa.; $226, A onda, Mont.

S ment from Pacific Coast warehouses by seller, add $33 to above prices f.o.b. Los eles, Oakland, Portland, Oreg. Shipment Chicago warehouse, ton lots $267; less s ton lots, $284, f.o.b. Chicago. Add ubtract $2.80 for each 1% or fraction eof, of contained manganese over 82% under 78%, respectively.

Carbon Ferromanganese, Regular Grade: 85-90%). Carload, lump, bulk, max. % C, 27.95c per lb of contained Mn, car- packed 28.7c, ton lots 29.8c, less ton . Delivered. Deduct 0.5c for max, 0.15% ade from above prices, 1c for max, 0.30% .5c for max 0.50% C, and 4.5c for max C—max 7% Si. **Special Grade:** (Mn min, C 0.07% max, P 0.06% max). 0.5c to the above prices. Spot, add 0.25c.

lum-Carbon Ferromanganese: (Mn 80-85%, .5% max). Carload, lump, bulk 21.35c per f contained Mn, carload packed 22.1c, ton 23.2c, less ton 24.4c. Delivered. Spot, 0.25c.

ganese metal, 2" x D (Mn 96% min, Fe max, Si 1% max, C 0.2% max): Car- , lump, bulk, 36.2c per lb of metal; ked, 36.95c; ton lot 38.45c; less ton lots .5c. Delivered. Spot, add 2c.

tromanganese: Carload, 30c; ton lots, 32c; to 1999 lb, 34c. Premium for hydrogen- oved metal, 1.5c per pound, f.o.b. cars xville, Tenn. Freight allowed to St. Louis o any point east of Mississippi.

omanganese: (Mn 65-68%). Contract, lump, g, 1.50% C grade, 18-20% Si, 11.4c lb of alloy, carload packed, 12.15c, ton lots 05c, less ton 14.05c. Freight allowed. For C grade, Si 15-17%, deduct 0.2c from ve prices. For 3% C grade, Si 12-14.5%, duct 0.5c from above prices. Spot, add 0.25c.

TITANIUM ALLOYS

rrotitanium, Low-Carbon: (Ti 20-25%, Al % max. Si 4% max, C 0.10% max). ntract, ton lots 2" x D, $1.50 per lb of tained Ti; less ton $1.55. (Ti 38-43%, Al max, Si 4% max, C 0.10% max). Ton s $1.35, less ton $1.37, f.o.b. Niagara Falls, Y., freight allowed to St. Louis. Spot d 5c.

rrotitanium, High-Carbon: (Ti 15-18%, C 3%). Contract $177 per net ton, f.o.b. Ni- ara Falls, N. Y., freight allowed to destina- ns east of Mississippi river and north of ltimore and St. Louis.

rrotitanium, Medium-Carbon: (Ti 17-21%, C 3.5%.) Contract, $195 per ton, f.o.b. Ni- ara Falls, N. Y., freight not exceeding St. uis rate allowed.

OTHER FERROALLOYS

rrocolumbium: (Cb 56-60%, Si 8% max., 0.4% max). Contract, ton lot, 2" x D, .90 per lb of contained Cb, less ton $4.95. elivered. Spot, add 10c.

rrotantalum—Columbium: (Cb 40% approx, a 20% approx, and Cb and Ta 60% min, C 30% max) ton lots, 2" x D, $3.75 per lb of ntained Cb plus Ta, deld.; less ton lots 3.80.

llicaz Alloy: (Si 35-40%, Ca 9-11%, Al 6-8%, r 3-5%, Ti 9-11%, B 0.55-0.75%). Carload acked, 1" x D, 45c per lb of alloy, ton lot 7c, less ton lot 49c. Delivered.

MZ Alloy: (Si 60-65%, Mn 5-7%, Zr, 5-7%, e 20% approx). Contract, carload, packed, " x 12 M, 17.5c per lb of alloy, ton lots 8.25c, less ton 19.5c. Deld. Spot, add 0.25c.

raphidox No. 4: (Si 48-52%, Ca 5-7%, Ti 9- 1%). C.l. packed, 18c per lb of alloy; ton ts 19c; less ton lots 20.50c, f.o.b. Niagara alls, N. Y.; freight allowed to St. Louis.

-5 Foundry Alloy: (Cr 38-42%, Si 17-19%, n 8-11%). C.l. packed, 15c per lb of alloy; ton lots 16.50c; less ton lots 17.75c, f.o.b., Niagara Falls; freight allowed to St. Louis.

Simanal: (Approx. 20% each Si, Mn, Al; bal. Fe) Lump, carload, bulk 14.50c, packed 15.50c; ton lots, packed, 15.75c; less ton lots, packed, 16.25c per lb of alloy, delivered to destination within United States.

Ferrophosphorus: (23-25% based on 24% P content with unitage of $3 for each 1% of P above or below the base); carloads, f.o.b. sellers' works, Mt. Pleasant, Siglo, Tenn., $65 per gross ton.

Ferromolybdenum: (55-75%). Per lb, contained Mo f.o.b. Langeloth, $1.32 in all sizes except powdered which is $1.41; Washington, Pa., furnace, any quantity $1.32.

Technical Molybdic-Oxide: Per lb, contained Mo, f.o.b. Langeloth, Pa., $1.14, in cans; in bags, $1.13, f.o.b. Langeloth, Pa.; Washington, Pa., $1.13.

CALCIUM ALLOYS

Calcium-Manganese-Silicon: (Ca 16-20%, Mn 14-18% and Si 53-59%). Contract, carload, lump, bulk 20.0c per lb of alloy, carload packed 20.8c, ton lot 22.3c, less ton 23.3c. Delivered. Spot add 0.25c..

Calcium-Silicon: (Ca 30-33%, Si 60-65%, Fe 1.50-3%). Contract, carload, lump, bulk 10.0c per lb of alloy, carload packed 20.2c, ton lot 22.1c, less ton 23.6c. Deld. Spot add 0.25c.

ZIRCONIUM ALLOYS

12-15% Zirconium Alloy: (Zr 12-15%, Si 30-43%, Fe 40-45%, C 0.20% max.). Contract, c.l. lump, bulk 7.0c per lb of alloy, c.l. packed 7.75c, ton lot 8.5c, less ton 9.35c. Delivered. Spot, add 0.25c.

35-40% Zirconium Alloy: (Zr 35-40%, Si 47-52%, Fe 8-12%, C 0.50% max.). Contract, carload, lump, packed 20.25c per lb of alloy, ton lot 21c, less ton 22.25c. Freight allowed. Spot add 0.25c.

BRIQUETTED ALLOYS

Chromium Briquets: (Weighing approx. 3⅜ lb each and containing exactly 2 lb or Cr). Contract, carload, bulk, 14.50c per lb of briquet, carload packed 15.2c, ton 16.0c, less ton 16.9c. Deld. Add 0.25c for notching. Spot, add 0.25c.

Ferromanganese Briquets: (Weighing approx. 3 lb and containing exactly 2 lb of Mn). Contract, carload, bulk 12.45c per lb of briquet, c.l. packaged 13.25c, ton lot 14.05c, less ton 14.95c. Delivered. Add 0.25c for notching. Spot, add 0.25c.

Silicomanganese Briquets: (Weighing approx. 3½ lb and containing exactly 2 lb of Mn and approx. ½ lb of Si). Contract, c.l. bulk 12.65c, per lb of briquet, c.l. packed 13.45c, ton lot 14.25c, less ton 15.15c. Delivered. Add 0.25c for notching. Spot, add 0.25c.

Silicon Briquets: (Large size — weighing approx. 5 lb and containing exactly 2 lb of Si). Contract, carload, bulk 6.95c per lb of briquet, c.l. packed 7.75c, ton lot 8.85c, less ton 9.45c. Delivered. Spot, add 0.25c.

(Small size—weighing approx. 2½ lb and containing exactly 1 lb of Si). Carload, bulk 7.1c, c.l. packed 7.9c, ton lot 8.7c, less ton 9.6c. Delivered. Add 0.25c for notching, small size only. Spot, add 0.25c.

Molybdic-Oxide Briquets: (Containing 2½ lb of Mo each) $1.14 per pound of Mo contained, f.o.b. Langeloth, Pa.

CHROMIUM ALLOYS

High-Carbon Ferrochrome: Contract, c.l., lump, bulk 24.75c per lb of contained Cr; c.l., packed 25.65c, ton lot 26.80c, less ton 28.20c. Delivered. Spot, add 0.25c.

Low-Carbon Ferrochrome: (Cr 67-72%) Contract, carload, lump, bulk, max. 0.03% C 37.60c per lb contained Cr, 0.04% C 35.50c, 0.06% C 34.50c, 0.10% C 34.00c, 0.15% C 33.75c, 0.20% C 33.50c, 0.50% C 33.25c, 1% C 33.00c, 1.50% C 32.85c, 2% C 32.75c. Carload packed add 1.1c, ton lot add 2.2c, less ton add 3.9c. Delivered. Spot, add 0.25c.

Foundry Ferrochrome, High Carbon: (Cr 62-66%, C 5-7%) Contract, c.l. 8 M x D, bulk, 26.25c per lb of contained Cr C.l., packed 27.15c, ton 28.50c, less ton 30.25c. Delivered. Spot, add 0.25c.

Foundry Ferrochrome, Low Carbon: (Cr 50-54%, Si 28-32%, C 1.25% max.) Contract, carload, packed, 8 M x D, 18.35c per lb of alloy; ton lot 19.2c; less ton lot, 20.4c, delivered; spot, add 0.25c.

Low-Carbon Ferrochrome Silicon: (Cr 34-41%, Si 42-49%, C 0.05% max.) Contract, carload, lump, 4" x down and 2" x down, bulk, 25.75c per lb of contained chromium plus 12.4c per pound of contained silicon; 1" x down, bulk 25.90c per pound of contained chromium plus 12.60c per pound of contained silicon. F.o.b. plant; freight allowed to destination.

Ferrochrome Silicon, No. 2: (Cr 36-39%, Si 26-39%, Al 7-9%, C 0.05% max.) 25.75c per lb of contained silicon plus 16.4c per lb of contained silicon plus aluminum 3" x down, delivered.

Chromium Metal: (Min 97% Cr and 1% Fe) contract carload, 1" x D; packed, max 0.50% C grade, $1.12 per lb of contained chromium, ton lots $1.14, less ton $1.16. Delivered. Spot, add 5c; prices on 0.10 per cent carbon grade, up 4c.

SILICON ALLOYS

25-30% Ferrosilicon: Contract, carload, lump, bulk, 20.0c per lb of contained Si, packed 21.40c; ton lot 22.50c, f.o.b. Niagara Falls, freight not exceeding St. Louis rate allowed.

50% Ferrosilicon: Contract, carload, lump, bulk, 12.40c per lb of contained Si, carload packed 14.0c, ton lot 15.45c, less ton 17.1c. Delivered. Spot, add 0.45c.

Low-Aluminum 50% Ferrosilicon: (Al 0.40% max.) Add 1.3c to 50% ferrosilicon prices.

75% Ferrosilicon: Contract, carload, lump, bulk, 14.3c per lb of contained Si, carload packed 15.6c, ton lot 16.75c, less ton 18.0c. Delivered. Spot, add 0.8c.

90-95% Ferrosilicon: Contract, carload, lump, bulk, 17.0c per lb of contained Si, carload packed 18.2c, ton lot 19.15c, less ton 20.2c. Delivered. Spot, add 0.25c.

Silicon Metal: (Min 97% Si and 1% max Fe) C.l. lump, bulk, regular 18.5c per lb of Si, c.l. packed 19.7c, ton lot 20.6c, less ton 21.6c. Add 0.5c for max, 0.10% calcium grade. Deduct 0.5c for max 2% Fe grade analyzing min 96% Si. Spot, add 0.25c.

Alsifer: (Approx. 20% Al, 40% Si, 40% Fe) Contract, basis f.o.b. Niagara Falls, N. Y., lump, carload, bulk, 9.90c per lb of alloy, ton lots packed 11.30c, 20 to 1999 lb 11.65c, smaller lots 12.15c.

VANADIUM ALLOYS

Ferrovanadium: Open-hearth Grade (V 35-55%, Si 8-12% max, C 3-3.5% max). Contract, any quantity, $3.10 per lb of contained V. Delivered. Spot, add 10c. **Crucible-Special Grades** (V 35-55%, Si 2-3.5% max, C 0.5-1% max), $3.20. **Primos and High Speed Grades** (V 35-55%, Si 1.50% max, C 0.20% max) $3.30.

Grainal: Vanadium Grainal No. 1, $1 per lb; No. 6, 68c; No. 79, 50c, freight allowed.

Vanadium Oxide: Contract, less carload lots $1.28 per lb contained V_2O_5, freight allowed. Spot, add 5c.

BORON ALLOYS

Ferroboron: (B 17.50% min, Si 1.50% max, Al 0.50% max, C 0.50% max). Contract, 100 lb or more, 1" x D, $1.20 per lb of alloy. Less than 100 lb $1.30. Delivered, spot, add 5c. F.o.b. Washington, Pa., prices, 100 lb and over, are as follows: Grade A (10-14% B) 75c per pound; Grade B (14-18% B) $1.20; Grade C (19% min B) $1.50.

Borosil: (3 to 4% B, 40 to 45% Si), $5.25 per lb contained B, delivered to destination.

Bortam: (B 1.5-1.9%). Ton lots, 45c per lb; smaller lots, 50c per lb.

Carbortam: (B 1 to 2%) contract, lump, carloads 9.50c per lb, f.o.b. Suspension Bridge, N. Y. freight allowed same as high-carbon ferrotitanium.

TUNGSTEN ALLOYS*

Ferrotungsten: (70-80%), 10,000 lb W or more, $4.85 per lb of contained W; 2000 lb W to 10,000 lb W, $4.95; less than 2000 lb W, $5.07, f.o.b. Niagara Falls, N. Y.

*Government ceiling prices, effective May 7, 1951, f.o.b. Niagara Falls, N. Y., basis.

MUNDT
PERFORATED
METAL
MEANS
PERFECT
SCREENS

Specially
Fabricated for
ALL INDUSTRIES
BY
CHARLES MUNDT & SONS
53 FAIRMOUNT AVE.
JERSEY CITY 4, N. J.
PHONE—DELAWARE 3-6200
Send for Illustrated Catalog

Steel Bars . . .

Bar Prices, Page 184

Boston—Demand for large diameter bars has slackened although supply still is tight. Smaller bars, 1-inch and under, are in better availability. Demand for alloys is only fair, especially on the part of warehouses. Armament requirements for both alloy and carbon bars, also forging stock, continues at high level and preliminary third quarter allotments point to some reductions in numerous grades. More commercial tonnage will be available in third quarter than in second, especially in small sizes.

New York—Hot carbon bar producers estimate that they will be able to give their customers little if any more tonnage in the third quarter than they have already allocated for the second quarter. It is possible that they may be able to do a bit more in small angles and flats and possibly in small rounds, but they see no increase whatsoever in what they will be able to offer in the way of larger sizes. Shell steel rounds will continue particularly tight for some months to come, it is believed. Cold-drawn carbon bar outlook continues promising, with drawers still concerned largely over their ability to obtain hot stock in sufficient variety of size to enable them to benefit to the fullest extent from anticipated inquiry. Alloy bars are in steady demand.

Philadelphia—Major bottleneck in the bar market continues in sizes 2-inches and up, reflecting pressure for shells. But even in the smaller sizes producers are sold up throughout the second quarter and doubt if they will be able to provide customers with more tonnage in the succeeding three months. Cold-drawers are accepting tonnage for next quarter and such as is being offered for fourth quarter, as well.


Pittsburgh — Steel bar producers are marking time and give no indication as to the course they will follow when books are opened for third quarter. They do expect a return to more normal volume during the period and are currently working hard to reduce any carryover they might normally take with them into third quarter. Their main goal seems to be to make delivery promises that can be kept in the absence of government directives.

Cleveland—Some bar mills are entering second quarter with substantial order carryover from the first three months. This means they will not be in position to offer much to their customers in the way of open tonnage in second quarter. Generally, small size bars appear to be increasing in availability, as has been the case for some time past, but the larger sizes are, if anything, even more difficult to obtain than they were months back. The reason for this is attributed to increased pressure from the military for shells.

Expectations are no relief in the large bar supply pinch will likely develop much before late in the year, depending, of course, on developments in the world political situation. Renewal of truce negotiations in the Korean war, it is said, will not materially affect current heavy demands


(*Turn to page* 178)

UPSON-WALTON
wire rope



Engineered for safety

In making Upson-Walton extra flexible crane rope, materials and manufacturing practices meet exacting specifications. Slings are factory assembled from Upson-Walton wire rope and Upson-Walton fittings.




Write for names of nearby distributors. Catalog on request.

THE UPSON-WALTON COMPANY
12500 ELMWOOD AVENUE • CLEVELAND 11, OHIO
New York • Chicago • Pittsburgh
Manufacturers of
WIRE ROPE • FITTINGS • TACKLE BLOCKS
Established 1871

Call Solar

FOR STEEL

— and do you recognize the most modern and efficient steel processing equipment? These production machines are operated at our various plants. Check your guesses below, then turn the page upside down for correct answers.




A

◀ is this

- ☐ a Temper Mill?
- ☐ an Edge Rolling Mill?
- ☐ a Coil Slitter?

is this ▶


- ☐ a Shearing Machine?
- ☐ a Cold Rolling Mill?
- ☐ a Coil Slitter?



B


is this ▼

- ☐ an Automatic Saw?
- ☐ a Flame Cutting Machine?
- ☐ an Automatic Cut-off line?



C

"and Call a Solar warehouse for economical processing to exact specifications."



A - edge rolling mill B - coil slitter C - flame cutting machine

"for service dependable as the sun"

SOLAR STEEL CORPORATION

SURE ® SPEC

General Offices: UNION COMMERCE BUILDING, CLEVELAND, OHIO

See your local classified telephone directory for our nearest office address

SALES OFFICES: Chicago • Cincinnati • Cleveland • Detroit • Grand Rapids • Kalamazoo • Milwaukee • Nashville • New Haven • Philadelphia • River Rouge, Mich. • Rochester, N.Y. • Toledo • Union, N.J. • Washington, D.C. • Worcester, Mass.

Try CLEVELAND Slotted-Type "Place Bolts"*

to solve vibration-point fastener problems



Find out about Place Bolts *now!* New users and new uses are multiplying daily. A cold-forged fastener made of either high carbon or alloy steel, the Place Bolt head brings *elastic spring action* to bear on seating surfaces, combining with the elastic elongation of the shank to safeguard against loss of initial bolt-tension. Vibration-and-shock-proof holding power is assured. Sizes range from 1/4" diameter upwards, standard or special. Write today for our Place Bolt Folder.

*Licensed under U. S. Patent No. 2543705.

CLEVELAND *Top Quality* FASTENERS

THE CLEVELAND CAP SCREW COMPANY
2917 East 79th Street, Cleveland 4, Ohio

originators of the Kaufman DOUBLE EXTRUSION Process

(*Continued from page 176*)

of the military. Even should a t be reached no letdown in the defe program is anticipated.

Cincinnati—Alloy bars have un gone a noticeable improvement inventories and deliveries out mills as compared with three four months ago. An attempt is ing made to move off-analysis b Demand has been good, particul in the large diameter bars. Car bar business in March was about same as in February. Invento are good but sizes are broken.

Chicago — Some steelmakers finding their position more unc fortable in bars than in sheets w deliveries more extended and ca over proportionately greater. F son for this is the impact of military shell and shell case p grams which require hot-topped s and thus put a strain on produc facilities. The military accomm tion, therefore, is at the expens commercial grade bars. Third q ter shell needs will be essentially same as in second quarter but t bar carryover is considerable and ilian users will be given quotas previously.

Wire . . .

Wire Prices, Page 188

Boston—Manufacturers of autc bile accessories are usually the to sense any change in buying b the auto builders and developm in their line, consequently, pro an indicator of the buying tren the industry. The only sign of ment deferment noted here i wire wheels. One buyer has hel shipments. Demand for several wire products is heavy and produ are under pressure for tonnage, notably upholstery wire. Cold-hea wire is well booked into June, deliveries are improving. Weak in the wire trade, with open ton available in second quarter, in plain galvanized wire, fine c specialties, merchant products music wire.

New York—Bulk of wire mill in second quarter is taken u ticket tonnage, although there spots for scattered open-end vo mostly fine wire specialties, in ing music wire. Upholstery wire is sold through second qu also cold heading and manufact wire. Heading stock deliveries improving. Plain galvanized is sl All grades used by the automoti dustry, including valve spring are under pressure. Some third ter orders are already in for spring. Clock spring stock is sl more active.

Chicago—Demand for high-c spring wire and welding wire tinues to exceed output. For other manufacturers wire pro however, consuming requiremen being met. Except for the two mentioned, inventories are fairl isfactory. Merchant wire pro continue to move slowly.

Birmingham—Most wire pr are reported in satisfactory in the territory. Demand for manufacturers' wire continues stead some other items, notably nail more plentiful than for probabl years.

could see the corpsman
kneeling over me. The
d plasma was running
n through a tube into
arm and he said
ything was going to be
. I was walking across
nemy mine field in Seoul
n one exploded and a
e of shrapnel caught me
e leg.

ot enough of that stuff?'
ked him, pointing to
blood. 'I guess we never
e enough,' he said, 'but
can thank *somebody*
this pint.'

w do you thank
nebody' for blood? For
ing your life? When I got
k home, I discovered the
wer at my local blood
or center. There's only
way to say thanks—
giving some of your
n blood."



How do you thank 'somebody' for Blood?"

Yes, all kinds of people give blood—for all kinds of reasons. But whatever *your* reason for giving blood, this you can be sure of: Whether your blood goes to a combat area, a local hospital, or for Civil Defense needs—this priceless, painless gift will some day save an American life!

Business Executives!
✓Check These Questions!

If you can answer "yes" to most of them, you—and your company—are doing a needed job for the National Blood Program.

- ☐ Have you given your employees time off to make blood donations?
- ☐ Do you have a Blood Donor Honor Roll in your company?
- ☐ Have you set up a list of volunteers so that efficient plans can be made for scheduling donors?
- ☐ Have you arranged to have a Bloodmobile make regular visits?
- ☐ Has your management endorsed the local Blood Donor Program?
- ☐ Have you informed employees of your company's plan of co-operation?
- ☐ Was this information given through Plant Bulletin or House Magazine?
- ☐ Has your company given any recognition to donors?
- ☐ Have you conducted a Donor Pledge Campaign in your company?

Remember, as long as a *single* pint of blood may mean the difference between life and death for *any* American . . . the need for blood is *urgent!*

PUBLIC SERVICE PROJECT OF THE ADVERTISING COUNCIL

Give Blood Now—Call Your Red Cross Today!

National Blood Program

ORES–COKE–REFRACTORIES

Prices as reported to STEEL, Apr. 2, 1953; changes shown in italic.

Ores

Lake Superior Iron Ore

(Prices effective for ore delivered up to and including June 30, 1953; gross ton, 51.50% iron natural, rail of vessel, lower lake ports.)

Old range bessemer	$10.10
Old range nonbessemer	9.95
Mesabi bessemer	9.85
Mesabi nonbessemer	9.70
Open-hearth lump	10.95
High phosphorus	9.70

The foregoing prices are based on upper lake rail freight rates, lake vessel freight rates, handling and unloading charges, and taxes thereon, which were in effect on Dec. 31, 1952, and increases or decreases after such date for buyer's account.

Eastern Local Iron Ore

Cents per unit del. E. Pa.

Foundry and basic 56-62% concentrates contract	17.00

Foreign Iron Ore

Cents per unit, c.i.f Atlantic ports

Swedish basic, 60 to 68%:	
Spot	nom.
Long-term contract	22.00
North African hematites (spot)	26.00-28.00
Brazilian iron ore, 68-69% (spot)	25.00

Tungsten Ore

Net ton unit, duty paid

Foreign wolframite and scheelite, per net ton unit	$65.00
Domestic scheelite, mines	65.00

Manganese Ore

Manganese, 48% nearby, $1.18-1.21 per long ton unit, c.i.f. U. S. ports, duty for buyer's account; shipments against old contracts for 48% ore are being received from some sources at 90c-93c.

Chrome Ore

Gross ton, f.o.b. cars, New York, Philadelphia, Baltimore, Charleston, S. C., plus ocean freight differential for delivery to Portland, Oreg., or Tacoma, Wash.

Indian and African	
48% 2.8:1	$40.00-$42.00
48% 3:1	44.00-46.00
48% no ratio	32.00-34.00
South African Transvaal	
44% no ratio	$27.00-$28.00
48% no ratio	34.00-35.00
Brazilian	
44% 2.5:1 lump	nom. $32
Domestic (Rail nearest seller)	
48% 3:1	$39.00

Molybdenum

Sulphide concentrates per lb. molybdenum content, mines	$1.00

REFRACTORIES

Fire Clay Brick

High-Heat Duty: Pueblo, Colo., $89.00; Ashland, Grahn, Hayward, Hitchins, Haldeman, Olive Hill, Ky., Athens, Troup, Tex., Beech Creek, Clearfield, Curwensville, Lochhaven, Lumber, Orviston, West Decatur, Pa., Bessemer, Ala., Farber, Mexico, St. Louis, Vandalia, Mo., Ironton, Oak Hill, Parral, Portsmouth, O., Ottawa, Ill., Stevens Pottery, Ga., Woodbridge, N. J., $99.30 Salina, Pa., $104.55; Niles, O., $109; Los Angeles, Pittsburg, Calif., $132.30.

Silica Brick

Standard: Alexandria, Claysburg, Mt. Union, Sproul, Pa., Ensley, Ala., Portsmouth, O., $99.30; Hays, Pa., $105.10; Niles, O., $107; E. Chicago, Ind., Joliet, Rockdale, Ill., $109.70; Cutler, Utah, $116.55; Los Angeles, $122.85.

Insulating Fire Brick

2300° *F:* Massillon, O., $178.50; Clearfield, Pa., $179.55; Augusta, Ga., Beaver Falls, Zelienople, Pa., Mexico, Mo., $186.90.

Ladle Brick

Dry Pressed: Bessemer, Ala., $64.60; Alsey, Ill., Chester, New Cumberland, W. Va., Freeport, Johnstown, Merrill Station, Pa., Wellsville, O., $69.30; Mexico, Mo., $73.50; Clearfield, Pa., Portsmouth, O., $83; Perla, Ark., $92.40; Los Angeles, $110.25; Pittsburg, Calif., $111.30.

Sleeves

Reesdale, Pa., $127; Johnstown, Pa., $127.30; Clearfield, Pa., $135; St. Louis, $138; Athens, Tex., $140.90.

Nozzles

Reesdale, Pa., $203.20; Johnstown, Pa., $208.40; Clearfield, Pa., $219.45; St. Louis, $224.65; Athens, Tex., $225.20.

Runners

Reesdale, Pa., $158.20; Johnstown, Pa., $161.70; Clearfield, Pa., $168.60; St. Louis, $170.30; Athens, Tex., $174.40.

High-Alumina Brick

50 *Per Cent:* Clearfield, Pa., St., Louis, Mexico, Mo., $166.30; Danville, Ill., $169.30.
60 *Per Cent:* St. Louis, Mexico, Vandalia, Mo., $210.20; Danville, Ill., $213.20.
70 *Per Cent:* St. Louis, Mexico, Vandalia, Mo., $244.35; Danville, Ill., $247.85; Clearfield, Pa., $252.

METALLURGICAL COKE

Price net ton

BEEHIVE OVENS	
Connellsville fur.	$14.50-1
Connellsville fdry.	16.50-1
New River foundry	2
Wise county foundry	1
Wise county, furnace	1
OVEN FOUNDRY COKE	
Kearney, N. J. ovens	$2
Everett, Mass., ovens New England, del.	*2
Chicago ovens	2
Chicago, del.	2
Terre Haute, ovens	2
Milwaukee, ovens	2
Indianapolis, ovens	2
Chicago, del.	2
Cincinnati, del.	2
Painesville, O., ovens	2
Cleveland, del.	2
Erie, Pa., ovens	2
Birmingham, ovens	2
Cincinnati, del.	2
LoneStar, Tex., ovens	2
Philadelphia, ovens	2
Swedeland, Pa., ovens	2
St. Louis, ovens	2
St. Louis, del.	2
Portsmouth, O., ovens	2
Cincinnati, del.	2
Detroit, ovens	2
Detroit, del.	2
Buffalo, del.	2
Flint, del.	2
Pontiac, del.	2
Saginaw, del.	2

*Or within $4.55 freight zone from works.

COAL CHEMICALS

Spot, cents per gallon, ovens

Pure benzol	
Toluol, one deg.	30.00
Industrial xylol	30.00

Per ton, bulk, ovens

Sulphate of ammonia	
Birmingham area	

Cents per pound, ovens

Phenol, 40 (carlots, nonreturnable drums)	

FLUORSPAR

Metallurgical grade, f.o.b. shipping po Ill., Ky., net tons, carloads, effective content 70%, $43; 60%, $40.
Imported, net ton, duty paid, metall grade, $30-$35.

Iron Ore . . .

Iron Ore Prices, Page 180

Cleveland—Movement of iron ore by vessel from upper lake ports has started, marking one of the earliest lake ore shipping seasons on record. In the week ended Mar. 30, 59,099 tons were moved, 31,527 tons coming from Duluth, and 27,572 tons from Two Harbors. The *Henry C. Frick* was the first vessel of the season out of Duluth. The weekly tonnage flow will increase rapidly from here on. Shippers expect to move more than 100 million tons during the 1953 season for a new record. Meanwhile, pending volume flow from the upper lakes, lower lake docks and furnaces are carrying sufficient ore in stock to support capacity blast furnace operations without interruption.

Metallurgical Coke . . .

Metallurgical Coke Prices, Page 180

Cleveland—Oven foundry coke demand has increased noticeably in this district since February. Explanation for this is found in the fact that while foundry operations continue spotty, over-all foundry activity is improved. This is especially true as regards shops producing castings for the automotive and appliance industries. While there is no coke surplus in the district, neither is there any noticeable shortage so that the market gives the appearance of running along on even keel. No talk is heard here of any projected change in prices, either up or down. Some easiness is reported in the coal market, however, with lower prices on coal rumored a possibility, chiefly on steam grades.

Semifinished Steel . . .

Semifinished Prices, Page 184

Boston — Bids close Apr. 20 on 5000 tons of carbon steel billets, Watertown arsenal. Billets are to be 16 to 20 inches square and the inquiry is covered by inv. 153-B, commanding officer.


Pittsburgh — Steelmaking operations in this district were twice hit last week by developments that cut deeply into ingot production. No. 3 openhearth shop of U.S. Steel Corp. at Homestead, which turns out 3000 tons daily, was closed Mar. 28 after preliminary inspection by Ame Bridge Division engineers re that a more complete inspectio advisable.

While the inspection period is two weeks it was indicated th more lengthy shutdown might b perienced. Much will depend findings of engineers. Current down lopped off about 10 per of the company's ingot tonna

Close on the heels of this c ment came a wildcat strike of men on the Union railroad s U.S. Steel plants in this area. corporation blast furnaces banked early in the week with hearths following closely beh complete cessation of operati Homestead, Duquesne, Clairto Edgar Thomson works. It i mated that approximately 25,00 of steel daily were lost duri strike.

Youngstown—District steel o ing rate is 106 per cent of ca with three bessemers, 72 hearths and 25 blast furna operation. Some blast furnace repairs and may be forced t out soon, affecting the supplies

(*Turn to page* 183)



The "decarb" (light-colored) area in the ordinary heat-treated bar at right must usually be removed before parts can be made from the stock.



Notice that this Republic carbon corrected alloy steel bar has had full carbon content restored to outer edges by carbon correction.

HERE IS WHERE Republic Carbon-Corrected Alloy Steel Bars help you make a profit

● Notice, above at the right, the "decarb" area in the outer edge of the cross-section of a cold drawn alloy steel bar as ordinarily heat treated. Then compare it with the cross-section below at the left. Notice how the carbon has been restored by carbon correction even to the extreme outer circumference.

Here, in the outer rim of Republic Carbon-Corrected Alloy Steel Bars, is the profit-area for your machine tools . . . the part of the bar you don't have to machine away into chips and shavings.

Let our Republic 3-Dimension Metallurgical Service work with your metallurgists and production men to adapt Republic Carbon-Corrected Cold Drawn Alloy Steel Bars to your products. Your Republic Steel salesman can arrange for the Republic Field Metallurgist to call at your convenience.



3-DIMENSION Metallurgical Service

. . . combines the extensive experience and coordinated abilities of Republic's *Field, Mill* and *Laboratory* Metallurgists with the knowledge and skills of your own engineers. It has helped guide users of Alloy Steels in countless industries to the correct steel and its most efficient usage, IT CAN DO THE SAME FOR YOU.

REPUBLIC STEEL CORPORATION
Alloy Steel Division • Massillon, Ohio
GENERAL OFFICES • CLEVELAND 1, OHIO
Export Department: Chrysler Building, New York 17, N.Y.

Republic COLD DRAWN
REPUBLIC STEEL
ALLOY STEEL BARS

Ingersoll specializes in . . .






Heat-Resisting **STEELS**

ENGINEERING B-W PRODUCTION

STEEL DIVISION

BORG-WARNER CORPORATIO

310 South Michigan Avenue, Chicago 4, Illi
Plant: New Castle, Indiana



3-minute test for Pickle Tanks with

FERRO PICKLE PILLS


If you can tell red from green, and count to ten, the job is easy. That's why Ferro Pickle Pills have been standard equipment in the best pickling rooms, for years.

There's a Ferro Pickle Pill for every need: a simple, sure method of determining the solution percentage of sulphuric acid, muriatic acid, alkali and metal-cleaning tanks . . . or the iron content of any of these solutions.

Write for literature and prices, today!

FERRO

FERRO CORPORATION
4150 E. 56TH STREET
CLEVELAND 5, OHIO





waiting for you

Gone are the days when you had to wait for delivery on most punches and dies, while they were made to order. Now *they wait for you.* You can order for immediate shipment from our stock 76 styles of punches and 65 styles of dies in round, flat, oval, and square sizes to fit most makes of presses.

SEND FOR CURRENT CATALOG SHEETS

T. H. LEWTHWAITE MACHINE CO., IN


310 East 47th Street, New York 17, N. Y.

SINCE 1901

MOLINE "Hole-Hog"
SPECIALLY DESIGNED
MACHINE TOOLS

have cut production costs for American Industry.

DRILLING • BORING
HONING • TAPPING
and Special Machines



MOLINE TOOL CO.
HOLE-HOG
MOLINE, ILLINOIS

Boring V-8 Engine Cylinders

Finished Steel . . .

(Continued from page 180)

available for the steel furnaces. eel plants and blast furnaces are te best shape to produce in years, excellent supplies of scrap com- d with a year ago when they e scraping bottom of stockpiles. ore and coal and coke supplies equally adequate.

oungstown—Henry A. Roemer Jr., ident, Sharon Steel Corp., told kholders last week the steel busi- should be "very good" the rest his year, barring a strike. He Sharon Steel set many new rec- in January and probably will ster more for March. Mr. Roemer ects Sharon's large expenditures plant and equipment improve- ts to pay off handsomely in the re. He said the company's in- ment in titanium is proving even er than expected.

etroit—Steel production by Ford or Co. set daily, weekly and thly production records in March.

eel Shipments Up

anuary movement gains 7 per ent over year ago. Ware- ouses in first place as buyers.

New York—Steel products ship- nts in January this year were 7,- ,656 net tons, increase of 478,463 s or 7 per cent over shipments in uary 1952, the American Iron & el Institute reports.

anuary movement was about 000 tons less than the highest nthly level established last Octo- and practically repeated in De- nber 1952. However, it was sub- ntially higher than in any other nth of the past year, and was ual to an annual shipment rate of out 88 million tons. This compares th record annual shipments of 78.9 llion tons in 1951.

Warehouses continue to hold first ce as buyers during January, get- g over 1.3 million tons, or 19.1 per nt of the total shipments.

The automotive industry obtained arly 1.3 million tons in the month, ghest for any month since Octo- 1950. This January figure repre- ted 18.4 per cent of total ship- nts and compares with 16.2 per nt in all of last year.

Railroad transportation received arly 427,500 tons in the month, the gest tonnage since March 1952.

pliance and utensil manufacturers eived almost 170,600 tons, greatest ount since May 1951. These were pectively 6.1 and 2.4 per cent of total shipments during the month.

Makers of electrical machinery d equipment obtained over 179,000 s, largest tonnage since August 1 and 2.6 per cent of the total nthly movement.

Shipments to makers of guns, ks and associated military equ p- nt were 202,459 tons in January, newhat less than in other recent nths but 27,000 tons above the nthly average for all of last year.

Direct shipments from the mills export in January at 239,097 tons re the smallest since September 1. They constituted 3.4 per cent the total, comparing with 4.9 per t for all of 1952.

FORD uses 102 Wheelabrators in its various plants

FORD CLEVELAND FOUNDRY

Relies on 2 Continuous Wheelabrator Tumblasts for Fast, Continuous, High Volume Cleaning



• *These machines handle a combined tonnage of 20-24 tons per hour of gray iron castings*

"Automation"—Ford's terminology for automatic, high production operations—is a cost-saving reality in the small casting cleaning department of Ford's new Cleveland foundry. Contributing importantly to this efficient operation is the high speed, low cost cleaning production effected without manual handling by two Continuous Wheelabrator Tumblasts. Cleaning speed is synchronized with the foundry's production.

American pioneered the first continuous blast mill, and the sound engineering design and performance of this machine have been proved to the satisfaction of users in some of the nation's largest industries.



GET THE COMPLETE STORY

Let us show you how one of these machines can be applied with cost-saving economy to your particular cleaning problem. One of our nearby field engineers will be glad to discuss this at your convenience. In the meantime, write for literature.

American WHEELABRATOR & EQUIPMENT CORP.

Wheelabrator® AIRLESS BLAST CLEANING

509 S. Byrkit St., Mishawaka, Ind.

WORLD'S LARGEST BUILDERS OF AIRLESS BLAST EQUIPMENT

Semifinished and Finished Steel Products

Mill prices as reported to STEEL Apr. 2, 1953, cents per pound except as otherwise noted. Changes shown in italics.
Code numbers following mill points indicate producing company; key on pages 184-185.

INGOTS, Carbon, Forging (NT)
Fontana,Calif. K1 ....$81.00
Munhall,Pa. U5 ....54.00
Seattle S24 ....75.00

INGOTS, Alloy (NT)
Detroit R7 ....$57.00
Fontana,Calif. K1 ....83.00
Houston S5 ....65.00
Midland,Pa. C18 ....57.00
Munhall, Pa. U5 ....57.00

BILLETS, BLOOMS & SLABS
Carbon, Rerolling (NT)
Bessemer,Pa. U5 ....$59.00
ClairtonPa. U5 ....59.00
Ensley,Ala. T2 ....59.00
Fairfield,Ala. T2 ....59.00
Fontana,Calif. K1 ....78.00
Gary,Ind. U5 ....59.00
Johnstown,Pa. B2 ....59.00
Lackawanna,N.Y. B2 ..59.00
Munhall,Pa. U5 ....59.00
So.Chicago,Ill. U5 ....59.00
SoDuquesne,Pa. U5 ..59.00

Carbon, Forging (NT)
Bessemer,Pa. U5 ....$70.50
Buffalo R2 ....70.50
Canton,O. R2 ....70.50
Clairton,Pa. U5 ....70.50
Cleveland R2 ....70.50
Conshohocken,Pa. A3 ..77.50
Detroit R7 ....73.50
Ensley,Ala. T2 ....70.50
Fairfield,Ala. T2 ....70.50
Fontana,Calif. K1 ....89.50
Gary,Ind. U5 ....70.50
Geneva,Utah C11 ....70.50
Houston S5 ....78.50
Johnstown,Pa. B2 ....70.50
Lackawanna,N.Y. B2 ..70.50
LosAngeles B3 ....89.50
Munhall,Pa. U5 ....70.50
Seattle B3 ....89.50
So.Chicago R2,U5,W14.70.50
So.Duquesne,Pa. U5 ..70.50
So.SanFrancisco B3 ..89.50

Alloy, Forging (NT)
Bethlehem,Pa. B2 ....76.00
Buffalo R2 ....76.00
Canton, O. R2 ....76.00
Canton,O. T7 ....78.60
Conshohocken,Pa. A3 ..83.00
Detroit R7 ....79.00
Fontana,Calif. K1 ....95.00
Gary,Ind. U5 ....76.00
Houston S5 ....84.00
Ind.Harbor,Ind. Y1 ....76.00
Johnstown,Pa. B2 ....76.00
Lackawanna,N.Y. B2..76.00
LosAngeles B3 ....96.00
Massillon,O. R2 ....76.00
Midland,Pa. C18 ....76.00
Munhall,Pa. U5 ....76.00
So.Chicago R2,U5,W14..76.00
So.Duquesne,Pa. U5 ..76.00
Struthers,O. Y1 ....76.00
Warren,O. C17 ....76.00

ROUNDS, SEAMLESS TUBE (NT)
Buffalo R2 ....87.50
Canton,O. R2 ....87.50
Cleveland R2 ....87.50
Fontana,Calif. K1 ....108.50
Gary,Ind. U5 ....87.50
Massillon,O. R2 ....87.50
So.Chicago,Ill. R2 ....87.50
So.Duquesne,Pa. U5 ..87.50

SHEETS BARS (NT)
Fontana,Calif. K1 ...93.18

SKELP
Aliquippa,Pa. J5 ....3.65
Munhall,Pa. U5 ....3.55
Warren,O. R2 ....3.55
Youngstown R2, U5 ....3.55

WIRE RODS
Alton,Ill. L1 ....4.70
AlabamaCity,Ala. R2 ..4.325
Buffalo W12 ....4.325
Cleveland A7 ....4.325
Donora,Pa. A7 ....4.325
Fairfield,Ala. T2 ....4.325
Fontana,Calif. K1 ....5.125
Houston S5 ....4.725
Johnstown,Pa. B2 ....4.325
Joliet,Ill. A7 ....4.325
KansasCity,Mo. S5 ....4.665
LosAngeles B3 ....5.125
Minnequa,Colo. C10 ....4.575
Monessen,Pa. P7 ....4.525
No.Tonawanda,N.Y.B11 4.325
Pittsburg,Calif. C11 ...4.975
Portsmouth,O. P12 ....4.525
Roebling,N.J. R5 ....4.425
So.Chicago,Ill. R2 ....4.325
SparrowsPoint,Md. B2..4.425
Sterling,Ill.(1) N15 ....4.325
Struthers,O. Y1 ....4.325
Torrance,Calif. C11 ....5.125
Worcester,Mass. A7 ....4.625

SHEET STEEL PILING
Ind.Harbor,Ind. I-2 ...4.675
Lackawanna,N.Y. B2 ..4.675
Munhall,Pa. U5 ....4.675
So.Chicago,Ill. U5 ....4.675

STRUCTURALS
Carbon Steel Stand. Shapes
AlabamaCity, Ala. R2 ..3.85
Aliquippa,Pa. J5 ....3.85
Bessemer,Ala. T2 ....3.85
Bethlehem,Pa. B2 ....3.90
Clairton,Pa. U5 ....3.85
Fairfield,Ala. T2 ....3.85
Fontana,Calif. K1 ....4.50
Gary,Ind. U5 ....3.85
Geneva,Utah C11 ....3.85
Houston S5 ....4.25
Ind.Harbor,Ind. I-2 ....3.85
Johnstown,Pa. B2 ....3.90
KansasCity,Mo. S5 ....4.45
Lackawanna,N.Y. B2 ..3.90
LosAngeles B3 ....4.45
Minnequa,Colo. C10 ...4.30
Munhall,Pa. U5 ....3.85
Niles,Calif.(22) P1 ....4.56
Phoenixville,Pa. P4 ....4.95
Seattle B3 ....4.50
So.Chicago,Ill. U5, W14.3.85
So.SanFrancisco B3 ....4.40
Torrance,Calif. C11 ....4.45
Weirton,W.Va. W6 ....4.10

Wide Flange
Bethlehem,Pa. B2 ....3.90
Clairton,Pa. U5 ....3.85
Fontana,Calif. K1 ....5.05
Johnstown,Pa. B2 ....3.90
Lackawanna,N.Y. B2 ..3.90
Munhall,Pa. U5 ....3.85
So.Chicago,Ill. U5 ....3.85

Alloy Stand. Shapes
Clairton,Pa. U5 ....4.725
Fontana,Calif. K1 ....5.925
Gary,Ind. U5 ....4.725
Munhall,Pa. U5 ....4.725
So.Chicago,Ill. U5 ....4.725

H.S., L.A. Stand. Shapes
Aliquippa,Pa. J5 ....5.80
Bessemer,Ala. T2 ....5.80
Bethlehem,Pa. B2 ....5.80
Clairton,Pa. U5 ....5.80
Fairfield,Ala. T2 ....5.80
Fontana,Calif. K1 ....6.45
Gary,Ind. U5 ....5.80
Geneva,Utah C11 ....5.80
Ind.Harbor,Ind. I-2 ....5.80
Ind.Harbor,Ind. Y1 ....6.30
Johnstown,Pa. B2 ....5.80
Lackawanna,N.Y. B2 ..5.80
LosAngeles B3 ....6.35
Munhall,Pa. U5 ....5.80
Seattle B3 ....6.40
So.Chicago,Ill. U5 ....5.80
So.SanFrancisco B3 ....6.30
Struthers,O. Y1 ....6.30

H.S., L.A. Wide Flange
Bethlehem,Pa. B2 ....5.80
Lackawanna,N.Y. B2 ..5.80
Munhall,Pa. U5 ....5.75
So.Chicago,Ill. U5 ....5.75

BEARING PILES
Munhall,Pa. U5 ....3.85
So.Chicago,Ill. U5 ....3.85

PLATES,High-Strength Low-Alloy
Aliquippa,Pa. J5 ....5.95
Bessemer,Ala. T2 ....5.95
Clairton,Pa. U5 ....5.95
Cleveland J5, R2 ....5.95
Conshohocken,Pa. A3 ...6.20
Ecorse,Mich. G5 ....6.90
Fairfield,Ala. T2 ....5.95
Fontana,Calif.(30) K1 ..6.65
Gary,Ind. U5 ....5.95
Geneva,Utah C11 ....5.95
Ind.Harbor,Ind. I-2 ....5.95
Ind.Harbor,Ind. Y1 ....6.45
Johnstown,Pa. B2 ....5.95
Munhall,Pa. U5 ....5.95
Pittsburgh J5 ....5.95
Seattle B3 ....6.85
Sharon,Pa. S3 ....5.95
So.Chicago,Ill. U5 ....5.95
SparrowsPoint,Md. B2 ..5.95
Warren,O. R2 ....5.95
Youngstown Y1 ....6.45
Youngstown U5 ....5.95

PLATES, Open-Hearth Alloy
Claymont,Del. C22 ....5.35
Coatesville,Pa. L7 ....5.75
Conshohocken,Pa. A3 ..5.55
Fontana,Calif. K1 ....6.20
Gary,Ind. U5 ....5.25
Johnstown,Pa. B2 ....5.25
Munhall,Pa. U5 ....5.25
Sharon,Pa. S3 ....5.70
So.Chicago,Ill. U5 ....5.25
SparowsPoint,Md. B2 ..5.25

FLOOR PLATES
Cleveland J5 ....4.95
Conshohocken,Pa. A3 ..4.95
Ind.Harbor,Ind. I-2 ....4.95
Munhall,Pa. U5 ....4.95
So.Chicago,Ill. U5 ....4.95

PLATES, Ingot Iron
Ashland,c.l. (15) A10 ..4.15
Cleveland,c.l. R2 ....4.50
Warren,O.,c.l. R2 ....4.50

PLATES, Carbon Steel
AlabamaCity,Ala. R2 ..3.90
Aliquippa,Pa. J5 ....3.90
Ashland,Ky. (15) A10 ..3.90
Bessemer,Ala. T2 ....3.90
Clairton,Pa. U5 ....3.90
Claymont,Del. C22 ....4.35
Cleveland J5, R2 ....3.90
Coatesville,Pa. L7 ....4.35
Conshohocken,Pa. A3 ..4.35
Ecorse,Mich. G5 ....4.45
Fairfield,Ala. T2 ....3.90
Fontana,Calif.(30) K1..4.55
Gary,Ind. U5 ....3.90
GraniteCity,Ill. G4 ....4.60
Geneva,Utah C11 ....3.90
Harrisburg,Pa. C5 ....6.50
Houston S5 ....4.30
Ind.Harbor,Ind. I-2, Y1.3.90
Johnstown,Pa. B2 ....3.90
Lackawanna,N.Y. B2 ..3.90
Minnequa,Colo. C10 ....4.70
Munhall,Pa. U5 ....3.90
Pittsburgh J5 ....3.90
Seattle B3 ....4.80
Sharon,Pa. S3 ....4.15
So.Chicago,Ill. U5, W14.3.90
SparrowsPoint,Md. B2 ..3.90
Steubenville,O. W10 ....3.90
Warren,O. R2 ....3.90
Weirton,W.Va. W6 ....4.20
Youngstown R2, U5, Y1.3.90

PLATES, Carbon A.R.
Fontana,Calif. K1 ....5.70
Geneva,Utah, C11 ....5.05

PLATES, Wrought Iron
(Add 4.7% to base and extras)
Economy,Pa. B14 ....8.60

BARS, Hot-Rolled Carbon
AlabamaCity,Ala. R2 ..3.95
Aliquippa,Pa. J5 ....3.95
Alton,Ill. L1 ....4.50
Atlanta,Ga. A11 ....4.50
Bessemer,Ala. T2 ....3.95
Buffalo R2 ....3.95
Canton,O. R2 ....3.95
Clairton,Pa. U5 ....3.95
Cleveland R2 ....3.95
Detroit R7 ....4.10
Ecorse,Mich. G5 ....4.30
Emeryville,Calif. J7 ....4.70
Fairfield,Ala. T2 ....3.95
Fontana,Calif. K1 ....4.65
Gary,Ind. U5 ....3.95
Houston S5 ....4.35
Ind.Harbor,Ind. I-2, Y1.3.95
Johnstown,Pa. B2 ....3.95
KansasCity,Mo. S5 ....4.55
Lackawanna,N.Y. B2 ..3.95
LosAngeles B3 ....4.65
Milton,Pa. B6 ....4.55
Minnequa,Colo. C10 ....4.40
Niles,Calif. P1 ....4.65
N.Tonawanda,N.Y. B11.3.95
Pittsburg,Calif. C11 ....4.65
Pittsburgh J5 ....3.95
Seattle B3, N14 ....4.70
So.Chicago R2,U5,W14 ..3.95
So.Duquesne,Pa. U5 ...3.95
So.SanFran.,Calif. B3...4.70
Sterling,Ill. N15 ....4.55
Struthers,O. Y1 ....3.95
Torrance,Calif. C11 ....4.65
Weirton,W.Va. W6 ....4.10
Youngstown R2, U5 ....3.95

BAR SIZE ANGLES; S. Shapes
Aliquippa,Pa. J5 ....3.95
Atlanta A11 ....4.50
Niles,Calif. P1 ....4.65
SanFrancisco S7 ....5.00

BAR SIZE ANGLES; H.R.CARBON
Bethlehem,Pa. B2 ....4.15

BARS,Hot-Rolled Alloy
Bethlehem,Pa. B2 ....4.675
Buffalo R2 ....4.675
Canton,O. T7 ....4.72
Canton,O. R2 ....4.675
Clairton,Pa. U5 ....4.675
Detroit R7 ....4.825
Ecorse,Mich. G5 ....5.025
Fontana,Calif. K1 ....5.725
Gary,Ind. U5 ....4.675
Houston S5 ....5.075
Ind.Harbor,Ind. I-2, Y1.4.675
Johnstown,Pa. B2 ....4.675
KansasCity,Mo. S5 ....5.275
Lackawanna,N.Y. B2 ..4.675
LosAngeles B3 ....5.725
Massillon,O. R2 ....4.675
Midland,Pa. C18 ....4.675
So.Chicago R2,U5, W14.4.675
So.Duquesne,Pa. U5 ..4.675
Struthers,O. Y1 ....4.675
Warren,O. C17 ....4.675
Youngstown U5 ....4.675

BAR SHAPES, Hot-Rolled Alloy
Clairton,Pa. U5 ....4.925
Gary,Ind. U5 ....4.925
Youngstown U5 ....4.925

BARS & SMALL SHAPES, H. R. High-Strength Low-Alloy
Aliquippa,Pa. J5 ....5.925
Bessemer,Ala. T2 ....5.925
Bethlehem,Pa. B2 ....5.925
Clairton,Pa. U5 ....5.925
Cleveland R2 ....5.925
Ecorse,Mich. G5 ....6.675
Fairfield,Ala. T2 ....5.925
Fontana,Calif. K1 ....6.975
Gary,Ind. U5 ....5.925
Ind.Harbor,Ind. I-2 ....5.925
IndianaHarbor,Ind. Y1.6.425
Johnstown,Pa. B2 ....5.925
Lackawanna,N.Y. B2 ..5.925
LosAngeles B3 ....6.625
Pittsburgh J5 ....5.925
Seattle B3 ....6.675
So.Duquesne,Pa. U5 ..5.925
So.SanFrancisco B3 ...6.675
Struthers,O. Y1 ....6.425
Youngstown U5 ....5.925

BARS, Cold-Finished Carbon
Ambridge,Pa. W18 ...4.925
BeaverFalls,Pa. R2 ...4.925
BeaverFalls,Pa. M12 ..4.925
Buffalo B5 ....4.975
Camden,N.J. P13 ....5.375
Carnegie,Pa. C12 ....4.925
Chicago B5 ....4.925
Chicago W18 ....4.925
Cleveland A7, C20 ....4.925
Detroit P17, R7 ....5.075
Detroit B5 ....5.125
Donora,Pa. A7 ....4.925
Elyria,O. W8 ....4.925
FranklinPark,Ill. N5 ...4.925
Gary,Ind. R2 ....4.925
GreenBay,Wis. F7 ....4.925
Hammond,Ind. L2,M13.4.925
Hartford,Conn. R2 ....5.475
LosAngeles R2 ....6.375
Mansfield,Mass. B5 ...5.475
Massillon,O. R2, R8 ...4.925
Monaca,Pa. S17 ....4.925
Newark,N.J. W18 ....5.375
Plymouth,Mich. P5 ...5.175
Pittsburgh J5 ....4.
Putnam,Conn. W18 ...5.
Readville,Mass. C14 ...5.
St.Louis,Mo. M5 ....5.
So.Chicago,Ill. W14 ....4.
SpringCity,Pa. K3 ....5.
Struthers,O. Y1 ....4.
Waukegan,Ill. A7 ....4.
Youngstown Y1 ....4.
Youngstown F3 ....4.

BARS, Cold-Finished Alloy
Ambridge,Pa. W18 ....
BeaverFalls,Pa. M12 ...
Bethlehem,Pa. B2 ....
Buffalo B5 ....
Camden,N.J. P13 ....
Canton,O. R2 ....
Canton,O. T7 ....
Carnegie,Pa. C12 ....
Chicago B5 ....
Chicago W18 ....
Cleveland A7 ....
Cleveland C20 ....
Detroit P17, R7 ....
Detroit B5 ....
Donora,Pa. A7 ....
Elyria,O. W8 ....
Gary,Ind. R2 ....
Hammond,Ind. L2, M13.
Hartford,Conn. R2 ....
Lackawanna,N. Y. B2 ..
Mansfield,Mass. B5 ....
Massillon,O. R2 R8 ....
Midland,Pa. C18 ....
Monaca,Pa. S17 ....
Newark,N.J. W18 ....
Plymouth,Mich. P5 ....
So.Chicago,Ill. R2, W14.
SpringCity,Pa. K3 ....
Struthers,O. Y1 ....
Warren,O. C17 ....
Waukegan,Ill. A7 ....
Worcester,Mass. A7 ....
Youngstown Y1 ....
Youngstown F3 ....

BARS, Reinforcing (Fabricated)
AlabamaCity,Ala R2 ...
Atlanta A11 ....
Buffalo R2 ....
Cleveland R2 ....
Emeryville,Calif. J7 ...
Fairfield,Ala. T2 ....
Fontana,Calif. K1 ....
Gary,Ind. U5 ....
Houston S5 ....
Ind.Harbor,Ind. I-2, Y1
Johnstown,Pa. B2 ....
KansasCity,Mo. S5 ....
Lackawanna,N.Y. B2 ..
LosAngeles B3 ....
Milton,Pa. B6 ....
Minnequa,Colo. C10 ....
Niles,Calif. P1 ....
Pittsburg,Calif. C11 ...
Pittsburgh J5 ....
SandSprings,Okla. S5 ..
Seattle B3, N14 ....
So.Chicago,Ill. R2 ....
So.Duquesne,Pa. U5 ...
So.SanFrancisco B3 ...
SparrowsPoint,Md. B2.
Sterling,Ill.(1) N15 ...
Struthers,O. Y1 ....
Torrance,Calif. C11 ...
Youngstown R2, U5 ...

BARS, Reinforcing (Fabricated; to consume
Huntington,W.Va. W7 ...
Johnstown, ¼-1" B2 ...

Key to Producers

A1 Acme Steel Co.
A3 Alan Wood Steel Co.
A4 Allegheny Ludlum Steel
A7 American Steel & Wire
A8 Anchor Drawn Steel Co.
A9 Angell Nail & Chaplet
A10 Armco Steel Corp.
A11 Atlantic Steel Co.
A13 American Cladmetals Co.
B1 Babcock & Wilcox Co.
B2 Bethlehem Steel Co.
B3 Beth. Pac. Coast Steel
B4 Blair Strip Steel Co.
B5 Bliss & Laughlin Inc.
B6 Bolardi Steel Corp.
B8 Braeburn Alloy Steel
B11 Buffalo Bolt Co.
B12 Buffalo Steel Div., H. K. Porter Co.
B14 A. M. Byers Co.
C1 Calstrip Steel Corp.
C2 Calumet Steel Div. Borg-Warner Corp.
C4 Carpenter Steel Co.
C5 Central Iron & Steel Div. Barium Steel Corp.
C7 Cleve. Cold Rolling Mills
C8 Cold Metal Products Co.
C9 Colonial Steel Co.
C10 Colorado Fuel & Iron
C11 Columbia-Geneva Steel
C12 Columbia Steel & Shaft
C13 Columbia Tool Steel Co.
C14 Compressed Steel Shaft
C16 Continental Steel Corp.
C17 Copperweld Steel Co.
C18 Crucible Steel Co.
C19 Cumberland Steel Co.
C20 Cuyahoga Steel & Wire
C22 Claymont Steel Products Dept., Wickwire Spencer Steel Division
D2 Detroit Steel Corp.
D3 Detroit Tube & Steel
D4 Disston & Sons, Henry
D6 Driver Harris Co.
D7 Dickson Weatherproof Nail Co.
E1 Eastern Gas&Fuel Assoc.
E2 Eastern Stainless Steel
E4 Electro Metallurgical Co.
E5 Elliott Bros. Steel Co.
E6 Empire Steel Corp.
F2 Firth Sterling Inc.
F3 Fitzsimons Steel Co.
F4 Follansbee Steel Corp.
F5 Franklin Steel Div. Borg-Warner Corp.
F6 Fretz-Moon Tube Co.
F7 Ft. Howard Steel & Wire
G2 Globe Iron Co.
G3 Globe Steel Tubes
G4 Granite City Steel
G5 Great Lakes Steel Corp.
G6 Greer Steel Co.
H1 Hanna Furnace Co.
I-1 Igoe Bros. Inc.
I-2 Inland Steel Co.
I-3 Interlake Iron Co.
I-4 Ingersoll Steel Div. Borg-Warner Corp.
I-7 Indiana Steel & Wire Co.
J1 Jackson Iron & Steel Co.
J3 Jessop Steel Co.
J4 Johnson Steel & Wire Co.
J5 Jones & Laughlin Steel
J6 Joslyn Mfg. & Supply
J7 Judson Steel Corp.
J8 Jersey Shore Steel
K1 Kaiser Steel Corp.
K2 Keokuk Electro Metals
K3 Keystone Drawn Steel
K4 Keystone Steel & Wire
L1 Laclede Steel Co.
L2 LaSalle Steel Co.
L3 Latrobe Steel Co.
L5 Lockhart Iron & Steel
L6 Lone Star Steel Co.
L7 Lukens Steel Co.

sCity S5 .....6.05
ngeles B3 .....5.45
n,O. P11 .....5.25
e B3, N14 .....5.80
Springs S5 .....6.45
nFrancisco B3 ...5.45
owsPt. ¼-1" B2 ..5.25
msport,Pa. S19 ...5.35

STEEL BARS

goHts.(3,4) C2 ...4.75
goHts.(3,4) l-2 ...4.75
klin,Pa.(3,4) F5 ...4.75
Worth,Tex.(26) T4..4.85
ngt,W.Va.(3) W7..5.75
on,O.(3) P11 .....4.75
e,Ill.(3) R2 .....4.05
wanda(3,4) B12 ...5.00
amsport(3) S19 ...5.25
amsport,Pa. S19 ...5.35

, Wrought Iron

dd 4.7% to base and extras)

omy,Pa.(S.R.) B14.9.60
omy,Pa.(D.R.)B14 11.90
omy(Staybolt)B14 12.20
.Rks.(Staybolt) L5 14.50
.Rks.(S.R.) L5 ....9.60
.Rks.(D.R.) L5 ..13.00

TS, Hot-Rolled Steel

18 gage and heavier)

amaCity,Ala. R2 ..3.775
and,Ky.(8) A10 ...3.775
er,Pa. A10 .....3.775
eland J5, R2 ....3.775
hohocken,Pa. A3 ..4.175
olt M1 .....4.40
se,Mich. G5 .....3.975
field,Ala. T2 .....3.775
ana,Calif. K1 ....4.825
,Ind. U5 .....3.775
eva,Utah C11 .....3.875
niteCity,Ill. G4 .....4.30
Harbor,Ind. I-2, Y1 3.775
n,Pa. U5 .....3.775
kawanna,N.Y. B2 ..3.775
hall,Pa. U5 .....3.775
gs,O. N12 .....5.425
sburg,Calif. C11 ..4.475
sburgh J5 .....3.775
ron,Pa. S3 .....4.175
Chicago,Ill. W14 ...3.775
rrowsPoint,Md. B2.3.775
benville,O. W10 ...3.775
rance,Calif. C11 ...4.475
rren,O. R2 .....3.775
rton,W.Va. W6 ....3.775
tLeechburg,Pa. A4.3.925
ngstown U5, Y1 ...3.775

ETS, H.R. (19 gage)

bamaCity,Ala. R2 ..4.925
ver,O. R1 .....5.825
nsfield,O. E6 .....5.65
ess,O. N12 .....5.675
rance,Calif. C11 ...5.575

ETS, H.R. (14 ga. heavier)
High-Strength Low-Alloy

veland J5, R2 ....5.675
nshohocken,Pa. A3 ..5.925
orse,Mich. G5 .....6.225
rfield,Ala. T2 ....5.675
ntana,Calif. K1 ....6.775
ry,Ind. U5 .....5.675
l.Harbor,Ind. I-2 ..5.675
l.Harbor,Ind. Y1 ..6.175
rin,Pa. U5 .....5.675
ckawanna(35) B2 ..5.675
nhall U5 .....5.675
tsburgh J5 .....5.675
aron,Pa. S3 .....5.675
.Chicago,Ill. U5 ....5.675
arrowsPoint(36) B2..5.675
rren,O. R2 .....5.675
irton,W.Va. W6 ...6.025
ungstown U5 .....5.675
ungstown Y1 .....6.175

SHEETS, Cold-Rolled High-Strength Low-Alloy

Cleveland J5, R2 ....6.925
Ecorse,Mich. G5 .....7.475
Fontana,Calif. K1 ....7.875
Gary,Ind. U5 .....6.925
IndianaHarbor,Ind. Y1.7.425
IndianaHarbor,Ind. I-2.6.925
Irvin,Pa. U5 .....6.925
Lackawanna(37) B2 ..6.925
Pittsburgh J5 .....6.925
SparrowsPoint(38) B2..6.925
Warren,O. R2 .....6.925
Weirton,W.Va. W6 ....7.275
Youngstown Y1 .....7.425

SHEETS, Cold-Rolled Steel (Commercial Quality)

Butler,Pa. A10 .....4.575
Cleveland J5, R2 ....4.575
Ecorse,Mich. G5 .....4.775
Fairfield,Ala. T2 ....4.575
Follansbee,W.Va. F4 ..5.575
Fontana,Calif. K1 ....5.675
Gary,Ind. U5 .....4.575
GraniteCity,Ill. G4 ....5.275
Ind.Harbor,Ind. I-2,Y1.4.575
Irvin,Pa. U5 .....4.575
Lackawanna,N.Y. B2..4.575
Middletown,O. A10 ....4.575
Pittsburg,Calif. C11 ...5.525
Pittsburgh J5 .....4.575
SparrowsPoint,Md. B2..4.575
Steubenville,O. W10 ...4.575
Warren,O. R2 .....4.575
Weirton,W.Va. W6 ....4.575
WestLeechburg,Pa. A4 ..5.45
Youngstown Y1 .....4.575

SHEETS, Galv'd No. 10 Steel

AlabamaCity,Ala. R2..5.075
Ashland,Ky.(8) A10 ..5.075
Canton,O. R2 .....5.075
Delphos,O. N16 .....5.675
Dover,O. R1 .....5.775
Fairfield,Ala. T2 ....5.075
Gary,Ind. U5 .....5.075
GraniteCity,Ill. G4 ....5.50
Ind.Harbor,Ind. I-2 ...5.075
Irvin,Pa. U5 .....5.075
Kokomo,Ind.(13) C16 ..5.475
MartinsFerry,O. W10 ..5.075
Niles,O. N12 .....6.275
Pittsburg,Calif. C11 ...5.825
SparrowsPoint,Md. B2 ..5.075
Steubenville,O. W10 ...5.075
Torrance,Calif. C11 ...5.825
Weirton,W.Va. W6 ....5.075

SHEETS, Galvanized No. 10, High-Strength Low-Alloy

Irvin,Pa. U5 .....7.625
SparrowsPoint(39) B2..7.775

SHEETS, Galvannealed Steel

Canton,O. R2 .....5.625
Irvin,Pa. U5 .....5.625
Kokomo,Ind.(13) C16 ..6.025
Niles,O. N12 .....6.825

SHEETS ZINCGRIP Steel No. 10

Butler,Pa. A10 .....5.325
Middletown,O. A10 ...5.325

SHEETS, Electro Galvanized

Cleveland R2 (28) 5.925
Niles,O. R2 (28) 5.925
Weirton,W.Va. W6 ....5.775

SHEETS, Well Casing

Fontana,Calif. K1 .....5.34

BLUED Stock, 29 ga.

Yorkville,O. W10 .....7.00
Follansbee,W.Va. F4 ...7.10
Follansbee (23) F4 ....6.425

SHEETS, Enameling Iron

Ashland,Ky.(8) A10 ..4.925
Cleveland R2 .....4.925
Gary,Ind. U5 .....4.925
GraniteCity,Ill. G4 ....5.625
Ind.Harbor,Ind. I-2 ...4.925
Irvin,Pa. U5 .....4.925
Middletown,O. A10 ....4.925
Youngstown Y1 .....4.925

BLACK PLATE (Base Box)

Aliquippa,Pa. J5 .....$6.50
Fairfield,Ala. T2 .....6.60
Gary,Ind. U5 .....6.50
GraniteCity,Ill. G4 .....6.70
Ind.Harbor,Ind. I-2, Y1.6.50
Irvin,Pa. U5 .....6.50
Niles,O. R2 .....6.50
Pittsburg,Calif. C11 ....7.25
SparrowsPoint,Md. B2 ..6.60
Warren,O. R2 .....6.50
Weirton,W.Va. W6 ....6.50
Yorkville,O. W10 .....6.50

HOLLOWARE ENAMELING Black Plate (29 gage)

Follansbee,W.Va. F4 ...6.10
Gary,Ind. U5 .....6.10
GraniteCity,Ill. G4 .....6.30
Ind.Harbor,Ind. Y1 ....6.10
Irvin,Pa. U5 .....6.10
Yorkville,O. W10 .....6.35

SHEETS, Culvert No. 16	Cu	Cu
	Alloy	Fe
Ashland,Ky. A10	5.875	....
Canton,O. R2 ..	5.925	6.375
Fairfield,Ala. T2	5.875	6.125
Gary,Ind. U5 ...	5.875	6.125
Ind.Harbor I-2 .	5.875	6.125
Irvin,Pa. U5 ...	5.875	6.125
Kokomo,Ind. C16	6.525	....
MartinsFy.,O.W10	5.875	....
Pittsburg,Cal.C11	6.625	....
SparrowsPt. B2 .	5.875	....
Torrance,Cal.C11	6.625	....

SHEETS, Culvert, No. 16 Pure Iron

Ashland,Ky. A10 .....6.125
Fairfield,Ala. T2 .....6.125
MartinsFerry,O. W10 ..6.125

SHEETS, Hot-Rolled Ingot Iron 18 Gage and Heavier

Ashland,Ky.(8) A10 ..4.025
Cleveland R2 .....4.375
Ind.Harbor,Ind. I-2 ...4.025
Warren,O. R2 .....4.375

SHEETS, Cold-Rolled Ingot Iron

Butler,Pa. A10 .....5.075
Cleveland R2 .....5.175
Middletown,O. A10 ....5.075
Warren,O. R2 .....5.175

SHEETS, Galvanized Ingot Iron No. 10 flat

Ashland,Ky.(8) A10 ...5.325
Canton,O. R2 .....5.825

SHEETS, ZINCGRIP Ingot Iron

Butler,Pa. A10 .....5.575
Middletown,O. A10 ....5.575

SHEETS, ALUMINIZED

Butler,Pa. A10 .....8.425

MANUFACTURING TERNES (Special Coated)

Fairfield,Ala. T2 .....$7.85
Gary,Ind. U5 .....7.75
Irvin,Pa. U5 .....7.75
Yorkville,O. W10 .....7.75

SHEETS, LT. Coated Ternes, 6 lb

Yorkville,O. W10 .....$8.65

SHEETS, Mfg. Ternes, 8 lb (Commercial Quality)

Gary,Ind. U5 .....$9.75
Yorkville,O. W10 .....9.75

SHEETS, Long Terne Steel (Commercial Quality)

BeechBottom,W.Va.W10 5.475
Gary,Ind. U5 .....5.475
Mansfield,O. E6 .....6.05
Middletown,O. A10 ....5.475
Niles,O. N12 .....6.275
Weirton,W.Va. W6 ....5.475

SHEETS, Long Terne, Ingot Iron

Middletown,O. A10 ....5.875

ROOFING SHORT TERNES (8 lb Coated)

Gary,Ind. U5 .....9.75

TIN PLATE, American Coke (Base Box)	1.25 lb	1.50 lb
Aliquippa,Pa. J5	$8.70	$8.95
Fairfield,Ala. T2	8.80	9.05
Gary,Ind. U5	8.70	8.95
Ind.Har. I-2, Y1.	8.70	8.95
Irvin,Pa. U5	8.70	8.95
Pitts.,Cal. C11 ..	9.45	9.70
Sp.Pt.,Md. B2 ..	8.80	9.05
Warren,O. R2 ...	8.70	...
Weirton,W.Va.W6	8.70	8.95
Yorkville,O. W10.	8.70	8.95

STRIP, Hot-Rolled High-Strength Low-Alloy

Bessemer,Ala. T2 .....5.65
Conshohocken,Pa. A3 ..5.90
Ecorse,Mich. G5 .....6.30
Fairfield,Ala. T2 .....5.65
Fontana,Calif. K1 .....6.55
Gary,Ind. U5 .....5.65
Ind.Harb.,Ind. I-2 .....5.65
Ind.Harbor,Ind. Y1 ....6.15

Lackawanna,N.Y. B2 ..5.70
LosAngeles(25) B3 ....6.40
Seattle(25) B3 .....6.65
Sharon,Pa. S3 .....5.65
So.SanFrancisco(25) B3.6.40
SparrowsPoint,Md. B2 ..5.70
Warren,O. R2 .....5.65
Weirton,W.Va. W6 ....6.10
Youngstown Y1 .....6.15
Youngstown U5 .....5.65

STRIP, Cold-Rolled High-Strength Low-Alloy

Cleveland J5 .....7.45
Cleveland A7 .....7.30
Dover,O. G6 .....8.00
Ecorse,Mich. G5 .....8.15
Lackawanna,N.Y. B2 ..7.90
Sharon,Pa. S3 .....7.30
SparrowsPoint,Md. B2 ..7.90
Warren,O. R2 .....7.30
Weirton,W.Va. W6 ....7.95
Youngstown Y1 .....7.80

STRIP, Hot-Rolled Carbon

Ala.City,Ala.(27) R2 ..3.725
Alton,Ill. L1 .....4.20
Ashland,Ky.(8) A10 ...3.725
Atlanta A11 .....4.275
Bessemer,Ala. T2 ....3.725
Bridgeport,Con.(10)S15 4.225
Buffalo(27) R2 .....3.725
Butler,Pa. A10 .....3.725
Carnegie,Pa. S18 ....4.225
Conshohocken,Pa. A3 ..4.125
Detroit M1 .....4.40
Ecorse,Mich. G5 .....4.025
Fairfield,Ala. T2 ....3.725
Fontana,Calif. K1 ....5.175
Gary,Ind. U5 .....3.725

(*Turn to page* 188)

TIN PLATE, Electrolytic (Base Box)	0.25 lb	0.50 lb	0.75 lb
Aliquippa,Pa. J5	$7.40	$7.65	$8.05
Fairfield,Ala. T2	7.50	7.75	8.15
Gary,Ind. U5	7.40	7.65	8.05
GraniteCity,Ill. G4	7.60	7.85	8.25
IndianaHarbor,Ind. I-2, Y1	7.40	7.65	8.05
Irvin,Pa. U5	7.40	7.65	8.05
Niles,O. R2	7.40	...	...
Pittsburg,Calif. C11	8.15	8.40	8.80
SparrowsPoint,Md. B2	7.50	7.75	8.15
Weirton,W.Va. W6	7.40	7.65	8.05
Yorkville,O. W10	7.40	7.65	8.05

SHEETS, SILICON, H.R. or C.R.(22 Ga.) COILS (Cut lengths ½c lower)	Arma-ture Field	Elec-tric	Motor	Dyna-mo
BeechBottom W10 (cut lengths)	... ...	7.85	9.10	9.90
BrackenridgePa. A4	... ...	8.35	9.60	10.40
GraniteCity,Ill. G4 (cut lengths)	... ...	8.55	9.80	...
IndianaHarbor,Ind. I-2	7.55 7.85	(34)	(41)	...
Mansfield,O. E6 (cut lengths)	7.20 7.35	7.85	9.10	9.90
Niles,O. N12 (cut lengths) ..	7.05 7.35	7.85	...	...
Vandergrift,Pa. U5	... 7.85	8.35	9.60	10.40
Warren,O. R2	7.55 7.85	8.35	9.60	10.40
Zanesville,O A10	... 7.85	8.35	9.60	10.40

SHEETS, SILICON (22 Ga. Base) COILS (Cut Length ½c lower) Transformer Grade	72	65	58	52
BeechBottom W10 (cut lengths)	10.45	11.00	11.70	12.50
Brackenridge,Pa. A4	10.95	....	....	....
Vandergrift,Pa. U5	10.95	11.50	12.20	13.00
Warren,O. R2	10.95	....	....	....
Zanesville,O. A10	10.95	11.50	12.20	13.00

H.R. or C.R. COILS AND CUT LENGTHS, SILICON (22 Ga.)	T-100	T-90	T-80	T-73
Butler,Pa. A10 (C.R.)	....	....	15.35	15.85
Vandergrift,Pa. U5	13.50	14.35	15.35	15.85

STRIP, Cold-Finished, Spring Steel (Annealed)	0.26-0.40C	0.41-0.60C	0.61-0.80C	0.81-1.05C	1.06-1.35C
Berea,O. C7	...	6.80	7.40	9.35	11.65
Bridgeport,Conn.(10) S15	5.80	7.65	8.25	10.20	12.50
Bristol,Conn. W1	...	...	8.55	10.50	....
Carnegie,Pa. S18	...	7.65	8.25	10.20	12.50
Cleveland A7	5.10	7.30	8.25	10.20	12.50
Dearborn,Mich. D3	6.05	7.90	8.50	....	....
Detroit D2	6.45	7.50	8.10	....	....
Dover,O. G6	5.70	7.65	8.25	10.20	12.50
FranklinPark,Ill. T6	5.45	7.45	8.40	10.35	12.65
Harrison,N.J. C18	...	...	8.55	10.50	12.80
Mattapan,Mass. T6	5.95	7.60	8.55	10.50	12.80
NewBritn.,Conn.(10) S15	5.80	7.65	8.25	10.20	12.50
NewCastle,Pa. B4	5.80	7.65	8.25	10.20	....
NewCastle,Pa. E5	5.80	7.65	8.25	10.20	12.50
NewHaven,Conn. D2	6.70	7.60	8.20	....	....
NewYork W3	...	7.95	8.55	10.50	12.80
Pawtucket,R.I. N8: Cleve.orPitts.Base	...	7.65	8.25	10.20	12.50
Worcester,Mass.,Base.	6.30	7.95	8.55	10.50	12.80
Sharon,Pa. S3	5.80	7.65	8.25	10.20	12.50
Trenton,N.J. R5	...	7.95	8.55	10.50	12.80
Wallingford,Conn. W2	6.30	7.60	8.20	10.15	12.65
Warren,O. T5	6.20	7.65	8.25	10.20	12.50
Weirton,W.Va. W6	5.80	7.65	8.25	10.20	12.50
Worcester,Mass. A7	5.40	7.60	8.55	10.50	12.80
Worcester,Mass. T6	5.95	7.60	8.55	10.50	12.80
Youngstown C8	...	7.65	8.25	10.20	12.50
Spring Steel (Tempered)					
Trenton,N.J. R5 (29)	...	...	10.30	12.50	15.35
Harrison,N.J. C18	...	...	10.30	12.50	15.35
NewYork W3	...	...	10.30*	12.50*	15.35*
Youngstown C8	...	...	10.30	12.50	15.35

* Plus 1.575 per 100 lb.

Key to Producers

McLouth Steel Corp.
Mahoning Valley Steel
Medart Co.
Mercer Tube & Mfg. Co.
Mid-States Steel & Wire
2 Moltrup Steel Products
3 Monarch Steel Co.

National Supply Co.
National Tube Div.
Nelsen Steel & Wire Co.
NewEng.-HighCarb.Wire
Newman-Crosby Steel
2 Niles Rolling Mill Div.
4 Nrthwst. Steel Roll. Mills
5 Northwestern S.&W. Co.
6 New Delphos Mfg. Co.

Oliver Iron & Steel Corp.
Oregon Steel Mills

Pacific States Steel Corp.
Pacific Tube Co.
Phoenix Iron & Steel Co.
Pilgrim Drawn Steel
Pittsburgh Coke & Chem.
Pittsburgh Steel Co.
Pittsburgh Tube Co.
1 Pollak Steel Co.
2 Portsmouth Division, Detroit Steel Corp.

P13 Precision Drawn Steel
P14 Pitts. Screw & Bolt Co.
P15 Pittsburgh Metallurgical
P16 Page Steel & Wire Div., Amer. Chain & Cable
P17 Plymouth Steel Co.

R1 Reeves Steel & Mfg. Co.
R2 Republic Steel Corp.
R3 Rhodeisland Steel Corp.
R5 Roebling's Sons, John A.
R6 Rome Strip Steel Co.
R7 Rotary Electric Steel Co.
R8 Reliance Div., Eaton Mfg.

S1 Seneca Wire & Mfg. Co.
S3 Sharon Steel Corp.
S4 Sharon Tube Co.
S5 Sheffield Steel Corp.
S6 Shenango Furnace Co.
S7 Simmons Co.
S8 Simonds Saw & Steel Co.
S9 Sloss-Sheffield S.&I. Div.
S13 Standard Forgings Corp.
S14 Standard Tube Co.
S15 Stanley Works
S16 Struthers Iron & Steel
S17 Superior Drawn Steel Co.
S18 Superior Steel Corp.
S19 Sweet's Steel Co.
S20 Southern States Steel
S24 Seidelhuber Steel

T2 Tenn. Coal & Iron Div.
T3 Tenn. Prod. & Chem.
T4 Texas Steel Co.
T5 Thomas Strip Division, Pittsburgh Steel Co.
T6 Thompson Wire Co.
T7 Timken Roller Bearing
T9 Tonawanda Iron Div., Am. Rad. & Stan. San.

U4 Universal Cyclops Steel
U5 United States Steel Corp.
V2 Vanadium-Alloys Steel
V3 Vulcan Crucible Steel Co.

W1 Wallace Barnes Co.
W2 Wallingford Steel Co.
W3 Washburn Wire Co.
W4 Washington Steel Corp.
W6 Weirton Steel Co.
W7 W. Va. Steel & Mfg. Co.
W8 West.Auto.Mach.Screw
W9 Wheatland Tube Co.
W10 Wheeling Steel Corp.
W12 Wickwire Spencer Steel Div., Colo. Fuel & Iron
W13 Wilson Steel & Wire Co.
W14 Wisconsin Steel Div. International Harvester
W15 Woodward Iron Co.
W18 Wyckoff Steel Co.

Y1 Youngstown Sheet&Tube

Tin Plate . . .

Tin Plate Prices, Page 185

New York—January shipments, totaling 269,597 tons, were up 5 per cent from the preceding month, when shipments totaled 256,206 tons, according to the Bureau of Census, Department of Commerce. Compared with a year ago, when shipments amounted to 234,272 tons, volume was up 15 per cent.

Food cans totaled 167,764 tons, against 158,612 tons in December 1952, and 143,997 tons in January, 1952. Non-food cans totaled 101,833 tons, against 97,594 tons in December, 1952, and 90,375 tons in January of that year.

Plates . . .

Plate Prices, Page 184

Boston—Underground tank fabricators, 1000 to 3000-gallon capacity, have plate and head inventories to permit stocking welded units for future delivery. Other shops have more narrow and light carbon plate tonnage, but heavy and wide carbon, clad and quality grades, are sold through second quarter. Weldment requirements are steady. Backlogs are maintained, but are under earlier peak. Considerable weldment tonnage is for priority defense requirements and will come under DMS set-asides. While clad prices have advanced, nickel-bearing and straight chromium grades, full impact of price decontrol is not expected to be felt until CMP controls disappear entirely on commercial tonnage June 30.

New York—Most plate producers are counting on certain carryover at the beginning of the third quarter, which means that they will have little unrated tonnage to offer during July. After that, however, they expect that the proposed Defense Materials System, which is to succeed the Controlled Materials Plan, will become fully effective. Most producers anticipate a continued good demand throughout the third quarter, especially in view of the good prospects in pipe line construction and in capital equipment generally. Shipyard activity is about the only major outlet, plate makers say, that is likely to show any appreciable drop. Actually, the trend has been easing for some time.

Philadelphia—Except for one high premium mill, eastern plate sellers are sold out for the second quarter and anticipate a brisk market in the succeeding three months. The exception can accept tonnage, especially in the light gages, for nearby shipment but has not reduced its price.

Pittsburgh—So long as military and defense-supporting industries maintain their strong demand, there seems little likelihood that much rolling time will be diverted from plates to sheets. While it is generally admitted some changes along these lines may be made in fourth quarter, for the present the continuous mills continue to roll plates. Producers are reluctant to make any moves that might result in re-establishing of controls, and they feel the quickest way to do that would be by toying with military allocations.

Birmingham—Even with relaxation of controls coming up, not too much is to be expected in plate supply improvement in this territory. Large scale users are wanting more tonnage and a substantial part of the district's output continues to go into steel pipe.


Seattle—Tank and boiler fabricators report an exceptional demand for figures but recent awards have been infrequent. Even small jobs are slow. Backlogs are lower. As a whole, conditions thus far, they state, have not been affected by the buck "freeze". Indications for an active season are favorable, several important projects being up for action shortly, the most important, an oil refining plant at Ferndale, Wash., involving 9000 tons plates, overall contract awarded to the Bechtel Corp., San Francisco. Important plate tonnages will also be required at the Arco, Idaho, reactor testing station, general contract to Utah Construction Co., Salt Lake City, Utah.

Fasteners . . .

Bolt, Nut, Rivet Prices, Page 189

Pittsburgh—Bolt and nut producers report that orders, tonnagewise, are coming in a slightly better rate than in the comparable period a year ago. Steel receipts from mills are better than at any time in recent months, and more favorable offerings are being made to customers. Tonnage use

WHEELING STEEL CORPORATION
WHEELING, WEST VIRGINIA
COP-R-LOY PIPE-SHEETS
Ductilite
THE MODERN TIN PLATE
LA BELLE CUT NAILS
WHEELING STEEL

KARDONG FOUR-WAY BENDER
For Concrete Reinforcing Bars
Model D-2

The Model D-2 Kardong Bender is a Four Direction Horizontal Bender. With this bender it is not necessary to turn bars over to make reverse or second bends on beams. The Model D-2 is made in two sizes, Model D-2 Standard 6-inch, which will bend bars around collars 2-inch to 6-inch, and Model D-2 Special 8-inch, which will bend bars around collars 2-inch to 8-inch. Capacity of both models, 4-inch Square Bars. The Model D-2 is a production bender for reinforcing steel fabricating shop. Ask for catalog of our complete line of reinforcing bar benders.
KARDONG BROTHERS, INC.
MINNEAPOLIS 13, MINN.


DETROIT STAMPING COMPANY
359 MIDLAND AVE. • DETROIT 3, MICH.

DETROIT STAMPING COMPANY
Especially geared for light to medium heavy stampings and high volume runs of small, intricate "Multi-Stamping"
We invite your inquiry or write for Stamping Brochure

OHIO LOCOMOTIVE CRANES
25 TO 50 TON CAPACITY

DIESEL • GASOLINE • ELECTRIC • STEAM
THE OHIO LOCOMOTIVE CRANE CO.
BUCYRUS, OHIO

THEORY AND PRACTICE OF ROLLING STEEL . . By Wilhelm Tafel
312 Pages
Price Postpaid $4.50
Covers every angle of the design, construction and operation of the steel rolling mill.
THE PENTON PUBLISHING CO.
Book Department, 1213 W. 3rd St., Cleveland 13, O.

ts from the mills are pretty balanced with orders from cus- rs. Producers, however, are still laining that the product mix good. They are still short of ate tonnage of large diameter rial, though they agree receipts rger sizes are improving.

Iron . . .

Pig Iron Prices, Page 164

ston—Pig iron inventories have oved to the point foundry and eable shipments are off with iron supply more comfortable. district blast furnace at Everett, ., will stock more iron this h. Currently, the melt is un- ged, well below capacity. Ma- tool requirements are about ng steady with peak pressure ed.

w York—Pig iron sellers con- to express disappointment over fact that gray iron foundry op- ons have not improved more no- bly. In fact, business at some , they say, is no better than it earlier in the year. All this gs, and particularly in view of fact that consumer inventories in generally good shape, that and for iron is still dragging. in the basic grades is there pressure and there is not too h demand for this type of iron in district anyway.

uffalo—The merchant pig iron ket continues to display strength. kness in other metals as result he Korean peace move is not re- ed in pig iron. Approximately o 80 per cent of district iron out- is going to the steelmaking fur- es. Automotive and building cast- continue active buyers.

hiladelphia—Consumers of found- ig iron are meeting with no dif- lty in obtaining supplies provided y are willing to pay the extra ght for tonnage originating out- the district. But they find local plies tighter, due in part to the some merchant producing ca- ity is down for relining. The ba- iron situation is being eased some- t, although indirectly, by resump- of operations at the Chester, stack, which had been down two ths for relining.

leveland — Merchant iron sellers moving their output without dif- lty but they are under notably pressure than was the case some ths back. Foundry operations in district are spotty, some shops rtedly operating at a brisk pace others less actively. Those pro- ing castings for the automotive appliance industries are doing er than some others. Foundries defense work also are busy but pressure in this area is reported- off some. With iron supplies ade- te buyers are not ordering heav- for inventory. Blowing out of a nace depended upon for silvery has caused some inconvenience consumers, but it is reported the of this tonnage is being over- e by supplies from other pro- ers.

incinnati — Pig iron demand is ding up well. Castings for the

(*Turn to page* 191)



Out at Lima-Hamilton Corp., Hamilton, Ohio, they braze five parts of their 9x12 Diesel locomotive engine. Here are the jobs, the time cycles—also test results quoted from their report.

PART AND JOB	TIME CYCLE	TEST RESULTS
Exhaust rocker arm to shaft induction brazed with a ring of 3/32" EASY-FLO wire preplaced.	318 secs. 2 pieces	"On torque loading the 1 ¼" rocker shaft twists at 12,000 lbs. No failure of joint."
Intake rocker arm to shaft done same as above.	282 secs. 2 pieces	Same result as above.
Tappet plugs to tappet body, induction brazed with a ring of 3/32" EASY-FLO wire preplaced.	72 secs. each	"Parent metal fails before brazed joint when attempting to press plug from tappet body."
Ball ends to seamless steel tubing push rods, induction brazed with a ring of 1/16" EASY-FLO No. 3 wire preplaced. (Illustrated above)	45 secs.	"Tube bulges before joint failure when attempting to push rod ends out of tubing."
Cup ends to seamless steel tubing push rods done same as above.	50 secs.	Same result as above.

BULLETIN 20 *gives you the how and why you get stronger joints in faster time at lower cost with EASY-FLO low-temperature silver alloy brazing. Write for your copy today.*



HANDY & HARMAN

General Offices: 82 Fulton St., New York 38, N. Y.

DISTRIBUTORS IN PRINCIPAL CITIES

OFFICES and PLANTS
BRIDGEPORT, CONN.
PROVIDENCE, R. I.
CHICAGO, ILL.
CLEVELAND, OHIO
DETROIT, MICH.
LOS ANGELES, CAL.
TORONTO, CANADA
MONTREAL, CANADA

(*Continued from page 185*)

Houston,Tex. S5 .....4.125
Ind.Harbor,Ind. I-2,Y1.3.725
Johnstown,Pa.(25) B2..3.725
KansasCity,Mo.(9) S5..4.325
Lackaw'na,N.Y.(32) B2 3.725
LosAngeles(25) B3 ....4.475
Milton,Pa. B6 .....4.35
Minnequa,Colo. C10 ...4.775
NewBritain(10) S15 ...4.225
N.Tonawanda,N.Y. B11 3.725
Pittsburg,Calif. C11 ...4.475
Riverdale,Ill. A1 .....3.725
SanFrancisco S7 .....5.00
Seattle(25) B3 .....4.725
Seattle N14 .....4.75
Sharon,Pa. S3 .....4.225
So.Chicago,Ill. W14 ...3.725
So.SanFrancisco(25) B3 4.475
SparrowsPoint,Md. B2..3.725
Sterling,Ill. N15 .....4.725
Torrance,Calif. C11 ...4.475
Warren,O. R2 .....3.725
Weirton,W.Va. W6 ....3.825
WestLeechburg,Pa. A4..3.975
Youngstown U5, Y1 ...3.725

STRIP, Hot-Rolled Alloy

Bridgeprt,Conn.(10) S15.6.05
Carnegie,Pa. S18 .....6.45
Fontana,Calif. K1 ... ...7.30
Gary,Ind. U5 .....6.10
Houston,Tex. S5 .....6.50
KansasCity,Mo. S5 ....6.70
Midland,Pa. C18 .....5.85
NewBritn.,Conn.(10) S15 6.05
Sharon,Pa. S3 .....6.45
Youngstown U5 .....6.10

STRIP, Cold-Rolled Carbon

Anderson,Ind.(40) G6 ..5.50
Bridgeprt,Conn.(10) S15.5.80
Butler,Pa. A10 .....5.10
Cleveland A7, J5 .....5.10
Dearborn,Mich. D3 ....6.05
Detroit D2 .....5.60
Detroit M1 .....5.45
Dover,O.(40) G6 .....5.50
Ecorse,Mich. G5 .....5.30
Follansbee,W.Va. F4 ...5.10
Fontana,Calif. K1 .....6.75
FranklinPark,Ill.(40)T6 .5.35
Ind.Harbor,Ind. I-2 ....5.35
Lackawanna,N.Y. B2 ..5.10
LosAngeles C1 .....7.15
Mattapan,Mass. T6 ....5.95
Middletown,O. A10 ....5.10
NewBritain(10) S15 ....5.80
NewCastle,Pa. B4 .....5.80
NewCastle,Pa.(40) E5 ..5.70
NewHaven,Conn. D2 ...5.85
NewHaven,Conn. A7 ...5.60
Pawtucket,R.I. R3 ....6.45
Pawtucket,R.I.(21) N8..6.30
Riverdale,Ill.(40) A1 ...5.35
Rome,N.Y. R6 .....5.10
Sharon,Pa. S3 .....5.80
SparrowsPoint,Md. B2 ..5.10
Trenton,N.J. R5 .....6.45
Wallingford,Conn. W2 ..6.30
Warren,O.(40) T5 .....5.70
Warren,O. R2 .....5.10
Weirton,W.Va. W6 .....5.10
Youngstown C8 (40) ...5.70
Youngstown Y1 .....5.10

STRIP, Electro Galvanized

Dover,O. G6 .....5.50
Warren,O. T5 .....5.70
Weirton,W.Va. W6 .....5.10
Youngstown C8 .....5.70

STRIP, Cold-Rolled Alloy Steel

Bridgeprt,Conn.(10)S15 12.15
Carnegie,Pa. S18 .....12.00
Cleveland A7 .....11.40
Dover,O. G6 .....11.90
Fontana,Calif. K1 ....13.05
Harrison,N.J. C18 ....12.00
Midland,Pa. C18 .....12.00
NewBritn,Conn.(10)S15 12.15
Pawtucket,R.I.(11) N8.12.15
Pawtucket,R.I.(12) N8.12.45
Sharon,Pa. S3 .....12.00
Worcester,Mass. A7 ...11.70
Youngstown C8 .....12.00

STRIP, Hot-Rolled Ingot Iron

Ashland,Ky.(8) A10 ..3.975
Warren,O. R2 .....4.325

STRIP, Cold-Rolled Ingot Iron

Warren,O. R2 .....5.70

TIGHT COOPERAGE HOOP

Atlanta A11 .....4.45
Riverdale,Ill. A1 .....4.30
Sharon,Pa. S3 .....4.55
Youngstown U5 .....4.15

WIRE, Merchant Quality

(6 to 8 gage)	An'ld. Galv.
AlabamaCity R2..6.075	6.325
Aliquippa J5 ...6.075	6.525‡
Atlanta A11 .....6.325	6.675
Bartonville(19)K4..6.075	6.40
Buffalo W12 ....5.225	....
Cleveland A7 ...6.075	6.225
CrawfordsvilleM8 6.175	6.475
Donora,Pa. A7 ..6.075	6.225
Duluth,Minn. A7. 6.075	6.225
Fairfield T2 .....6.075	6.225
Houston,Tex. S5..6.475	6.80
Johnstown B2 ...6.075	6.45†
Joliet,Ill. A7 ....6.075	6.225
KansasCy,Mo. S5.6.675	7.00
Kokomo C16 ....6.175	6.425
LosAngeles B3 ...7.025	....
Minnequa C10 ...6.325	6.70*
Monessen P7 ....6.075	6.45
Palmer W12 .....5.525	....
Pitts.,Calif. C11..7.025	7.175
Prtsmth.(18)P12..6.475	....
Rankin A7 .....6.075	6.225
So.Chicago R2 ..6.075	6.325
So.S.Fran. C10 ..7.025	7.40*
SparrowsPt. B2 ..6.175	6.55†
Sterling,Ill.(1)N15 6.075	6.375
Struthers,O. Y1 ..6.075	6.475
Torrance,Cal. C11 7.025	....
Worcester A7 ...6.375	6.525

*Based on 14c zinc; †14.50c zinc; ‡17.5c zinc.

WIRE (16 gage) (Add 4.7% on base and extras)

	Ani'd. Galv.	Stone
Aliquippa J5	10.15	12.15
Bartonville(19)K4	10.25	12.00*
Cleveland A7	10.25	11.55
Crawfordsville M8	10.73	12.51
Fostoria,O. S1	10.40	13.00
Johnstown B2	10.73	12.58§
Kokomo C16	10.625†	12.325§
Minnequa C10	10.40	12.425*
Palmer,Mass. W12	10.25	12.15
Pitts.,Cal. C11	10.60	11.90
SparrowsPt. B2	10.84	12.68§
Sterling(1) N15	10.73†	12.15†
Waukegan A7	10.25	11.55
Worcester A7	11.85	....

*Based on 14c zinc; §14.50c zinc. †Includes 4.7% increase.

WIRE, Manufacturers Bright, Low Carbon

AlabamaCity,Ala. R2..5.225
Aliquippa,Pa. J5 (42)...4.85
Atlanta A11 .....5.475
Alton,Ill. L1 .....5.45
Bartonville,Ill. K4 ....5.325
Buffalo W12 .....5.225
Chicago W13 .....5.475
Cleveland A7, C20.....5.225
Crawfordsville,Ind. M8..5.325
Donora,Pa. A7 .....5.225
Duluth,Minn. A7 .....5.225
Fairfield,Ala. T2 .....5.225
Fostoria,O. (24) S1 ...5.725
Houston S5 .....5.625
Johnstown,Pa. B2 ....5.225
Joliet,Ill. A7 .....5.225
KansasCity,Mo. S5 ....5.825
Kokomo,Ind. C16 .....5.325
LosAngeles B3 .....6.175
Minnequa,Colo. C10 ...5.475
Monessen,Pa. P7 .....5.475
Newark 6-8 ga I-1 ....5.88
No.Tonawanda B11 ...5.225
Palmer,Mass. W12 ....5.525
Pittsburg,Calif. C11 ...6.175
Portsmouth,O. P12 ....5.625
Rankin,Pa. A7 .....5.225
So.Chicago,Ill. R2 ....5.225
So.SanFrancisco C10 ..6.175
SparrowsPoint,Md. B2..5.325
Sterling,Ill. (1) N15 ...5.225
Struthers,O. Y1 .....5.225
Torrance,Calif. C11 ...6.175
Waukegan,Ill. A7 .....5.225
Worcester,Mass. A7 ...5.525

WIRE, Cold-Rolled Flat

Anderson,Ind. G6 .....6.20
Buffalo W12 (43) 6.35
Cleveland A7 (43) 5.85
Crawf'sville,Ind.M8(48) 5.70
Dover,O. G6 .....6.20
Fostoria,O. S1 (43) 6.00
Kokomo,Ind. C16 (43)..5.70
FranklinPark,Ill. T6(43) 6.20
Massillon,O. R8 (43) ...5.85
Monessen,Pa. P16 (43)..6.35
Monessen,Pa. P7 (43) ..6.10
Pawtkt,R.I.(12) N8 (43)6.85
Trenton,N.J. R5 (43) ...6.15
Worcester,Mass. A7 (43).6.15
Worcester,Mass. T6 (43).6.50
Worcester,Mass.W12(43) 6.65

WIRE, Galv'd ACSR for Cores

Bartonville,Ill. K4 .....8.90
Monessen,Pa. P16 (43)..8.50
Muncie,Ind. I-7 (43) ...8.70
Roebling,N.J. R5 (43) ..8.80
SparrowsPt.,Md. B2(43).8.60
Johnstown,Pa. B2 (43)..8.50

ROPE WIRE

Alton,Ill. L1 (43) 8.75
Bartonville,Ill. K4 .....8.95
Buffalo W12 (43) 8.55
Fostoria,O. S1 (43) 8.85
Johnstown,Pa. B2 (43)..8.55
Monessen,Pa. P16 (43)..8.55
Monessen,Pa. P7 (43) ..8.80
Muncie,Ind. I-7 (43) ...8.75
Palmer,Mass. W12 (43).8.85
Portsmouth,O. P12 (43).8.55
Roebling,N.J. R5 (43) ..8.85
SparrowsPt. B2 (43) ...8.65
Struthers,O. Y1 (43) ...8.55
Worcester J4, T6 (43) ..8.85

(A) Plow and Mild Plow; add 0.25c for improved plow.

WIRE, MB Spring, High Carbon

Aliquippa,Pa. J5 (43) ..6.25
Alton,Ill. L1 (43) 6.55
Bartonville,Ill. K4 .....6.64
Buffalo W12 (43) 6.25
Cleveland A7 (43) 6.25
Donora,Pa. A7 (43) 6.25
Duluth,Minn. A7 (43) ..6.25
Fostoria,O. S1 (43) 6.25
Johnstown,Pa. B2 (43)..6.25
Millbury(12) N6 (43)...8.05
Minnequa,Colo. C10(43).6.50
Monessen,Pa. P7 (43) ..6.25
Monessen,Pa. P16 .....6.75
Muncie,Ind. I-7 (43) ...6.45
Palmer,Mass. W12(43)..6.55
Pittsburg,Calif. C11(43).7.20
Roebling,N.J. R5 (43)..6.55
Portsmouth,O. P12(43)..6.25
So.Chicago,Ill. R2 (43)..6.25
So.SanFran. C10 (43) ..7.20
SparrowsPt.,Md. B2 (43)6.35
Struthers,O. Y1 (43) 6.25
Trenton,N.J. A7 (43) ...6.55
Waukegan,Ill. A7 (43) ..6.25
Worcester A7, T6 (43)..6.55
Worcester,Mass. W12(43)6.55
Worcester,Mass. J4 (43).6.75

WIRE, Upholstery Spring

Aliquippa,Pa. J5 .....6.275
Alton,Ill. L1 .....6.50
Buffalo W12 .....6.275
Cleveland A7 .....6.275
Donora,Pa. A7 .....6.275
Duluth,Minn. A7 .....6.275
Johnstown,Pa. B2 .....6.275
LosAngeles B3 .....7.225
Minnequa,Colo. C10 ....6.525
Monessen,Pa. P7 .....6.275
Monessen,Pa. P16(42) ..6.40
NewHaven,Conn. A7 ..6.575
Palmer,Mass. W12 ....6.575
Pittsburg,Calif. C11 ...7.225
Portsmouth,O. P12 ....6.275
Roebling,N.J. R5 .....6.575
So.Chicago,Ill. R2 ....6.275
So.SanFrancisco C10 ...7.225
SparrowsPoint,Md. B2..6.375
Torrance,Calif. C11 ...7.225
Trenton,N.J. A7 .....6.575
Waukegan,Ill. A7 .....6.275
Worcester,Mass. A7 ...6.575

WIRE, Fine & Weaving (8"Coils)

Alton,Ill. L1 (43) 9.20
Bartonville,Ill. K4 .....9.42
Buffalo W12 (43) 8.90
Chicago W13 .....9.32
Cleveland A7 (43) 8.90
Crawf'sville,Ind. M8(43) 8.90
Fostoria,O. S1 (43) 8.90
Johnstown,Pa. B2 (43)..8.90
Kokomo,Ind. C16 (43)..8.90
Monessen,Pa. P16 (43)..8.90
Muncie,Ind. I-7 (43) ...9.10
Palmer,Mass. W12 (43).9.20
Roebling,N.J. R5 (43) ..9.20
Waukegan,Ill. A7 (43)..8.90
Worcstr,Mass. A7,T6(43)9.20

WIRE, Tire Bead

Bartonville,Ill. K4 ....11.51
Monessen,Pa. P16 (43).11.40
Roebling,N.J. R5 (43)..11.55

WOVEN FENCE, 9-15½ Ga. Col.

AlabamaCity,Ala. R2 ...135
Ala.City,Ala.,17-18ga.R2 222
Aliqu'pa,Pa.9-14½ga.J5 139‡
Atlanta A11 140
Bartonville,Ill.(19) K4 ..137
Crawfordsville,Ind. M8 ..138
Donora,Pa. A7 133
Duluth,Minn. A7 133
Fairfield,Ala. T2 133
Houston,Tex. S5 145
Johnstown,Pa. B2 138
Johnstown 17ga.,6" B2 ..229
Joliet,Ill. A7 133
KansasCity,Mo. S5 149
Kokomo,Ind. C16 140
Minnequa,Colo. C10 ....146*
Monessen,Pa. P7 138
Pittsburg,Calif. C11 156
Rankin,Pa. A7 133
So.Chicago,Ill. R2 135
Sterling,Ill. (1) N15....136

*On 14c zinc; ‡17.5c zinc.

FENCE POSTS — Col.

ChicagoHts.,Ill. C2 140
Duluth,Minn. A7 133
Franklin,Pa. F5 145
Huntington,W.Va. W7 ...148
Johnstown,Pa. B2 148
Marion,O. P11 140
Minnequa,Colo. C10 138
Moline,Ill. R2 136
So.Chicago,Ill. R2 140
Tonawanda,N.Y. B12 148
Williamsport,Pa. S19 ...158

WIRE, Barbed — Col.

AlabamaCity,Ala. R2 ...144
Aliquippa,Pa. J5 .....148‡
Atlanta A11 149
Bartonville,Ill.(19) K4 ..146
Crawfordsville,Ind. M8 ..147
Donora,Pa. A7 142
Duluth,Minn. A7 142
Fairfield,Ala. T2 142
Houston,Tex. S5 154
Johnstown,Pa. B2 145
Joliet,Ill. A7 142
KansasCity,Mo. S5 158
Kokomo,Ind. C16 149
Minnequa,Colo. C10 ....153*
Monessen,Pa. P7 147
Pittsburg,Calif. C11 162
Rankin,Pa. A7 142
So.Chicago,Ill. R2 144
So.SanFran.,Calif. C10..167*
SparrowsPoint,Md. B2 ..147
Sterling,Ill.(1) N15 145

*Based on 14c zinc; ‡17.5c zinc.

BALE TIES, Single Loop — Col.

AlabamaCity,Ala. R2 ...132
Atlanta A11 135
Bartonville,Ill.(19) K4 ..132
Crawfordsville,Ind. M8 ..132
Donora,Pa. A7 132
Duluth,Minn. A7 132
Fairfield,Ala. T2 132
Joliet,Ill. A7 132
KansasCity,Mo. S5 144
Kokomo,Ind. C16 134
Minnequa,Colo. C10 137
Pittsburg,Calif. C11 156
So.Chicago,Ill. R2 132
So.SanFran.,Calif. C10 ..156
SparrowsPoint,Md. B2 ..134
Sterling,Ill.(1) N15 132

TRACK BOLTS (20) Treated

KansasCity,Mo. S5(46)..9.85
Lebanon,Pa. (31) B2 ...9.85
Minnequa,Colo. C10 ....9.85
Pittsburgh O3, P14 ....9.85

AXLES

Ind.Harbor,Ind. S13 ....5.65
Johnstown,Pa. B2 .....5.65

NAILS, Stock

To dealers & mfrs. (7)	Col.
AlabamaCity,Ala. R2	...127
Aliquippa,Pa. J5	127
Atlanta A11	130
Bartonville,Ill. (19) K4..	127
Chicago,Ill. W13	127
Cleveland A9 (44)	125
Crawfordsville,Ind. M8	..127
Donora,Pa. A7	127
Duluth,Minn. A7	127
Fairfield,Ala. T2	127
Galveston,Tex. D7	135
Houston,Tex. S5	135

RAILS	Std. No. 1	Std. No. 2	Std. All No. 2
Bessemer,Pa. U5	3.775	3.675	3.725
Ensley,Ala. T2	3.775	3.675	....
Fairfield,Ala. T2	....	....	....
Gary,Ind. U5	3.775	3.675	3.725
Huntington,W.Va. W7	....	....	....
IndianaHarbor,Ind. I-2	3.775	3.675	3.725
Johnstown,Pa. B2	....	....	....
Lackawanna,N.Y. B2	3.775	3.675	...
Minnequa,Colo. C10	$75.50*	$73.50*	...
Steelton,Pa. B2	3.775	3.675	...
Williamsport,Pa. S19	....	....	...

* Per net ton.

TOOL STEEL

(Prices subject to 4.7% increase)

Grade	$ per lb
Regular Carbon	0.230
Extra Carbon	0.270
Special Carbon	0.325
Oil Hardening	0.350
5% Cr Hot Work	0.350
Hi-Carbon-Cr	0.635

Grade by Analysis

W	Cr	V	Co	
18	4	1	....	1.505
18	4	2	....	1.65-1.66
20.25	4.25	1.6	12.25	3.535-3.675
19	4	2	7	2.460
18.25	4.25	1	4.75	2.125
18	4	2	9	2.445-2.45
13.5	4	3	....	1.6025
9	3.25	0.5	....	1.01

W	Cr	V	Mo	
6.4	4.5	1.9	5	0.96-0.965
6	4	3	6	1.190
1.5	4	1	8.5	0.810

Tool steel producers include: A4, A8, B2, B8, C4, C9, C13, C18, D4, F2, J3, L3, M14, S8, U4, V2 and V3.

FOOTNOTES

(1) Chicago base.
(2) Angles, flats, bands.
(3) Merchant.
(4) Reinforcing.
(6) Chicago or Birm. base.
(7) To jobbers, 3 cols. lower.
(8) 16 gage and heavier.
(9) 6 in. and narrower.
(10) Pittsburgh base.
(11) Cleveland & Pitts. base.
(12) Worcester, Ma
(13) Add 0.50c for & heavier.
(15) ¾" and thinn
(16) 40 lb and und
(17) Flats only.
(18) To dealers.
(19) Chicago & Pi
(20) 0.25c off for unt
(21) New Haven, Co
(22) Del. San Franc
area.
(23) 20 Ga. 36" wi
(24) Deduct 0.20c, 15 Ga.
(25) Bar mill band
(26) Reinforcing, m lengths, to fa to consumers,
(27) Bar mill sizes
(28) Bonderized.
(29) Add $31.50 pe
(30) Sheared; add universal mill
(31) Not annealed.
(32) Rd. or squar
(33) To jobbers, de
(34) 7.85c for cut
(35) 72" and narro
(36) 54" and narro
(37) 15 gage & li & narrower.
(38) 14 gage & li 48" & narrow
(39) 48" and narro
(40) Lighter than 0.035" and h 0.25c higher.
(41) 9.10c for cut
(42) Plus 0.375c p
(43) Plus 4.7% o extras.
(44) Plus 45c per
(45) Plus 40c per
(46) Plus 2.2 per

WELD STANDARD PIPE, T & C

Carload discounts from list, %

Inches	⅛		¼		⅜		½		¾		1		1¼		1½		2		2½		3	
Per Ft.	8.5c		11.5c		17c		23c		27.5c		37c		58.5c		76.5c							
Per Ft.	0.85		1.13		1.68		2.28		2.73		3.68		5.82		7.62							
	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv
ppa, Pa. J5 (‡) ...	32.5	15.25	35.5	18.25	38	20.75	38.5	20.5	39	21	39.5	21.5	40	21.25	40	21.25						
Ill. L1 (†)	29.5	10.5	32.5	14.5	35	18	35.5	18.5	36	19.5	36.5	20	37	20.5	37	20.5						
od, W. Va. W10 ..	32.5	13.25	35.5	17.25	38	20.75	38.5	20.5	39	21.5	39.5	22	40	21.75	40	21.75						
Pa. N2 (†)	32.5	13.25	35.5	17.25	38	20.75	38.5	20.5	39	22.25	39.5	22	40	21.75	40	21.75						
a, Calif. K1 (†) ..	19.5	0.25	22.5	4.25	25	7.75	25.5	7.5	26	8.5	26.5	9	27	8.75	27	8.75						
Harbor, Ind. Y1 (†).	31.5	14.25	34.5	18.25	37	21.75	37.5	21	38	22	38.5	22.25	39	21.75	39	21.75						
, O. N3 (*)	32.5	22.25	35.5	26.25	38	29.75	38.5	27.25	39	28.25	39.5	28.75	40	26.25	40	26.25						
, Pa. M6	32.5	14.25	35.5	18.25	38	21.25	38.5	20.50	39	21.00	39.5	21.50	40	20.75	40	20.75						
ows Pt., Md. B2 ..	30.5	11.25	33.5	15.25	36	18.75	36.5	18.5	37	19.5	37.5	20	38	19.75	38	19.75						
stown R2 (**)	32.5	16.25	35.5	20.25	38	23.75	38.5	22.75	39	23.75	39.5	24.25	40	23.25	40	23.25						
stown Y1 (‡)	32.5	15.25	35.5	19.25	38	22.75	38.5	22.00	39	23.00	39.5	23.50	40	22.75	40	22.75						
land, Pa. W9	32.5	13.25	35.5	16.25	38	18.75	38.5	19	39	19.5	39.5	20	40	20.25	40	20.25						

ILESS STANDARD PIPE, T & C

Carload discounts from list, %

Inches	2		2½		3		3½		4		5		6	
Per Ft.	27c		58.5c		76.5c		92c		$1.09		$1.48		$1.92	
s Per Ft.	3.68		5.82		7.62		9.20		10.89		14.81		19.18	
	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv
ppa, Pa. J5 (‡) ..	24	6	27	8.25	27	8.25	29	10.25	29	10.25	33.75	15	33.75	15
idge, Pa. N2 ..	24	6	27	8.25	27	8.25	29	10.25	29	10.25	33.75	15	33.75	15
, O. N3 (*) ..	24	12.75	27	12.75	27	12.75	29	14.75	29	14.75	33.75	19.5	33.75	19.5
stown Y1 (‡) .	24	7.50	27	9.25	27	9.25	29	11.25	29	11.25	33.75	16	33.75	16

TRIC WELD STANDARD PIPE, T & C

stown, R2 (**)	24	8.25	27	9.75	27	9.75	29	11.75	29	11.75	33.75	16.5	33.75	16.5

WELD STANDARD PIPE, T & C

Carload discounts from list, %

Inches	⅛		¼		⅜		3½		4	
Per Ft.	5.5c		6c		6c		92c		$1.09	
s Per Ft.	0.24		0.42		0.57		9.20		10.89	
	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv	Blk	Galv
od, W. Va. W10	29.5	+0.25	23.25	+3.5	17.75	+7.75	33	14.25	33	14.25
Pa. F6 (†) ..	30.5	1.25	25	+1.75	20	+5.5	..	....	..	....
Pa. N2 (†)	30.5	1.25	25	+1.75	20	+5.5	33	14.25	33	14.25
n, Pa. M6 (‡) ..	29.5	—1.75	23	+2.25	18	+5.25	..	....	..	....
n, Pa. S4 (†) ..	30.5	1.25	25	+1.75	20	+5.5	..	....	..	....
ows Pt., Md. B2.	28.5	+0.75	23	+3.75	18	+7.50	..	....	..	....
stown R2 (**)..	....	....	....	....	....	....	33	15.75	33	15.75
tland, Pa. W9 ..	28.5	+0.75	23	+3.75	18	+7.50	..	....	..	....

nized pipe discounts based on zinc price of: (†), 14c; (‡), 12.50c; (**), 11.50c; (*), th discounts adjusted depending on price of zinc at time of shipment.

BOILER TUBES

ase c.l. prices, dollars per 100 ft., mill; minimum thickness, cut lengths 10 to 24 ft., inclusive.

B.W. Gage	Seamless H.R.	Seamless C.D.	Elec. Weld H.R.	Elec. Weld C.D.
.. 13	14.19	16.71–17.77	16.20	16.20
.. 13	16.97	19.80–21.26	16.46	19.19
.. 13	18.22–18.77	22.08–22.82	18.19	21.41
.. 13	20.35–21.35	24.92–25.49	20.69	24.35
.. 13	22.81–23.93	27.94–28.58	23.19	27.28
.. 13	25.69–26.66	31.38–32.18	25.84	30.42
.. 12	28.40–29.36	34.55–35.58	28.46	33.50
.. 12	31.28–32.17	37.83–39.19	31.19	36.67
.. 12	33.87–34.82	40.09–42.44	33.05	38.86
.. 12	35.78–36.87	42.11–44.93	34.98	40.82

TS, NUTS

IAGE, MACHINE BOLTS

b. midwestern plants; ent off list for less than lots to consumers)

and shorter:

in. & smaller diam.	15
-in. & ⅜-in.	18.5
-in. and larger ...	17.5
er than 6 in.:	
diams.	14
bolts, all diams.:	
in. and shorter ...	23
er 6 in. long	21
ed Necked Carriage	18.5
k	34
.....	34
Elevator, Tap and igh Shoe	21
Bolts	21
r & Fitting-Up Bolts	31

& C.P.	Reg.	Hvy.
re:		
-in. & smaller	15	15
-in. & ⅝-in.	12	6.5
-in.-1½-in. ..	9	1
⅝-in. & larger	7.5	1
Hex.:		
-in. & smaller	26	22
-in. & ⅝-in..	16.5	6.5
-in.-1½-in. ..	12	2
⅝-in. & larger	8.5	2
Hex.:		
-in. & smaller	26	22
-in. & ⅝-in..	23	17.5
-in. & 1½-in.	19.5	12
⅝-in. & larger	12	6.5

FINISHED NUTS

American Standard

cent off list for less case or keg quantities)

	Reg.	Hvy.
n. & smaller..	35	28.5
n. & ⅝-in. ..	29.5	22
n.-1½-in.	24	15
in. & larger..	13	8.5
		Light
n. & smaller		35

½-in. to ⅝-in. 28.5
¾-in. to 1½-in. 26

SQUARE HEAD SET SCREWS

(Packaged; per cent off list)

1 in. diam x 6 in. and shorter	38
1 in. and smaller diam. x over 6 in.	26

HEADLESS SET SCREWS

(Packaged; per cent off list)

No. 10 and smaller	35
¼-in. diam. & larger..	16
N.F. thread, all diams..	10

STEEL STOVE BOLTS

(F.o.b. plant, per cent off list in packages)

Plain finish .....43 &	10
Plated finishes .....31 &	10

HEXAGON CAP SCREWS

(1020 steel; packaged; per cent off list)

6 in. or shorter:	
⅝-in. & smaller	42
¾-in. through 1 in. ..	34
Longer than 6 in.:	
⅝-in. and smaller	26
¾-in. through 1 in. ..	4

RIVETS

F.o.b. midwestern plants
Structural ½-in., larger 7.85c
⅞-in. under .....36 off

ELECTRODES

(Threaded, with nipples, unboxed f.o.b. plant)

GRAPHITE

Inches Diam.	Length	Cents per lb
17,18,20	60,72	17.85
8 to 16	48,60,72	17.85
7	48,60	19.57
6	48,60	20.95
	CARBON	
35,40	110	8.03
30	65,84,110	8.03
24	72 to 104	8.03
17 to 20	34,90	8.03

METAL POWDERS

(Per pound, f.o.b. shipping point in ton lots for minus 100 mesh, except as otherwise noted)

	Cents
Sponge iron:	
98+% Fe, annealed	18.00
Unannealed	14.50
Swedish, c.i.f. N.Y., c.l., in bags	10.90
Electrolytic iron:	
Annealed, 99.5% Fe.	42.50
Unannealed (99+% Fe)	36.50
Unannealed (99+% Fe) (minus 325 mesh)	53.50
Powder Flakes	48.50
Carbonyl Iron: 97.9-99.8% size 5 to 10 microns .83.00-148.00	
Aluminum:	
Carlots, freight allowed	31.00
Atomized, 500 lb drums, freight allowed	33.00
Antimony, 500 lb lots.	71.00
Brass, 20-ton lots.	31.00-34.25
Bronze, 10-ton lots 51.25-60.00	
Phosphor-Copper, 20-ton lots	50.00
Copper:	
Electrolytic	37.25
Reduced	35.25
Lead	7.50*
Magnesium 75.00-85.00	
Manganese:	
Minus 100 mesh	57.00
Minus 35 mesh	52.00
Minus 200 mesh	62.00
Nickel unannealed	86.00
Nickel-Silver 5-ton lots	46.00
Silicon	38.50
Solder	8.50*
Stainless Steel, 302 ..	83.00
Zinc, 10-ton lots.	18.00-31.00
Tungsten	Dollars
Melting grade, 99% 60 to 200 mesh:	
1000 lb and over ...	5.85
Less than 1000 lb ..	6.00
Molybdenum: 99.9%, minus 200 mesh	3.24
Chromium, electrolytic 99.9% Cr min.	3.50

* Plus cost of metal.

STAINLESS STEEL

(Add 4.7% to extras where new extra cards have not been issued)

Type	Sheets	C.R. Strip	Bars Wire Structurals
301...	44.25	36.50	33.75
302...	44.50	39.75	34.00
303...	46.50	43.50	36.50
304...	46.50	41.75	35.50
309...	60.50	59.25	48.25
316...	61.50	63.50	53.00
321...	53.00	52.00	40.00
347...	58.00	56.50	44.75
410...	39.00	32.75	27.50
416...	40.00	40.00	28.00
420...	47.00	50.25	33.50
430...	41.50	33.25	28.00
501...	29.25	27.75	15.25

Balt., Types 301-347 and 430 sheets, except 303 and 309 E2.

Brackenridge, Pa. sheets A4 quotes slight variations on Types 301-347.

Bridgeville, Pa., bars, wire, sheets & strip U4

Butler, Pa. sheets and strip except Types 303, 309, 416 420, 501 & 502, A10.

Carnegie, Pa., sheets and strip except Types 303, 416, 501 & 502 S18.

Cleveland, strip A7.

Detroit, strip M1 quotes 34.00c on Type 301; 36.50c 302; 38.50c, 304; 58.50c, 316; 52.00c, 347; 30.50c, 410; 31.00c, 430.

Dunkirk, N. Y., bars, wire A4 quotes slight variations on Types 301-347.

Duquesne, Pa., bars U5.

Fort Wayne, Ind., bars and wire, except 501 & 502 J6 quotes slight variations on Types 301-347.

Gary, Ind., sheets except Type 416 U5.

Harrison, N. J., strip and wire C18.

Harrison, N. J., wire, Type 302, 33.00c; Type 304, 34.50c; Type 316, 51.50c, including 4.7% increase.

Massillon, O., all items, R2.

McKeesport, Pa., strip, Type 410; bars & wire, Types 410 through 430 and 31.25c on Type 302, 33.75c on 303, 32.75c on 304, 48.75c on 316, 36.75c on 321, 41.25c on 347 F2.

McKeesport, Pa., bars, sheets except Type 416 U5.

Middletown, O., sheets and strip except Types 303, 416, 420, 501 and 502 A10.

Midland, sheets & strip C18.

Munhall, Pa., bars U5

Muncie, Ind., wire 1-7 quotes types 302, 304, 430.

Pittsburgh, sheets C18.

Reading, Pa., strip except 34.25c on Type 301 and 56.00c on 309; bars, except 31.50c on Type 301 and 45.25c on 309 C4.

Sharon, Pa., strip except Types 303, 309, 416, 501 502 and 34.25c on Type 301 S3.

So. Chicago, bars, shapes U5.

Syracuse, N. Y., bars, wire & structurals C18.

Tiffusville, Pa., bars U4.

Wallingford, Conn., strip W2 quotes 0.25c higher.

Washington, Pa., bars, sheets & strip J3.

Washington, Pa., Types 301 through 347 sheets & strip except 303, 309; 316 sheets 62.00c, strip 64.00c W4.

Watervliet, N. Y., structurals & bars A4.

Waukegan, bars & wire A7.

West Leechburg, strip A4.

Youngstown, strip C8.

CLAD STEELS

(Cents per pound; add 4.7% to base price and extras)

Cladding Stainless	Plates Carbon Base 10%	Plates Carbon Base 20%	Sheets Carbon Base 10%	Sheets Carbon Base 20%	Sheets Copper Base Both Sides
302	....	....	19.75	26.24-27.50	77.00
304	25.00	29.50	24.50	27.50-27.77	77.00
309	30.50	35.00	....	.....	....
310	36.50	41.00	....	.....	144.00
316	29.50	34.00	26.00	35.92-36.50	....
317	34.50	39.00	....	.....	....
318	33.50	38.00	....	.....	....
321	26.50	31.00-32.00	23.00	33.00	111.00
347	27.50	32.00	24.00	33.50-33.83	130.00
405	21.25	27.75	....	.....	....
410	20.75	27.25	....	.....	....
Nickel .	33.55	45.15	....	.....	....
Inconel .	41.23	54.18	....	.....	165.00
Monel .	34.93	46.28	....	.....	....
Copper*	....	....	....	44.00	....

Strip — Carbon Base

	Cold-Rolled 10%	Cold-Rolled Both Sides	Hot-Rolled 10%	Hot-Rolled Both Sides
Nickel	41.00	54.00	....	....
Copper*	23.70	26.65	20.20	26.40

* Deoxidized. Production points: Stainless plates, sheets, Conshohocken, Pa. A3 and New Castle, Ind. I-4; stainless-clad plates, Claymont, Del. C22, Coatesville, Pa. L7 and Washington, Pa. J3; nickel, inconel, monel-clad plates, Coatesville L7; nickel, copper-clad strip, arnegie, Pa. S18; Production point for copper-base sheets is Carnegie, Pa. A13.

APEX TOOLS

INSERTED-BLADE MILLING CUTTERS AND SINGLE-POINT TOOLS FOR ALL METAL-CUTTING NEEDS



APEX TOOL BITS FIT MOST STANDARD HOLDERS




If you haven't yet changed to Apex, you can begin to get acquainted by using Apex Bits in your present holders. The Apex line includes Single-Point Round Shank (as shown) and Shankless Serrated — plus Inserted-Blade Milling Cutters of all different styles. Write for catalog.



PROMPT SHIPMENT FROM OUR LARGE, COMPLETE STOCK

APEX TOOL & CUTTER CO., Inc., Shelton 13, Conn.

POOLE



A COPY OF CATALOG GIVING FULL DESCRIPTION AND ENGINEERING DATA SENT UPON REQUE

FLEXIBLE COUPLING

POOLE FOUNDRY & MACHINE COMPANY WOODBERRY, BALTIMORE,

The *Cleveland Steel Tool Co.*


• PUNCHES • DIES • CHISELS • RIVET SETS •

IF IT'S *RIVETED* YOU *KNOW* IT'S SAFE

WE FEATURE SPECIAL PUNCHES & DIES

660 E. 82nd ST., CLEVELAND, O.

H&G Insert Chaser DIE HEADS



famous for accuracy and straightness of threads, low chaser costs, less downtime, more pieces per day.

THE EASTERN MACHINE SCREW CORP., 22-42 Barclay Street, New Haven
Pacific Coast Representative: *A. C. Berbringer, 334 N. San Pedro S Angeles, California.* Canada: *F. F. Barber Machinery Co., Toronto, C*


HOT DIP GALVANIZING

JOSEPH P. CATTIE & BROTHERS, INC.

Office: 2520 East Hagert Street

Plant: Gaul, Letterly, Almond & Hagert Streets

Phone: Re-9-8911 Philadelphia 25, Pa.



BROWNING ELECTRIC TRAVELING CRANES AND
up to 125-TON CAPACI

VICTOR R. BROWNING & CO., INC. WILLOUGHBY (Cleveland), O



ARTUS PLASTIC SLITTING MACHINE SHIMS

COST JUST A FRACTION OF METAL SPACERS

THE COLOR TELLS THE THICKNESS

ALWAYS RETAINS UNIFORMITY AND EVENNESS UNDER ALL NORMAL CONDITIONS

Save Time! Save Money!

INDUSTRIAL PRODUCTS SUPPLIERS 201 South Dean Street Englewood, N. J.

PERFORATED METALS

TO YOUR REQUIREMENTS

FOR

ALL INDUSTRIAL USES

ARCHITECTURAL GRILLES

SEND FOR CATALOG NO. 35

DIAMOND MFG. CO.

BOX 32 WYOMING, PA.

Iron . . .

(*Continued from page* 187)

motive industry are a big item . the appliance business offering next largest demand. The supp of merchant pig iron seems ade e for the demand.

hicago — Strong production of mobiles, household appliances farm equipment is now being ected into third quarter and this proving the outlook for castings irements. There is enough pig available for present consuming ls although sellers are still re ing to customer quotas.

. Louis—The two blast furnaces will go 100 per cent on basic output next week. One was on dry iron for a month. Basic de d remains steady, with the prob ty March shipments will ap ch a record.

rmingham — Merchant iron is h more available, on the whole, i it has been for several months. e sources here and there are get moderate tonnage now that was available a few months ago, al gh there is no considerable ton e floating around. Merchant melters anticipate further gains supply.

Scrap . . .

Scrap Prices, Page 192

uffalo—Price declines of $2 per were posted on No. 2 bundles and t furnace grades of scrap here. orders at lower prices were re ted by two top mill consumers. es on No. 2 bundles dropped to .50 while borings and turnings t at $35.50. Machine shop turn s, which were not included in new iness, fell to $32.50.

While mill reserve stocks have been recently, early opening of navi ion on the lakes and expectations heavy shipments of scrap both by e and canal have added to bearish rket sentiment.

oston—Steel scrap is inclined to d a weaker trend, notably in the ondary grades with borings and nings. New buying is light. Some nage is going to eastern Penn vania. Freight charges are op ting against higher prices. Cast des are weak and moving slug hly. District yards are more re tant to build up additional cast cks.

New York—Easier tone is reflected a general reduction in steel scrap ces. Brokers now are offering $37 No. 1 heavy melting steel, $34 No. 2 heavy melting, $24 for ma ne shop turnings, $27 to $28 for xed borings and turnings, $40 to .50 for low phos and $27 to $28 shovel turnings. Also, they have duced offering prices for No. 1 cu la cast to $39 to $40. The leading stern Pennsylvania consumer of el scrap now is releasing ship nts on a restricted basis.

Philadelphia—Scrap is in good sup with prices easier. No. 1 heavy lting is now $44 to $45, delivered; . 2 heavy melting $40 to $41; No. bundles $45; No. 2 bundles $38 to ; and No. 1 busheling $44 to $45. achine shop turnings have dropped to $31.50 to $32 delivered; mixed borings and turnings $35.50 to $36.50 and heavy turnings $42.50 to $43.50.

Recent high prices for low phos have brought out considerable tonnage with the result prices eased to $47.50 to $48.50 delivered on structurals and plate. Couplers, springs and wheels prices are unchanged at $52.

While cupola and charging box cast are unchanged, heavy breakable is lower at $45 to $46 delivered, unstripped motor blocks at $33 to $34, and drop broken machinery at $40 to $50.

Cleveland—Noticeably easier tone prevails in the scrap market here but with representative sales absent prices are holding unchanged for the moment. Expectations in the trade are that when buying is resumed the steel grades will move at $1 to $2 under the present quoted market. Some traders say they will not be surprised if No. 1 heavy melting drops $2 per ton to a range of $42.50 to $43. In such event other steel grades will go down correspondingly. This, of course, is trade speculation and there is no way of determining the course of prices until the mills actually buy a representative tonnage. The cast grades are unchanged but are moving sluggishly despite the fact foundry operations of late have shown some improvement.

Detroit—Turnings are beginning to weaken in the Detroit market as blast furnaces find their needs filled by industrial scrap of their own customers. Indications are that the price may slide somewhat within the near future as turnings orders vanish in the area and scrap must be shipped out of town for sale. Anticipated softening in No. 2 grades of heavy melting and bundles materialized this week but demand and activity in other grades remain good.

Youngstown—With stocks substantial, some of the district mills are virtually out of the scrap market. They are carefully watching trends, however, to determine which way to jump on inventories.

Cincinnati—The market continues weak with very heavy shipments. A considerable amount of scrap has been purchased for April with one large user buying on a delivered price basis.

No. 2 bundles are selling about $2 under the old ceiling price. At this level there seems to be a great deal of interest.

There has been little or no change in the rail and cast iron market.

No. 1 heavy melting is being traded for the first time in recent years. There is a price differential again being quoted in favor of No. 1.

Chicago—In the face of substantial scrap inventories at the mills and light buying, little price pressure, either up or down, is observed in the market. The melting rate continues high with steelmaking at an all-time record pace, but good stocks and spring weather, which guarantees an uninterrupted flow of tonnage, make for stability in the market. Blast furnace demand lags and the foundries are irregular buyers. Fancy prices paid the railroads for some of their offerings are heard.

St. Louis—Scrap shipments are beginning to taper under lagging mill orders, having been ample to fill outstanding commitments. Mills stocks are up to 90 days and they will not rush to market until price trends are better defined. Few new placements are due before the second week in April. Greatest down pressure is on No. 2 bundles, although they are still at ceiling. Rail prices are firm under strong demand. Offerings continue light. Cast market remains virtually dead with no pickup in sight.

Birmingham—A weakening trend is noted in the scrap market with prices tending downward in most instances. Demand for No. 1 heavy melting is slow with No. 2 in somewhat better position. Most cast grades are moving in small volume with buying selective.

San Francisco—Dullness pervades

(*Turn to page* 194)



The world's best . . . one-piece, drop forged—not welded—of mild carbon steel, heat-treated, with head accurately milled for standard tables on lathes, planers, boring mills, milling machines. Integral washer and nut. Sizes: up to 30". Typical direct prices for 10" lengths: ½—$1.36; ⅝—$1.36; ¾—$1.58; ⅞—$1.89. Write for price list.

THE O K TOOL COMPANY
MILFORD 3, NEW HAMPSHIRE



EUREKA FIRE BRICK WORKS
Works: Mt. Braddock, Fayette Co., Pa.
Dunbar, Pa. 4213
COVERED HOT TOP BRICK
INGOT MOLD PLUGS



Sales Office
132 S. Whitfield St.
PITTSBURGH 6, PA. EM: 2-0614

IRON AND STEEL SCRAP

Open market prices as reported to STEEL, Apr. 2, 1953; gross tons, except as noted. Changes shown in Italics.

STEELMAKING SCRAP COMPOSITE

Apr. 2	$43.75
Mar. 26	44.17
Mar. av.	44.13
Apr., 1952	43.00
Apr., 1948	40.41

Based on No. 1 heavy melting grade at Pittsburgh, Chicago and eastern Pennsylvania.

PITTSBURGH
(Including brokers' Commission)

No. 1 heavy melting...	44.00*
No. 2 heavy melting..	42.00*
No. 1 bundles	44.00*
No. 2 bundles	40.00*
No. 1 busheling	44.00*
Machine shop turnings.	30.00-31.00*
Mixed borings, turnings	32.00-33.00*
Short shovel turnings.	35.00-36.00*
Cast iron borings	*34.00-35.00**
Cut structuralS	50.00-51.00*
Heavy turnings	44.00*
Punchings & plate scrap	50.00-51.00*
Electric furnace bundles	46.00*
Cast Iron Grades	
(Delivered)	
No. 1 cupola	47.00-48.00
Charging box cast	*44.00-45.00*
Heavy breakable cast	*43.00-44.00*
Unstripped motor blocks.	*40.00-41.00*
No. 1 machinery cast..	51.00-52.00
Railroad Scrap	
No. 1 R.R. heavyy melt..	*47.00-48.00*
Rails, 2-ft. and under..	*57.00-58.00*
Rails, 18-in. and under.	*58.00-59.00*
Rails, random lengths.	53.00-54.00
Railroad specialties ..	55.50-56.50

*Plus applicable freight springboards from other areas.

CLEVELAND
(Delivered consumer plant; including broker's commission)

No. 1 heavy melting...	44.00-44.50*
No. 2 heavy melting..	42.00-42.50*
No. 1 bundles	44.00-44.50*
No. 2 bundles	40.00-40.50*
No. 1 busheling	44.00-44.50*
Machine shop turnings.	30.00-31.00*
Mixed borings, turnings	33.00-34.00*
Short shovel turnings.	33.00-34.00*
Cast iron borings	33.00-34.00*
Low phos.	49.00-50.00*
Alloy free, short shovel turnings	37.00-38.00*
Electric furnace bundles	46.00-46.50*
Cast Iron Grades	
No. 1 cupola	47.00-48.00
Charging box cast	46.00-47.00
Stove plate	45.00-46.00
Heavy breakable cast..	44.00-45.00
Unstripped motor blocks	38.00-38.50
Brake shoes	40.00-41.00
Clean auto cast	52.00
No. 1 wheels	46.00-47.00
Burnt cast	40.00-41.00
Drop broken machinery	49.00
Railroad Scrap	
No. 1 R.R. heavy melt.	46.00-47.00
R. R. Malleable	50.00-51.00
Rails, 3-ft. and under	58.00-60.00
Rails, 18-in. and under	61.00-62.00
Rails, random lengths	56.00
Cast steel	51.00-52.00
Railroad specialties	51.00-52.00
Uncut tires	52.00-53.00
Angles, splice bars	54.00-55.00
Rails, rerolling	56.00

*Plus applicable freight springboards from other areas.

YOUNGSTOWN
(Delivered consumer plant; including broker's commission)

No. 1 heavy melting...	44.00-44.50*
No. 2 heavy melting..	41.50-42.00*
No. 1 bundles	45.00-45.50*
No. 2 bundles	39.50-40.00*
Machine shop turnings.	31.00-32.00*
Short shovel turnings..	32.00-33.00*
Cast iron borings	32.00-33.00*
Low phos.	50.00-51.00*
Electric furnace bundles	47.00-47.50*
Railroad Scrap	
No. 1 R.R. heavy melt.	46.00-47.00

*Plus applicable freight springboards from other districts.

NEW YORK
(Brokers' Buying Prices)

No. 1 heavy melting	*37.00*
No. 2 heavy melting	*34.00*
Machine shop turnings	*24.00*
Mixed borings, short turnings	*27.00-28.00*
Low phos. (structural & plate)	*40.00-40.50*
Shovel turnings	*27.00-28.00*
Cast Iron Grades	
No. 1 cupola	*39.00-40.00*
Unstripped motor blocks	32.00-33.00

PHILADELPHIA
(Delivered consumer plant)

No. 1 heavy melting	*44.00-45.00*
No. 2 heavy melting	*40.00-41.00*
No. 1 bundles	*45.00*
No. 2 bundles	*38.00-39.00*
No. 1 busheling	*44.00-45.00*
Machine shop turnings	*31.50-32.00*
Mixed borings, turnings	*35.50-36.50*
Short shovel turnings..	36.50-37.50
Structurals & Plate	*47.50-48.50*
Heavy turnings	*42.50-43.50*
Couplers, springs, wheels	52.00
Cast Iron Grades	
No. 1 cupola	43.00-44.00
Charging box cast	45.00
Heavy breakable cast	*45.00-46.00*
Unstripped motor blocks.	*33.00-34.00*
Drop broken machinery.	*40.00-50.00*

CINCINNATI
(Delivered)

No. 1 heavy melting	*45.50*
No. 2 heavy melting	*42.00*
No. 1 bundles	*45.50*
No. 2 bundles	*40.00*
No. 1 busheling	*45.50*
Machine shop turnings	*32.00*
Mixed borings, turnings	*31.00**
Short shovel turnings	*33.00*
Cast iron borings	*31.00**
Structural & plate, 3 ft.	*47.00*
Cast Iron Grades	
No. 1 cupola	45.00
Charging box cast	*40.00*
Stove plate	*36.00**
Burnt cast	*36.00**
Heavy breakable cast	*38.00*
Unstripped motor blocks.	*34.00*
Brake shoes	*37.00**
Clean auto cast	43.00
Drop broken machinery	*49.00*
Railroad Scrap	
(Delivered)	
No. 1 R.R. heavy melt.	46.00-47.00
Malleable	49.00-50.00
Rails, 18-in. and under.	59.00-60.00
Rails, random lengths..	50.00
Rails, rerolling	52.00

*F.o.b. shipping point.

DETROIT

No. 1 heavy melting...	39.00-40.00
No. 2 heavy melting	*37.50-38.00*
No. 1 bundles	40.00-41.00
No. 2 bundles	*34.50-35.00*
No. 1 busheling	40.00-41.00
Machine shop turnings.	24.50-25.00
Mixed borings, turnings	27.00-27.75
Short shovel turnings..	27.00-27.75
Punchings & plate scrap	44.00-46.00
Cast Iron Grades	
No. 1 cupola	47.50
Charging box cast	40.00-42.00
Stove plate	43.00-44.00
Unstripped motor blocks	33.00
Clean auto cast	50.00
Malleable	48.00

BUFFALO

No. 1 heavy melting...	$46.50-47.50
No. 2 heavy melting...	42.00-43.00
No. 2 bundles	*41.50*
No. 1 bundles	43.00-44.00
No. 1 busheling	43.00-44.00
Machine shop turnings	*32.00-32.50*
Mixed borings, turnings.	*36.00-36.50*
Short shovel turnings.	36.50-37.00
Low phos.	48.50-49.00
Cast Iron Grades	
(F.o.b. Shipping Point)	
No. 1 cupola	42.50-43.00
Drop broken machinery	45.50-46.00

BOSTON
(Brokers' Buying Prices; f.o.b. shipping points)

No. 1 heavy melting...	34.17
No. 2 heavy melting...	31.17
No. 1 bundles	34.17
No. 2 bundles	31.17
Machine shop turnings	22.17-23.17
Mixed borings, turnings	22.17
Short shovel turnings..	26.17-27.17
No. 1 cast	34.00-35.00
Mixed cupola cast	32.00-33.00
No. 1 machinery cast	46.00-47.00

CHICAGO
(Including broker's commission)

No. 1 heavy melting	*42.50-43.00*
No. 2 heavy melting	*41.00-43.00**
No. 1 bundles	*43.50-44.00**
No. 2 bundles	*38.50-39.00**
No. 1 busheling	*43.50-44.00**
Machine shop turnings.	27.00-28.00*
Mixed borings, turnings	27.00-28.00*
Short shovel turnings..	29.00-30.00*
Cast iron borings	27.00-28.00*
Cut structurals	*47.00-48.00**
Heavy turnings	*41.50-42.00**
Electric furnace bundles.	*45.50-46.00**
Cast Iron Grades	
No. 1 cupola	43.00-45.00
Stove plate	39.00-41.00
Unstripped motor blocks	38.00-40.00
Clean auto cast	48.00-50.00
Drop broken machinery	46.00-48.00
Railroad Scrap	
No. 1 R.R. heavy melt.	46.00-48.00
R.R. Malleable	*48.00-50.00*
Rails, 2-ft. and under	*55.00-57.00*
Rails, 18-in. and under	*57.00-59.00*
Angles, splice bars	52.00-54.00
Rails, rerolling	55.00-57.00

*Plus applicable freight springboards from other areas.

BIRMINGHAM

No. 1 heavy melting	*37.00-38.00*
No. 2 heavy melting	*36.00-37.00*
No. 1 bundles	*37.00-38.00*
No. 2 bundles	*34.00-35.00*
No. 2 busheling	*35.00-36.00*
Machine shop turnings	*26.00-27.00*
Mixed borings, turnings	*31.00-32.00*
Short shovel turnings	*30.00-31.00*
Cast iron borings	*30.00-31.00*
Cut structurals	*41.00-42.50*
Heavy turnings	38.00
Punchings & plate scrap	*41.00-41.50*
Electric furnace bundles.	*39.00-40.00*
Cast Iron Grades	
(F.o.b. Shipping Point)	
No. 1 cupola	*42.00-43.00*
Charging box cast	*35.00-36.00*
Stove plate	*38.00-39.00*
Heavy breakable cast	*35.00-36.00*
Unstripped motor blocks.	*35.00-36.00*
Brake shoes	41.00
Clean auto cast	52.00
No. 1 wheels	*46.00-47.00*
Burnt cast	41.00
Drop broken machinery	42.00-43.00
Railroad Scrap	
No. 1 R.R. heavy melt.	*38.00-39.00*
Malleable	*nom.*
Rails, 2-ft. and under	*46.00-47.00*
Rails, 18-in. and under	49.00
Rails, random lengths	*40.00-41.00*
Cast steel	44.00
Uncut tires	43.00
Angles, splice bars	*44.00-45.00*
Rails, rerolling	*46.00-47.00*

ST. LOUIS
(Brokers' Buying Prices)

No. 1 heavy melting...	40.00
No. 2 heavy melting...	40.00
No. 1 bundles	*41.00*
No. 2 bundles	*37.00-38.00*
Machine shop turnings.	28.00
Short shovel turnings..	31.00
Cast Iron Grades	
No. 1 cupola	43.00-45.00
Charging box cast	39.00-41.00
Heavy breakable cast..	36.00-38.00
Unstripped motor blocks	33.00-35.00
Brake shoes	41.00
Clean auto cast	46.00-47.00
Burnt cast	37.00-39.00
Railroad Scrap	
Malleable	40.00
Rails, 18-inch and under	60.00-62.00
Rails, random lengths.	50.00-52.00
Uncut tires	46.00-48.00
Angles, splice bars	48.00-49.00
Rails, rerolling	50.00

SEATTLE
(Delivered consumer plant)

No. 1 heavy melting...	30.00
No. 2 heavy melting...	26.00
No. 1 bundles	29.00
No. 2 bundles	24.00
Machine shop turnings.	15.00
Mixed borings, turnings	15.00
Short shovel turnings..	15.00
Electric furnace, No. 1	40.00-41.00
Cast Iron Grades	
(F.o.b. Shipping Point)	
No. 1 cupola	40.00
Heavy breakable cast.	36.00-38.00
Unstripped motor blocks	28.41
No. 1 wheels	47.0
Railroad Scrap	
Rails, random lengths.	38.0

SAN FRANCISCO

No. 1 heavy melting...	30.0
No. 2 heavy melting...	26.0
No. 1 bundles	29.0
No. 2 bundles	24.0
No. 1 busheling	30.0
Machine shop turnings.	12.0
Mixed borings, turnings	29.0
Short shovel turnings..	29.0
Cast iron borings	29.0
Cut structurals	38.0
Heavy turnings	34.0
Punchings & plate scrap	37.0
Electric furnace bundles	37.0
Cast Iron Grades	
No. 1 cupola	37.0
Charging box cast	47.0
Stove plate	46.0
Heavy breakable cast.	45.0
Unstripped motor blocks	41.0
Brake shoes	41.0
Clean auto cast	52.0
No. 1 wheels	47.0
Burnt cast	41.0
Drop broken machinery	52.0
Railroad Scrap	
No. 1 R.R. heavy melt.	37.0
Malleable	55.0
Rails, 3-ft. and under.	42.0
Rails, 18-in. and under	45.0
Rails, random lengths.	39.0
Cast steel	40.0
Uncut tires	39.0
Angles, splice bars	42.0
Rails, rerolling	44.0

LOS ANGELES

No. 1 heavy melting...	30.0
No. 2 heavy melting...	26.0
No. 1 bundles	29.0
No. 2 bundles	24.0
Machine shop turnings.	12.0
Cast Iron Grades	
(F.o.b Shipping Point)	
No. 1 cupola	38.00-41.0

HAMILTON, ONT.
(Delivered Prices)

Heavy Melt.	$35.5
No. 1 Bundles	35.5
No. 2 Bundles	35.5
Mechanical Bundles	31.5
Mixed Steel Scrap	31.5
Mixed Borings, Turnings	28.5
Rails, Remelting	35.5
Rails, Rerolling	38.5
Busheling	28.0
Busheling new factory:	
Prep'd	33.5
Unprep'd	31.5
Short Steel Turnings	28.5
Cast Iron Grades†	
No. 1 Machinery Cast..	50.0

† F.o.b., shipping point.

OLD CEILING BASE PRICES

Basing point ceiling prices per gro ton from which maximum shippin prices are computed on scrap d dealer and industrial origin; an from which ceiling on-line and cei ing delivered prices are compute on scrap of railroad origin.

Grade 1	No. 1 Bundles Dealer, Indus- trial	No. Heav Melt Rail- road
Basing Point		
Alabama City, Ala.	$39.00	$41.0
Ashland, Ky.	42.00	44.0
Atlanta, Ga.	39.00	41.0
Bethlehem, Pa.	42.00	44.0
Birmingham, Ala.	39.00	41.0
Brackenridge, Pa.	44.00	46.0
Buffalo, N. Y.	43.00	45.0
Butler, Pa.	44.00	46.0
Canton, O.	44.00	46.0
Chicago, Ill.	42.50	44.5
Cincinnati, O.	43.00	45.0
Claymont, Del.	42.50	44.5
Cleveland, O.	43.00	45.0
Coatesville, Pa.	42.50	44.5
Conshohocken, Pa.	42.50	44.5
Detroit, Mich.	41.15	43.1
Duluth, Minn.	40.00	42.0


For High Density Bales... Use Self-Contained
LOGEMANN Scrap Presses

Press, Pump, Tank... All in One Compact Assembly

Where space is limited, plants and mills can conserve floor space and piping, and at the same time handle high tonnages at low operating cost with a Logemann Scrap Press.

Both two and three ram models are available with automatic controls and are recommended when the nature of the scrap warrants such application and where high output is desired.

Pioneers in the metal baling field, Logemann engineers have embodied the features proved through actual operation to be essential to constant, uninterrupted service. Logemann engineers are prepared to offer suggestions as to operating layout and installation of any unusual or specific need. Present your problem to them, stating the nature of your scrap and the tonnage desired. There is no obligation.



LOGEMANN Also Specializes in
WASTE PAPER BALERS
for Industrial Applications . . . and in
HIGH PRESSURE PUMPS
. . . for pressures from 2,000 to 50,000 p.s.i. for press operation, hydrostatic tests and similar applications.

LOGEMANN BROTHERS CO.

3126 W. BURLEIGH STREET • MILWAUKEE 10, WISCONSIN

Scrap . . .

(*Continued from page* 191)

the foundries and demand for cast scrap is extremely light. Steel scrap is in as strong demand as ever, but deliveries are slow. However, inventories are comfortable.

Seattle — Recent price reductions have slowed scrap receipts as shippers react in the hope better prices will eventuate. However, inventories are comfortable and incoming tonnages are sufficient to cover current requirements. Local areas are supplying tidewater mills, shipments from remote points having to absorb freight. Cast iron scrap is in plentiful supply and some of the larger buyers have withdrawn from the market.

Structural Shapes . . .

Structural Shape Prices, Page 184

Philadelphia — Local structural steel demand continues spotty with smaller fabricators competing sharply for such work as they can handle. In fact, they are going after larger projects than they normally would attempt to figure.

Absent from the market is Pennsylvania state highway work pending action by the state legislature providing funds for additional construction. Actually, no bridge work for the Pennsylvania Department of Highways has been placed or inquired for so far this year. Nor has much been placed by the New Jersey State Department of Highways although some fair tonnage has been awarded this year by the New Jersey State Bridge Authority.

At least one large European exporter of steel has increased prices on structural shapes and deformed bars $3, and commercial bars $2 per ton, bringing offerings up to about $10 to $12 above domestic levels. Stronger situation abroad plus continued active outlook here is said to be the reason.

Boston—Structural fabricating shops are more successful in obtaining fill-in sizes, either from premium mills, foreign steel or warehouses. Help from the latter, however, is spotty as secondary stocks of structurals in a wide range of sizes is limited. Contracts for fabricated steel are more competitive, notably for medium-sized tonnages as bridge estimates are down for this period. Average per pound quotations for school tonnages reflect competition with more volume being estimated. Bangor, Me., bridge, 1000 tons, is expected out shortly.

New York—Structural steel awards in February totaled 182,184 tons, according to the American Institute of Steel Construction. This represents a drop from the revised January total of 271,077 tons. The total for the first two months of 452,261 tons, compared with 443,942 tons in the corresponding period of last year and 314,162 tons average for the same period in years 1947-1950, inclusive.

Shipments of 237,499 tons in February were down slightly from the revised figure for January of 239,892 tons. The total of 477,391 tons compared with 491,345 in the corresponding period of last year, and 328,080 ton average for the first two months of 1947-1950, inclusive.

Backlogs Mar. 1 amounted to 2,128,328 tons, against 2,408,032 tons in the like period of 1952.

Pittsburgh—Structural steel supply continues out of balance with demand. Strong order books seem evident into third quarter, as there is no easing in consuming pressure yet in evidence. One sign of a possible softening is the fact that no appreciable increase in tonnage inquiries is reported.

San Francisco — Structural fabricating activity may be given a boost in the next few months through subcontracting from the prime contractor of the structural work for the newly projected Richmond-San Rafael bridge.

Seattle—Fabricators are awaiting award of several large contracts, particularly military installations in Alaska. Estimators are busy, already many bids in abeyance awaiting official clearance. General contract has been placed for the Washington state Chehalis river bridge which will involve 2400 tons shapes, sub contract pending.

Reinforcing Bars . . .

Reinforcing Shape Prices, Page 184

Cleveland—Seasonal upswing in demand for reinforcing and other construction steel is in evidence. Public work is prominent. Chief interest in the market at the moment centers on requirements for the Ohio turnpike. Substantial tonnages of reinforcing bars and mesh already have been placed but more remain to be awarded. Currently, something of a hassle has developed in the placing of turnpike steel as a result of charges of favoritism toward certain suppliers. Specifications, it is alleged, were such as to exclude some suppliers from participating in the business. The argument extends to fights between competing materials, such as asphalt and concrete. Last week rumors were circulating throughout Ohio to the effect the program will be delayed, the target date for completion being moved to June 1, 1954.

Boston — Cement inventories are down for this season and unless corrected, could delay some reinforced concrete steel construction later. Among steel building materials, reinforcing bars are most active, notably for housing projects; 7500 tons have been placed for multiple housing. Bridge and highway requirements are slow. Supply of bars with distributors and fabricators has improved with backlogs heavier. Piling deliveries are less extended and more tonnage is available.

Los Angeles—Higher construction activity sustains a vigorous demand for reinforcing steel. Valuation of construction in Los Angeles county totaled $85 million during February, 20 per cent larger than for the like period in 1952.

Seattle—Rolling mills report booking a fair volume of small tonnages and a sizeable potential of larger contracts is expected to be placed shortly. Numerous major projects are still pending. Meanwhile mills are reducing backlogs. Prospects are promising.

STRUCTURAL SHAPES . . .

STRUCTURAL STEEL PLACED

800 tons, factory building, Heilig Bros. Inc York, Pa., to Reading Metalcraft Co Reading, Pa.

400 tons, bleachery superstructure, Oxfo Paper Co., Rumford, Me., to Bancroft Martin Rolling Mills Co., South Portlan Me.; F. W. Cunningham & Sons, Portlan general contractor.

250 tons, high school, Norfolk, Va., to Lipha Steel Co., Richmond, Va.; Virginia Eng neering Co. Inc., Newport News, Va., ge eral contractor.

200 tons, mill building, Seidelhuber Steel Rol ing Mill, Seattle, to Leckenby Structur Steel Co., Seattle.

175 tons, miscellaneous industrial structur and boiler house at Elmendorf Air Fiel Alaska, to Leckenby Structural Steel Co Seattle.

170 tons, Reading railroad bridge, Montgon ery county, Pa., to Bethlehem Steel Co Bethlehem, Pa.

150 tons, lintels, Bromley Park housing pro ect, Boston, to Grossman Steel Stair Co New York; M. S. Kelliher Co., Boston, ge eral contractor; joists to Fabricated Ste Co., Quincy, Mass.

100 tons, municipal garage, Somerville, Mass to West End Iron Works, Cambridge, Mass. S. & A. Allen Construction Co., Boston, ge eral contractor.

100 tons or more, boiler plant, Robert Ga Co., Haverhill, Mass., to Groisser & Shlage Iron Works, Somerville, Mass.; by owne Thomas O'Connor Co., Cambridge, genera contractor, reinforcing bars to Joseph T Ryerson & Son Inc., Cambridge.

Unstated, seven prefabricated steel building for various industrial firms in Pacific North west, to Leckenby Structural Steel Co. Seattle.

Unstated, insulator pedestal, to King Bros. Portland, Oreg., low $28,125, by Bonnevill Power Administration, Portland.

STRUCTURAL STEEL PENDING

2400 tons, Washington state Chehalis rive bascule span; general contract to MacRa Bros., Seattle, low $3,364,025.

1250 tons, bridges, Fulton county, Ohio; bid Apr. 8, Ohio Turnpike Commission, Colum bus, contracts C-56 and C-57.

725 tons, structural shapes and piling, sub structure, Sakonnet river bridge, Ports mouth-Tiverton, R. I., Whaling City Dredg & Dock Corp., Groton, Conn., low.

700 tons, bridges, Fulton county, Ohio; bid Apr. 8, Ohio Turnpike Commission, Colum bus; contracts C-54 and C-55.

575 tons, Washington state Skagit river swing bridge; bids to Olympia, Apr. 14.

415 tons, Bureau of Public Roads bridge, Mt. Hood forest area, Clackamas county, Oreg.; bids to Portland Apr. 9.

310 tons, foundry and machine shop, Red Lyon plant, Budd Co., Philadelphia & Robinson Steel Co., Philadelphia, low.

250 tons, intake gates, machinery, etc., Chief Joseph dam; Willamette Iron & Steel Co., Portland, low $218,428, to U. S. engineer, Seattle.

135 tons, three-span WF beam bridge and one span WF beam bridge, Warren, Vt.; bids Apr. 17, Montpelier; also 85 tons reinforcing bars.

125 tons, organization maintenance shop, Ladd Field, Alaska; general contract to Grove, Shepherd, Wilson & Kruge, Seattle, low $1,018,361.

Unstated, prefabricated steel warehouse, steel government furnished; bids to Bureau of Reclamation, Kennewick, Wash., Apr. 21.

Unstated, four schedules, bulkhead gates, guides, frames, etc., Palisades power plant, Idaho; bids to Denver Apr. 23.

Unstated, base maintenance shop, McChord Air Field, Washington; John H. Sellen Const. Co., Seattle, low $320,313.

Unstated, four steel frame buildings, $350,000 tank testing station; bids to Boeing Airplane Co., Seattle, mid-April.

(*Turn to page* 196)

RAILROAD EQUIPMENT—*FOR SALE*

USED **AS IS** **RECONDITIONED**

STANDARD GAUGE FREIGHT CARS

Box, Steel Sheathed, 40-Ton Capacity
Box, Double Sheathed, 50-Ton Capacity
Box, Single Sheathed, 50-Ton Capacity
Flat, 50-Ton, Steel Underframe, 40'6" Long
Gondolas, Composite, or All Steel 50-Ton and 70-Ton
Hoppers, Twin, All-Steel, 50-Ton, Cross Dump
Tank, 3,000-Gallon, High Pressure
Tank, 8,000-Gallon, Coiled and Non-Coiled

Hoppers, All-Steel, 70-ton, Triple Hopper Cross Dump

EXTRA LONG FLAT CARS

40 & 50-Ton Capacity, Length 70' and 74'

STANDARD GAUGE AIR DUMP CARS

Side Dump, 20-Yd., 40-Ton, Lift Door
End Dump, 20-Yd., 50-Ton, Drop Door
Side Dump, 30-YD., 50-TON, DROP DOOR

CABOOSE CARS

Eight Wheel, Cupola Type

OTHER EQUIPMENT

Jordan Spreader
Locomotive Cranes
Overhead Cranes
Railroad Track Scales

STANDARD GAUGE DIESEL-ELECTRIC ROAD SWITCHING LOCOMOTIVE

300 H.P., 70-Ton, Type 0-4-4-0

NEW AND RELAYING RAIL

Send us your inquiries — WE BUY FREIGHT CARS FOR DISMANTLING — *Send us your offerings*

IRON & STEEL PRODUCTS, INC.

REPAIR PARTS For All Types of Freight Cars

General Office
13462 S. Brainard Ave.
Chicago 33, Illinois
Phone: BAyport 1-3456

New York Office
50-D. Church Street
New York 7, N. Y.
Phone: BEekman 3-8230

STORAGE TANKS
6,000 Gallon
8,000 Gallon
10,000 Gallon

"ANYTHING containing IRON or STEEL"

FOR SALE

Cleveland No. 3 Double Angle Shear, capacity 6x6 x ¾ angles. Good condition.

ST. JOSEPH STRUCTURAL STEEL CO.
Box 68, Station A, St. Joseph, Mo.

CRANE

125 Ton Alliance, Four Girder Double Trolley Ladle

Span: 54' 5½"
Capacity: main hoist 250,000 pounds
auxiliary hoist 80,000 pounds
Speeds: main hoist 13 F.P.M.
auxiliary hoist 20 F.P.M.
main trolley 75 F. P. M.
auxiliary trolley 125 F. P. M.
bridge 200 F. P. M.
Equipped with G. E. motors and E. C. & M. controllers.

FOR SALE INQUIRE AT:
KEYSTONE STEEL & WIRE COMPANY
PEORIA 7, ILLINOIS

NEW PIPE

Warehouse Stocks of
STANDARD • MERCHANT
LAP WELD • SEAMLESS
BUTTWELD • SPIRAL WELD

L.B. FOSTER CO.
HOUSTON 2, TEX. CHICAGO 4, ILL.
PITTSBURGH 30, PA. NEW YORK 7, N.Y.



10 to 12 ft. lengths
ALL METALS
Also Screw Machine Products to Order

EASTERN
Machine Screw Corp.
New Haven, Conn.
Makers of H & G Die Heads

FOR CLASSIFIED RATES
And Further Information write
STEEL, Penton Bldg., Cleveland 13, O.

CLASSIFIED

Help Wanted

SALES EXECUTIVE

Manufacturer of steel joists, deck and culvert pipe; steel fabricator of structural, reinforcing and miscellaneous iron; warehousing of related steel specialties. Operation 9 southwestern states; present volume 3000 tons monthly. Position requires promotion of products to architects and engineers, and selling to contractors and owners. Prefer man 35 to 45 years. Excellent opportunity for experienced producer. Write Box 700, STEEL, Penton Bldg., Cleveland 13, Ohio.

PRODUCTION MANAGER

Steel fabricator of structural, reinforcing and miscellaneous iron for the construction industry. At present processing 3000 tons per month. Need energetic man with rich experience background. Splendid opportunity for future development. Position now open due to retirement and unexpected serious illness. Age range 35 to 45 years. Location southwest. Write Box 701, STEEL, Penton Bldg., Cleveland 13, Ohio.

Representatives Wanted

MANUFACTURERS AGENT
COILED WIRE SPRINGS ACCOUNT

Representatives wanted to handle coiled wire spring account on commission and exclusive territory basis. Must be active. Reply stating accounts now handled. Write Box 697, STEEL, Penton Bldg., Cleveland 13, Ohio.

Accounts Wanted

MANUFACTURERS' REPRESENTATIVE with office located in Detroit, Michigan, desires additional lines. Now handling cold-headed items, springs; selling all automotive concerns and diversified industries. Desires well rated washer, stamping, or waste cloth line. Write Box 684, STEEL, Penton Bldg., Cleveland 13, Ohio.

Positions Wanted

EXECUTIVE EXPERIENCED AS PLANT MANAGER with cost and production experience. Sound industrial background in administrative and management functions. 25 years' experience. B.S. Degrees M.I.T. Write Box 693, STEEL, Penton Bldg., Cleveland 13, Ohio.

STRUCTURAL SHOP SUPERINTENDENT, Age 39, thoroughly familiar with all phases of structural and miscellaneous iron work in medium size shop. Capable Administrator. South preferred. Write Box 695, STEEL, Penton Bldg., Cleveland 13, Ohio.

SHOP SUPERINTENDENT

Structural steel, plate, and miscellaneous steel work, welded or riveted construction. 30 years' experience. Will relocate. Can produce tonnage. Write Box 702, STEEL, Penton Bldg., Cleveland 13, Ohio.

WANTED
TUBE MILL SUPERVISOR

A Canadian Specialty Steel Company requires a supervisor for new division producing Stainless Steel Welded Tubing. Applicant must be familiar with forming, welding and drawing of stainless steel tubes. Ability to train operators and handle production problems is essential.

Full particulars re salary and working conditions will be supplied to qualified applicants.

ATLAS STEELS LIMITED
Welland, Canada

PACIFIC COAST
REPRESENTATIVES

We have transferred our office to California and are interested in representing reliable manufacturers of CHEMICALS—METALS—INDUSTRIAL PRODUCTS.

CHARLES VERMILYE COMPANY
(formerly of 500—5th Ave., N. Y. City)
3440 Wilshire Blvd., Los Angeles 5, Calif.

transformers
built to your specifications

Take advantage of our more than 40 years' experience in manufacturing and re-building industrial transformers. *Complete satisfaction guaranteed.*

Send us your specifications for prompt quotation

"TRANSFORMER HEADQUARTERS"
Manufactured – Bought – Sold – Repaired

THE ELECTRIC SERVICE CO., INC.
5315 Hetzel St., Cincinnati 27, Ohio

Manual Lincolnweld cuts welding time 50%

FASTER welding speeds now possible with "Manual Lincolnweld" can lower welding costs substantially on a wide variety of work. On these truck bodies, for example, higher welding speeds cut welding time in half. Welds are of higher quality. Less time is needed for weld cleaning.

To simplify operations, the work is held in a positioner permitting most welds to be made in downhand position at currents of 400 amps. The material is mostly ½" plate and 5/16" channel.

The high current density of "Manual Lincolnweld" (up to 600 amps on a 5/64" wire) is 3 to 4 times higher than that used on any arc welding process today. This results in deeper penetration, permits 100% butt welds in ¾" plate in one pass from each side without need for joint preparation, saving manhours and lowering shop costs.




Fig. 1. Truck body *in fabrication on positioner permits operator to make welds on bottom of truck as well as on inside.*



Fig. 2. Manual Lincolnwelding *bottom sections to end at 400 amps. Continuous electrode is fed through welding gun which also supplies granular flux to hide arc rays. Photos courtesy Easton Car and Construction Company, Easton, Pa.*

GET THE FACTS—Latest procedures for cutting costs with "Manual Lincolnweld" are in Bulletin 1303. Write on your letterhead to Dept. 1603.

THE LINCOLN ELECTRIC COMPANY
Cleveland 17, Ohio

THE WORLD'S LARGEST MANUFACTURER OF ARC WELDING EQUIPMENT

125 tons, two-span continuous rolled beam bridge, Wilton-Redding, Conn.; Mariani Construction Co., Inc., New Haven, low.

120 tons, rolled beam bridge, Union, Conn.; M. A. Gammino Construction Co., Providence, R. I., low.

REINFORCING BARS . . .

REINFORCING BARS PLACED

1000 tons, estimated, Chesterfield plant, National Aniline Division, Allied Chemical & Dye Corp., near Hopewell, Va., to Richmond Steel Co., Richmond, Va., and Hall-Hodges Co., Norfolk, Va.; Daniel Construction of Virginia, Hopewell, Va., general contractor; small volume of overall structural requirements placed with Richmond Structural Steel Co., Richmond, Va.

750 tons, Washington state Chehalis river bridge, to Bethlehem Pacific Coast Steel Corp., Seattle; MacRae Bros., Seattle, general contractors.

685 tons, housing project, PHA-31-1, Somerville, Mass., to Joseph T. Ryerson & Son, Inc., Cambridge, Mass.; Jefferson Construction Co., Cambridge, general contractor.

235 tons, municipal garage, Somerville, Mass., to Northern Steel, Inc., Boston; S. & A. Allen Construction Co., Inc., Boston, general contractor.

230 tons, high school, Norfolk, Va., to Hall-Hodges Co., Norfolk; Virginia Engineering Co. Inc., Newport News, Va., general contractor.

190 tons, state highway, Bourne-Sandwich-Barnstable, Mass., to Plantations Steel Co., Providence, R. I.; Campanella & Cardi Construction Co., Hillsgrove, R. I., general contractor.

100 tons, bleachery superstructure, Oxford Paper Co., Rumford, Me., to Bancroft & Martin Rolling Mills Co., South Portland, Me.; F. W. Cunningham & Sons, Portland, general contractor.

100 tons, dormitory, Trinity College, Hartford, Conn., to Scherer Steel Co., Hartford; Industrial Construction Co., Hartford, general contractor.

REINFORCING BARS PENDING

15,000 tons, estimated, bars and piling, substructure, Straits of Mackinac bridge, Michigan; Merritt-Chapman & Scott Corp., New York, general contract; purchase of steel awaits sale of bonds, Mackinac Bridge Authority.

550 tons, bridges, Fulton county, Ohio; bids Apr. 8, Ohio Turnpike Commission, Columbus, contracts C-56 and C57.

500 tons or more, Oregon state highway bridges and crossings in Douglas and Clatsop counties; bids to Highway Commission, Portland, Apr. 8 and 9 respectively.

450 tons, bridges, Fulton county, Ohio; bids Apr. 8, Ohio Turnpike Commission, Columbus, contracts C-56 and C-57.

450 tons, Beckley Interchange, West Virginia turnpike; bids Apr. 14, Charleston, W. Va.

167 tons, Washington state Skagit river swing bridge; bids to Olympia, Apr. 14.

Unstated, proposed 550-foot Yakima river, Washington, county bridge; plans in preparation by Engineers Hadley & Hadley, Seattle.

PIPE . . .

STEEL PIPE PENDING

Unstated, system expansion, Alderwood Manor, Wash.; Superior Construction Co., Seattle, low $42,977.

Unstated, 25,000 feet or more, two schedules; bids to Federal Supply Service, Seattle, Apr. 6 and Apr. 9 respectively.

PLATES . . .

PLATES PENDING

9000 tons, oil refinery, Ferndale, Washington; bids in to Bechtol Corp., San Francisco, general contractors.

Unstated, first phase reactor testing station, Arco, Idaho; general contract to Utah Construction Co., Salt Lake City, Utah, by Atomic Energy Commission, $4,583,028.

Unstated, 1000 pieces steel floor plates; bids in at Seattle Mar. 31.

Unstated, 64 stainless steel tubs, material government furnished; bids to Atomic Energy Commission, Richland, Wash., Mar. 30.

RAILS, CARS . . .

LOCOMOTIVES PLACED

Army Transportation Corps, six diesel electric engines, standard gage, for export, to Baldwin-Lima-Hamilton Corp., Eddystone, Pa.

Help for Exporters

Have you had damage trouble with your export shipments? The National Wooden Box Association, Washington, is offering a new kind of help to avoid such losses with a booklet, "Export Packing: A Guide to Proper Application of Nailed Wooden Containers for Overseas Shipments."

Included in the booklet is information on the size and type of box required for various types of loads, nailing, strapping, interior blocking, bracing, packing and marking procedures. Nothing new but conveniently gathered into one place. Your packaging engineer can obtain a copy through your container supplier or by writing National Wooden Box Association, Barr Building, Washington 6.

Schuman Plan Hits a Snag

Indicative of the rough road ahead for the Schuman plan is the current tax trouble between France and West Germany. The Schuman plan calls for equal steel selling prices among members—but the sales tax varies widely between these two countries, 4 per cent in Germany, 19 per cent in France.

Presently the tax is being paid at the border of the using country rather than in the producing country. A proposal before the Motanunion would change that; make the taxes due in the producing country and not in the using country. To meet the German producer's price under the latter arrangement, the French would have to absorb the 15 per cent difference in domestic taxes. Germans insist the present plan of taxing steel sales at the border of the using country violates the Schuman plan theory of no more tariff walls.

The matter is being studied by the High Authority of the Schuman plan, but no quick answer is expected.

Advertising Index

asive Products, Inc. 119
x Engineering Corporation 91
on-Bradley Co. 135, 136
ed Research Products, Inc. 98
ed Steel & Conveyors, Inc. 79
erican Brake Shoe Co., National Bearing Division 159
erican Wheelabrator & Equipment Corp. 183
conda Wire & Cable Co. 17, 18, 19, 20
ox Tool & Cutter Co., Inc. 190
nco Steel Corporation 53
ociated Spring Corporation 125
as Car & Mfg. Co., The 96

bcock & Wilcox Co., The, Tubular Products Division ..... Inside Front Cover
ber-Colman Co. 172
nes-Gibson-Raymond, Division of Associated Spring Corporation 125
nes, Wallace, Co., Division of Associated Spring Corporation 125
nes, Wallace, Co., Ltd., The, Division of Associated Spring Corporation 125
lic Refractories, Inc. 7
State Abrasive Products Co. 97
hlehem Steel Co. 1
-R Cook Plant, Division of Associated Spring Corporation 125
g-Warner Corporation, Ingersoll Steel Division 182
tol Brass Corporation, The 161
wn & Sharpe Mfg. Co. 39, 40
owning, Victor R., & Co., Inc. 190
rant Chucking Grinder Co. 130, 131
ffalo Bolt Co. Division of Buffalo-Eclipse Corporation 134
llard Co., The 29, 30

lumet & Hecla, Inc., Wolverine Tube Division 122, 123
mcar Screw & Mfg. Corporation 110
rborundum Co., The 23
penter Steel Co., The 162
ttie, Joseph P., & Brothers, Inc. 190
tral Steel & Wire Co. 47
andler Products Corporation 116
ase Brass & Copper Co. 167
ncinnati Shaper Co., The 3
earing Machine Corporation 100
eveland Cap Screw Co., The 178
eveland Steel Tool Co., The 190
old Metal Products Co., The 68
olorado Fuel & Iron Corporation, The, Wickwire Spencer Steel Division 85
opper Alloy Foundry Co., The 21
opper-Bessemer Corporation, The 45
ucible Steel Company of America 11
ullen-Friestedt Co. 197

elta Power Tool Division, Rockwell Manufacturing Co. 171
etrex Corporation 8, 9
etroit Stamping Co. 186
iamond Mfg. Co. 190
unbar Brothers Co., Division of Associated Spring Corporation 125
u Pont, E. I., de Nemours & Co., Inc. 37
uraloy Co., The 132

astern Machine Screw Corporation, The 190, 195
lectric Controller & Mfg. Co., The 54
lectric Service Co., Inc., The 195
lectro Dynamic Division of General Dynamics Corporation 88
lectro Metallurgical Co., A Division of Union Carbide & Carbon Corporation 24
ie Foundry Co. 36
ureka Fire Brick Works 191
-Ceil-O Corporation 4, 5

airfield Manufacturing Co. 157
arrel-Birmingham Co., Inc. 133
arval Corporation, The ..... Inside Back Cover
erro Corporation 182
oster, L. B., Co. 195

Continued on following page

The manufacture of multi-product lines has always created problems for metal fabricators. While diverse metal sizes, shapes and perforations enhance product value and customer acceptance — they also add to manufacturing costs. In order to keep customers happy and keep production costs down, put Hendrick's specialized perforated metal facilities to work.



Your answer to fabricating problems

Hendrick supplies steel sheets tailor-made to your specific job requirements — whether you require perforating, shaping, forming, welding, brazing or riveting, whatever your particular needs be Hendrick has the answer. For more complete information and specifications write Hendrick.

SEE OUR CATALOG IN SWEET'S

Hendrick
MANUFACTURING COMPANY

30 DUNDAFF ST., CARBONDALE, PA. • *Sales Offices in Principal Cities*
Perforated Metal • Perforated Metal Screens • Wedge-Slot Screens • Architectural Grilles • Mitco Open Steel Flooring • Shur-Site Treads • Armorgrids



1 man ...handles Sheet Steel *Faster, Easier* with a

C-F LIFTER

C-F Lifters, under one man operation, pick up, carry and unload more sheet steel tonnage per hour than any other method — and at lower cost per ton. Wide carrying angles hold sheets securely — won't damage high grade sheets; tong action insures safe carrying; fast opening and closing adjustments of Lifter jaws permit shifting from one size pack to another in seconds. C-F Lifters are made in standard or semi-special models to handle from 2 to 60 tons.

Write for Bulletin SL-28 for specific examples of C-F Lifter operation and economy.






CULLEN-FRIESTEDT CO.
1308 SOUTH KILBOURN AVENUE • CHICAGO 23, ILLINOIS



. . or Released in an Instant


CLINCH TYPE


INSTRUMENT MOUNTING


SPLINE TYPE


THIN TYPE


STANDARD

Faster assembly . . . no more failures of fasteners. GREER STOP NUTS hold firm against jolts, shocks, shimmy, wobbles . . . any vibration, any kind.


Bolt threads are gripped tightly . . . these famous nuts *never* work loose. Yet an ordinary hand wrench gives instant release. The tough, built-in GREERCOID collar does it . . . and seals against fluid leakage, too!

Study *your* fastener problem. Over 3000 types and sizes. Consult GREER. Proved on thousands of products. Meets gov't and military specifications.

Write

GREER STOP NUT CO.

2620 Flournoy, Chicago 12, Ill.



GREER Stop Nuts

Advertising Index

Concluded from preceding page

Garlock Packing Co., The ... 28
General Dynamics Corporation, Electro Dynamic Division ... 88
Geometric Stamping Co. ... 94
Gibson, William D., Co., The, Division of Associated Spring Corporation ... 125
Gisholt Machine Co. ... 22
Gits Bros. Mfg. Co. ... 124
Gould-National Batteries, Inc. ... 26
Greer Hydraulics, Inc. ... 155
Greer Stop Nut Co. ... 198
Gregory Industries, Inc., Nelson Stud Welding Division ... 10

Handy & Harman ... 187
Hannifin Corporation ... 35
Hansen Manufacturing Co., The ... 33
Hanson-Van Winkle-Munning Co. ... 42
Harnischfeger Corporation, Overhead Crane Division ... 150, 151
Haynes Stellite Co., A Division of Union Carbide & Carbon Corporation ... 92
Hendrick Manufacturing Co. ... 197
Hyatt Bearings Division, General Motors Corporation ... 72

Industrial Products Suppliers ... 190
Ingersoll-Rand ... 109
Ingersoll Steel Division, Borg-Warner Corporation ... 182
International Business Machines ... 38
International Nickel Co., Inc., The ... 50
Iron & Steel Products, Inc. ... 195
Ironsides Co., The ... 107

Jeffrey Manufacturing Co., The ... 111
Jessop Steel Co. ... 153
Johnson Steel & Wire Co., Inc. ... 90
Jones & Laughlin Steel Corporation ... 174

Kaiser Aluminum & Chemical Sales, Inc., Chemical Division ... 15
Kardong Brothers, Inc. ... 186
Kewanee-Ross Corporation ... 149
Kirk & Blum Manufacturing Co., The ... 152
Kling Bros. Engineering Works ... 57

Lake City Malleable Co., The ... Back Cover
Landis Machine Co., The ... 14
Lewthwaite, T. H., Machine Co., Inc. ... 182
Lincoln Electric Co., The ... 196
Lindberg Engineering Co. ... 144
Link-Belt Co. ... 43
Loftus Engineering Corporation ... 112
Logemann Brothers Co. ... 193
Lumnite Division, Universal Atlas Cement Co. ... 48

Manross, F. N., & Sons Co., Division of Associated Spring Corporation ... 125
Micromatic Hone Corporation ... 128
Midvale Co., The ... 32
Milwaukee Division of Associated Spring Corporation ... 125
Moline Tool Co. ... 182
Mueller Brass Co. ... 145
Mundt, Charles, & Sons ... 176

National Bearing Division, American Brake Shoe Co. ... 159
National Machinery Co. ... 44
National Steel Corporation ... 13
Nelson Stud Welding Division of Gregory Industries, Inc. ... 10
New Departure, Division of General Motors ... 75
Niagara Blower Co. ... 12
Norton Co. ... 34
Nox-Rust Chemical Corporation ... 127

Ohio Division of Associated Spring Corporation ... 1
Ohio Knife Co., The ... 1
Ohio Locomotive Crane Co., The ... 1
Ohio Steel Foundry Co., The ... 1
O K Tool Co., The ... 1

Paxson Machine Co. ... 1
Philadelphia Gear Works, Inc. ... 1
Phillips Petroleum Co. ... 1
Pittsburgh Crushed Steel Co. ... 1
Poole Foundry & Machine Co. ... 1
Pusey & Jones Corporation, The ... 1

Raymond Manufacturing Co., Division of Associated Spring Corporation ... 1
Republic Steel Corporation ... 1
Reynolds Metals Co. ... 114,
Roebling's, John A., Sons Corporation ... 67,

Seaboard Coil Spring Division of Associated Spring Corporation ... 1
Sherman Paper Products Corporation ... 1
Silent Hoist & Crane Co. ... 1
Simonds Abrasive Co. ... 1

Sivyer Steel Casting Co. ... 16
Solar Steel Corporation ... 1
South Bend Lathe Works ... 16
Speedi-Dri Corporation ... 1
Square D Co. ... 15
Stamco, Inc. ... 18
Standard Conveyor Co. ... 13
Steel Shot & Grit Co. ... 1
Stevens, Frederic B., Inc. ... 144
Superior Tube Co. ... 113

Thomas Machine Manufacturing Co. ... 20
Timken Roller Bearing Co., The, Steel & Tube Division ... 76
Torrington Co., The ... 89

Udylite Corporation, The ... 95
Union Carbide & Carbon Corporation, Electro Metallurgical Co. ... 24
Union Carbide & Carbon Corporation, Haynes Stellite Co. ... 92
United Engineering & Foundry Co. ... 49
United States Steel Corp., Subsidiaries ... 48
Universal Atlas Cement Co., Lumnite Division ... 48
Upson-Walton Co., The ... 176

Victor Saw Works, Inc. ... 16

Warner & Swasey Co. ... 27
Weirton Steel Co. ... 13
Westinghouse Electric Corporation ... 173
Wheeling Steel Corporation ... 186
Wickwire Spencer Steel Division of The Colorado Fuel & Iron Corporation ... 85
Williams-White & Co. ... 141
Wilson, Lee, Engineering Co., Inc. ... 147
Wolverine Tube Division of Calumet & Hecla Inc. ... 12 123


Youngstown Sheet & Tube Co., The ... 41

Table of Contents, Page 5

Classified Advertising Page 195

Dust-proof lubrication of Traylor jaw crusher insured by Farval

FARVAL—*Studies in Centralized Lubrication* No. 141



KEYS TO ADEQUATE LUBRICATION — Wherever you see the sign of Farval—the familiar valve manifolds, dual lubricant lines and central pumping station—you know a machine will be properly lubricated. Farval manually operated and automatic systems protect millions of industrial bearings.

Photo of Farvalized jaw crusher by courtesy of Traylor Engineering Company.

YOU can't fool a rock crusher with grease cups and wick feeds. Sooner or later, dirt clogs these devices and gets into the bearings. Abrasive dust cuts. Shutdowns occur. Production stops.


The builder of this 48″x 60″ jaw crusher didn't take chances with bearing troubles. He chose a foolproof Farval system. Centralized lubrication keeps bearings at top operating efficiency and sealed to repel invasion of dirt and dust.

Farval delivers oil or grease under pressure to a group of bearings from one central station, in exact quantities, as often as desired. The Farval valve has only two moving parts—is simple and sure. No springs, ball checks or pin-hole ports to cause trouble. Farval lubricates while the equipment is working—keeps bearings cool regardless of the kind and quantity of material being crushed. And Farval completely eliminates the need for a hand oiler to clamber over slippery surfaces. Lubrication is safe, sure, cheap—saves labor, production time, bearing expense and lubricants.

With industry moving at high speed, more and more builders and users of machinery and industrial equipment of all kinds look to Farval for continuous bearing protection—low-cost positive protection that has been a Farval trade-mark for over 26 years.

There's a specific Farval system suitable for almost any type and size machine. For information and help, consult the Farval engineer who's near you to serve you. Or write for Bulletin 26. You'll be amazed at the savings in labor, lubricant, and increased bearing life Farval can bring. The Farval Corporation, 3270 E. 80th St., Cleveland 4, Ohio.

Affiliate of The Cleveland Worm & Gear Company, Industrial Worm Gearing. In Canada: Peacock Brothers Limited.



Peace of Mind

assured to competent engineers by use of

"SHOCK PROOF"
Malleable Castings

The Lake City Malleable Co.
Cleveland, Ohio

The necks of these birds have been bent and twisted to show malleability.